

Product datasheet for **SC316700**

CXCL16 (NM_001100812) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CXCL16 (NM_001100812) Human Untagged Clone
Tag:	Tag Free
Symbol:	CXCL16
Synonyms:	CXCLG16; SR-PSOX; SRPSOX
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC316700 representing NM_001100812. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGTCTGGGAGTCAGAGCGAGGTGGCTCCATCCCCGAGAGTCCGCGGAGCCCCGAGATGGGACGGGAC
TTGCGGCCCGGGTCCCGCGTGCTCCTGCTCCTGCTTCTGCTCCTGCTGGTGTACCTGACTCAGCCAGGC
AATGGCAACGAGGGCAGCGTCACTGGAAGTTGTTATTGTGGTAAAAGAATTTCTCCGACTCCCCGCCA
TCGGTTCAGTTCATGAATCGTCTCCGAAACACCTGAGAGCTTACCATCGGTGTCTATACTACACGAGG
TTCCAGCTCCTTCTGGAGCGTGTGTGGGGCAACAAGGACCCATGGGTTCAGGAATTGATGAGCTGT
CTTGATCTCAAAGAATGTGGACATGCTTACTCGGGGATTGTGGCCACCAGAAGCATTACTTCTACC
AGCCCCCAATTTCTCAGGCCTCAGAGGGGCATCTTCAGATATCCACACCCCTGCCAGATGCTCCTG
TCCACCTTGCACTCCACTCAGCGCCCCACCTCCAGTAGGATCACTGTCTCCTCGGACAAAGAGCTCACT
CGTCCCAATGAAACCACCATTCACTGCGGGCCACAGTCTGGCAGCTGGGCCTGAGGCTGGGGAGAAC
CAGAAGCAGCCGAAAAAATGCTGGTCCCACAGCCAGGACATCAGCCACAGTCCAGTCCCTGTGCCCTC
CTGGCCATCATCTTCATCCTCACCGCAGCCCTTCTATGTGCTGTGCAAGAGGAGGAGGGGGCAGTCA
CCGAGTCTCTCCAGATCTGCCGGTTCATTATATACCTGTGGCACCTGACTCTAATACCTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
```

Restriction Sites:	Sgfl-MluI
Plasmid Map:	□
ACCN:	NM_001100812
Insert Size:	822 bp



[View online »](#)

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001100812.1
RefSeq Size:	1466 bp
RefSeq ORF:	822 bp
Locus ID:	58191
UniProt ID:	Q9H2A7
Cytogenetics:	17p13.2
Protein Families:	Druggable Genome, Secreted Protein, Transmembrane
Protein Pathways:	Chemokine signaling pathway, Cytokine-cytokine receptor interaction
MW:	29.5 kDa

Gene Summary:

Acts as a scavenger receptor on macrophages, which specifically binds to OxLDL (oxidized low density lipoprotein), suggesting that it may be involved in pathophysiology such as atherogenesis (By similarity). Induces a strong chemotactic response. Induces calcium mobilization. Binds to CXCR6/Bonzo.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (2) includes a 3' terminal exon that extends past a splice site that is used in variant 1. This results in a novel 3' UTR compared to variant 1. Variants 1 and 2 encode the same protein.