

## Product datasheet for **SC317145**

### SLFN11 (NM\_001104587) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	SLFN11 (NM_001104587) Human Untagged Clone
Tag:	Tag Free
Symbol:	SLFN11
Synonyms:	SLFN8/9
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC317145 representing NM\_001104587.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGAGGCAAATCAGTGCCCCCTGGTGTGGAACCATCTTACCCAGACCTGGTCATCAATGTAGGAGAA
GTGACTCTTGGAGAAGAAAACAGAAAAAAGCTGCAGAAAATTCAGAGAGACCAAGAGAAGGAGAGATT
ATGCGGGCTGCATGTGCTTTATTAACCTCAGGAGGAGGTGATTGCAATGGCCAAGAAGTTGAGCAT
CCCGTGGAGATGGGACTGGATTTAGAACAGTCTTTGAGAGAGCTTATTCAGTCTTCAGATCTGCAGGCT
TTCTTTGAGACCAAGCAACAAGGAAGGTGTTTTACATTTTGTAAATCTTGGAGCAGTGGCCCTTTC
CCTGAAGATCGCTCTGTCAAGCCCCGCCTTTCAGCCTCAGTCTTTCATTATACCGTAGATCTGAGACC
TCTGTGCGTTCATGGACTCAAGAGAGGCATTCTGTTTCTGAAGACCAAAAGGAAGCAAAAATCTTG
GAAGAAGGACCTTTTACAAAATTCACAAGGTGTATACCAAGAGCTCCCTAACTCGGATCTCTGCTGAC
CCAACTCGGATCTGCTGACCTAATTTTCCAAAAGACTATCTTGAATATGGTGAATCCTGCCTTTT
CCTGAGTCTCAGTTAGTAGAGTTTAAACAGTTCTCTACAAAACACTTCCAAGAATATGTAAGGACA
ATTCCAGAATACGTCCCTGCATTTGCAAACACTGGAGGAGGCTATCTTTTATTGGAGTGGATGATAAG
AGTAGGGAAGTCCGGATGTGCAAAAGAAAATGTTGACCCTGACTCTTTGAGAAGGAAAATAGAACAA
GCCATATACAACTACCTTGTGTTCAATTTTGCCAACCCCAACGCCCGATAACCTTCACACTCAAAAT
GTGAATGTGTTAAAAGGGGAGAGCTCTATGGCTATGCTTGATGATCAGAGTAAATCCCTTCTGCTGT
GCAGTGTCTCAGAAGCTCCCAATTCATGGATAGTGGAGGACAAGTACGCTCTGCAGCCTGACAACCGAG
AAATGGGTAGGCATGATGACAGACAGATCCAGATCTTCTACAGTTGTCTGAAGATTTGAATGTCAG
CTGAGTCTATCTAGTGGCCTCCCTTAGCAGACCAGTGTACTCCAAGAAAGGCCTGGAACATAAAAAAG
GAACTCCAGCACTTTTATTTTCACTCCACAGGATATTTGCGATATACTCCAGAGTCACTCTGGAGG
GACCTGATCTCAGAGCACAGAGGACTAGAGGAGTTAATAAATAAGCAAAATGCAACCTTTCTTTCCGGGA
ATTTTGATCTTCTAGAAAGTTGGGCTGTGGACCTGAACTTGCAGGAGAAGCCAGGAGTCATCTGTGAT
GCTCTGCTGATAGCACAGAACAGCACCCCACTTCTACACCACTTCTCAGGGAGCAAGATGCAGAGGGC
CAGGACTACTGCACTCGCACCGCCTTTACTTTGAAGCAGAAGCTAGTGAACATGGGGGGTACACCGGG
AAGGTGTGTGTCAGGGCCAAGTCTCTGCCTGAGTCTGAGAGCAGCGCAGAGGCTTGGAGGCTGCA
GTGTCTCCGATGGATTACCCTGCGTCTATAGCCTTGCAGGCACCCAGCACATGGAAGCCCTGCTGCAG
TCCCTCGTGATTGCTTACTCGGCTTCAGGCTCTCTTTGAGTGACCAGCTCGGCTGTGAGGTTTTAAAT
CTGCTCACAGCCAGCAGTATGAGATATTCAGAAAGCCTCCGCAAGAACAGAGAGTTGTTTGTCCAC
GGCTTACCTGGCTCAGGGAAGACCATCATGGCCATGAAGATCATGGAGAAGATCAGGAATGTGTTTAC
TGTGAGGCACACAGAATTCTCTACGTTTGTGAAAACAGCCTCTGAGGAACTTTATCAGTGATAGAAT
ATCTGCCGAGCAGAGACCCGGAAAACCTTCTTAAGAGAAAACCTTGAACACATTCAACACATCGTCATT
GACGAAGCTCAGAATTTCCGTAAGATGGGGACTGGTATGGGAAGGCAAAAAGCATCACTCGGAGA
GCAAAGGTGGCCAGGAATTTCTGGATCTTTCTGGATTACTTTAGACCAGCCACTTGGATTGCAGT
GGCCTCCCTCTCTCAGACCAATATCCAAGAGAAGAGCTCACCAGAATAGTTCCGAATGCAGATCCA
ATAGCCAAGTACTTACAAAAGAAAATGCAAGTAATTAAGTAATCCTTCATTTAACATCCCACTGGG
TGCTCGAGGTATTTCTGAAGCCGAATGGTCCAGGGTGTTCAGGGAACCTTACGAATTAAGAAATAC
TTGACTGTGGAGCAAATAATGACCTGTGTGGCAGACACGTGCAGGCGCTTCTTTGATAGGGCTATTCT
CCAAAGGATGTTGCTGTGCTTGTGAGCACCAGAAAAGAGTGGAGCACTATAAGTATGAGCTCTTAAA
GCAATGAGGAAGAAAAGGGTGGTGCAGCTCAGTGTGATGATGATGATGTTGGGTGATCACATTGTGTTG
GACAGTGTTCGGCGATTCTCAGGCTGGAAGGAGCATAGTGTGGGATCCATCCAAGGACAGCTGAC
CCAGCTATCTTACCAATGTTCTGATCTGTCTGGCTTCCAGGGCAAAAACAACACCTGTATATTTTCCG
TGGGGTGGCCATTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
  
```

**Restriction Sites:** Sgfl-Mlul  
**ACCN:** NM\_001104587  
**Insert Size:** 2706 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001104587.1](#)

**RefSeq Size:** 5292 bp

**RefSeq ORF:** 2706 bp

**Locus ID:** 91607

**UniProt ID:** [Q7Z7L1](#)

**Cytogenetics:** 17q12

**MW:** 102.8 kDa

**Gene Summary:**

Inhibitor of DNA replication that promotes cell death in response to DNA damage (PubMed:22927417, PubMed:26658330, PubMed:29395061). Acts as a guardian of the genome by killing cells with defective replication (PubMed:29395061). Persistently blocks stressed replication forks by opening chromatin across replication initiation sites at stressed replication forks, possibly leading to unwind DNA ahead of the MCM helicase and block fork progression, ultimately leading to cell death (PubMed:29395061). Acts independently of ATR (PubMed:29395061). Also acts as an interferon (IFN)-induced antiviral protein which acts as an inhibitor of retrovirus protein synthesis (PubMed:23000900). Specifically abrogates the production of retroviruses such as human immunodeficiency virus 1 (HIV-1) by acting as a specific inhibitor of the synthesis of retroviruses encoded proteins in a codon-usage-dependent manner (PubMed:23000900). Binds to tRNAs and exploits the unique viral codon bias towards A/T nucleotides (PubMed:23000900). The exact inhibition mechanism is unclear: may either sequester tRNAs, prevent their maturation via post-transcriptional processing or may accelerate their deacylation (PubMed:23000900). Does not inhibit reverse transcription, integration or production and nuclear export of viral RNA (PubMed:23000900).

[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) represents the longest transcript. All variants (1-5) encode the same protein. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.