

## Product datasheet for **SC317697**

### **TXNDC5 (NM\_030810) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	TXNDC5 (NM_030810) Human Untagged Clone
Tag:	Tag Free
Symbol:	TXNDC5
Synonyms:	ENDOPDI; ERP46; HCC-2; HCC2; PDIA15; STRF8; UNQ364
Mammalian Cell Selection:	None
Vector:	<u><a href="#">pCMV6-XL5</a></u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**Fully Sequenced ORF:**

```

>OriGene sequence for NM_030810 edited
CCCAGCCCCGCCGATGCCCGCGCCAGGACGCCTCCTCCCGCTGCTGGCCCGCCG
GCGGCCCTGACTGCGCTGCTGCTGCTGCTGGGCCATGGCGGCGGGCGCTGGGGC
GCCCGGGCCAGGAGGCGGCGGGCGGGGACGGGCCCCCGCGGCAGACGGCGAG
GACGGACAGGACCCGCACAGCAAGCACCTGTACACGGCCGACATGTTACGCACGGGATC
CAGAGCGCCGCGCACTTCGTATGTTCTTCGCGCCCTGGTGTGGACACTGCCAAGCTCTAT
CAGCGCACTTGGAAATGACCTGGGAGACAAATACAACAGCATGGAAGATGCCAAAGTCTAT
GTGGCTAAAGTGGACTGCACGGCCCACTCCGACGTGTGCTCCGCCAGGGGGTGCAGGA
TACCCACCTTAAAGCTTTTCAAGCCAGGCCAAGAAGCTGTGAAGTACCAGGGTCTCGG
GACTTCCAGACTGAAAACTGGATGCTGCAGACTGAACGAGGAGCCAGTGACACCA
GAGCCGGAAGTGAACCGCCAGTCCCCGAGCTCAAGCAAGGGCTGTATGAGCTCTCA
GCAAGCAACTTTGAGCTGCACGTTGCACAAGGCGACCCTTTATCAAGTCTTCGCTCCG
TGGTGTGGTCACTGCAAAGCCCTGGCTCCAACCTGGGAGCAGCTGGCTCTGGCCTTGAA
CATTCCGAAACTGTCAAGATTGGCAAGGTTGATTGTACACAGCACTATGAACTCTGCTCC
GGAAACCAGGTTCTGGCTATCCCACTTCTCTGTTCCGAGATGGGAAAAAGTGGAT
CAGTACAAGGAAAGCGGATTTGGAGTCACTGAGGGAGTACGTGGAGTGCAGCTGCAG
CGCACAGAGACTGGAGCGACGGAGACCGTACGCCCTCAGAGGCCCGGTGCTGGCAGCT
GAGCCCGAGGCTGACAAGGGCACTGTGTTGGCACTCACTGAAAATAAATTGATGACACC
ATTGCAGAAGGAATAACCTTCATCAAGTTTTATGCTCCATGGTGTGGTCAATTGTAAGACT
CTGGCTCTACTTGGGAGGAAGTCTCTAAAAAGGAATTCCTGGTCTGGCGGGGGTCAAG
ATCGCCGAAGTAGACTGCACTGCTGAACGGAATATCTGCAGCAAGTATTCGGTACGAGGC
TACCCACGTTATTGCTTTTCCGAGGAGGAAGAAAGTCACTGAGCACAGTGGAGGCAGA
GACCTTGACTCGTTACACCGCTTTGTCTGAGCCAAGCGAAAGATGAACCTTAGGAACAC
AGTTGGAGGTCACTCTCCTGCCAGCTCCCGCACCTGCGTTTTAGGAGTTCAGTCCAC
AGAGGCCACTGGGTTCCAGTGGTGGCTGTTGAGAAAGCAGAACATACTAAGCGTGAAGT
ATCTTCTTGTGTGTGTTTTTCCAAGCCAACACTCTACAGATTCTTTATTAAGTTAA
GTTTCTCTAAGTAAATGTGTAACATGTTGCTCACTGTGTAACATTTTCAGTGGCGATATA
TCCCTTTGACCTTCTCTTGTGAAATTTACATGGTTTCTTTGAGACTAAAATAGCGTT
GAGGGAATGAAATTGCTGGACTATTTGTGGCTCCTGAGTTGAGTATTTGGTGAAGA
AAGCACATCAAAGCATAGTTTACCTGCCACGAGTCTGGAAAGGTGGCCTTGTGGCAG
TATTGACGTTCTCTGATCTTAAGGTCACAGTTGACTCAATACTGTGTTGGTCCGTAGCA
TGGAGCAGATTGAAATGCAAAAACCCACACCTCTGGAAGATACCTTCACGGCCGCTGCTG
GAGCTTCTGTTGCTGTGAATACTTCTCTCAGTGTGAGAGGTTAGCCGTGATGAAAGCAGC
GTTACTTCTGACCGTGCCTGAGTAAGAGAATGCTGATGCCATAACTTTATGTGTCGATAC
TTGTCAAATCAGTACTGTTTCCAGGGATCCTTCTGTTTCTCACGGGGTGAACATGTCTT
TAGTTCCTCATGTTAACACGAAGCCAGAGCCACATGAACTGTTGGATGTCTTCTTAGA
AAGGGTAGGCATGAAAAATCCACGAGGCTCATTCTCAGTATCTCATTAACTCATTGAAA
GATTCAGTTGTATTTGTACCTGGGGTACAAGACCAGACAGGCTTTCCAGGCCTGGG
TATCCAGGGAGGCTCTGCAGCCCTGCTGAAGGGCCCTAACTAGAGTTCTAGAGTTTCTGA
TTCTGTTTCTCAGTAGTCCTTTTAGAGGCTTGCTATACTTGGTCTGCTCAAGGAGTCCG
ACCTTCTAATGTATGAAGAATGGGATGCATTTGATCTCAAGACCAAGACAGATGTCAGT
GGGCTGCTCTGGCCCTGGTGTGCACGGCTGTGGCAGCTGTTGATGCCAGTGTCTCTAAC
TCATGCTGTCTTGTGATTAACACYTCTATCTCCCTGGGAATAAGCACATACAGGCTT
AAGCTCTAAGATAGATAGGTGTTTGTCTTTTACCATCGAGCTACTTCCATAATAACCA
CTTTGCATCCAACACTCTTACCCACCTCCCATACGCAAGGGGATGTGGATACTTGGCCC
AAAGTAACTGGTGGTAGGAATCTTAGAAACAAGACCCTTATACTGTCTGTCTGAGGCAG
AAGATAACAGCAGCATCTCGACCAGCCTCTGCCTTAAAGGAAATCTTTATTAATCAGTR
TGGTTCACAGATAATTCTTTTTTAAAAAACCCAACTCCTAGAGAAGCACAACCTGTCA
AGAGTCKKGTACACAACTTCAGCTTACGCTTTCATCACGAGTCTTGTATTCCAAGAA
AATCAAAGTGGTACAATTTGTTTGTACTATGATACTTTCTAAATAAATCTTTTTT
TT
    
```

<b>Restriction Sites:</b>	Please inquire
<b>ACCN:</b>	NM_030810
<b>Insert Size:</b>	3000 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_030810.2</a> , <a href="#">NP_110437.2</a>
<b>RefSeq Size:</b>	2970 bp
<b>RefSeq ORF:</b>	1299 bp
<b>Locus ID:</b>	81567
<b>UniProt ID:</b>	<a href="#">Q8NBS9</a>
<b>Cytogenetics:</b>	6p24.3
<b>Domains:</b>	thioredoxin
<b>Protein Families:</b>	Druggable Genome
<b>Gene Summary:</b>	<p>This gene encodes a member of the disulfide isomerase (PDI) family of endoplasmic reticulum (ER) proteins that catalyze protein folding and thiol-disulfide interchange reactions. The encoded protein has an N-terminal endoplasmic reticulum (ER)-signal sequence, three catalytically active thioredoxin domains and a C-terminal ER-retention sequence. Its expression is induced by hypoxia and its role may be to protect hypoxic cells from apoptosis. Alternative splicing results in multiple transcript variants. Read-through transcription also exists between this gene and the neighboring upstream BLOC1S5 gene. [provided by RefSeq, Dec 2016]</p> <p>Transcript Variant: This variant (1) represents the longer transcript and encodes the longer isoform (1).</p>