

Product datasheet for SC317745

Bestrophin 3 (BEST3) (NM_152439) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Bestrophin 3 (BEST3) (NM_152439) Human Untagged Clone
Tag:	Tag Free
Symbol:	BEST3
Synonyms:	VMD2L3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC317745 representing NM_152439. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGACAACAGATGAAAGGAAATTATTCAACCACCTCAAGTCTCCTCATCTGAAATATTGGGTTCCATTTC
ATCTGGTTTGAAATCTTGCAACTAAAGCCCGAATGAAGGTAGAATCAGAGACAGTGTGATCTGCAA
TCATTGATGACTGAAATGAATCGATACCGCTCTTGGTGCAGCCTTTATTCGGTTATGACTGGGTTGGG
ATTCGGCTGGTTACACCCAGGTAGCAGAGCAGCTTATCAACCCTTTGGAGAAGATGATGATGATTTT
GAACTAACTGGTGCATTGACAGAAATTTGCAGGTCCTCTTTTAGCTGTGGACGAAATGCACATGAGC
TTACCCAAGATGAAGAAGGACATTTACTGGGACGATTCTGCTGCTCGCCACCATACACATTGGCAGCT
GCTGACTACTGCATACCCCTATTCTGGGGTCAACAGTCCAGATGGGGCTGTCTGGGTCGACTTTCCT
GACGAGGAGTGGCTGTGGGATTATGAGAAGCATGGCCATCGGCATTCCATGATAAGAAGAGTCAAGCGG
TTCTGAGTGCCACGAACCCCTCCAGCCCCAGAAGAAGAAGTACAGGAGGCAGACAAGTGACAGC
TCCATGTTCTTACCCCGAGATGACCTCAGCCAGCCAGGGACCTACTGGATGTGCCCTCAAGAAACCC
CCCAGGGCCTCACCCACCTGGAAGAAATCTGCTTCCAGAAGGAAGCCACGCTGCATTCAGCATG
GGAGAGCTGTCCACCATCAGGGAGACCAGCCAGACAAGCACTTACAGAGCCTGACCCACAGTCCAGT
GTGAGAATTTCCCATCAAAATGCCACTGGTACCTGAGGTATTGATCACAGCAGCCGAAGCACCAGTG
CCCAGTACAGGGGCTACCACCATGATTCGGCTACCTCCATCTTGAGCTCTGAGTTTACAGGGGTTACAG
CCAAGCAAGACTGAGCAGCAGCAGGGCCCATGGGATCCATCCTGTCTCCCTCAGAGAAGGAGACACCT
CCTGGAGGCCAGTCCCCAGACAGTTTTCAGCCAGCGCTGAGGAAAATATATTCAACTGTGAAGAAGAC
CCTGGTGATACCTTTCTAAAAAGGTGGAGTCTTCCGGGATTCTGGGGTCCAGCCACACTTCCCTGGGA
AACCTAAGTCCAGACCCCATGAGCTCTCAGCCAGCTCTTTAATTGACACAGAAACATCCTCAGAGATC
AGTGGGATCAACATTGTGGCTGGCTCTCGAGTCTTCTGATATGCTGTATTTAATGAAAACCTGGAC
ACCAAGGAAACAGATATCATAGAGCTGAACAAGGAAACTGAGGAATCACCCAAATGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
```



View online »

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_152439

Insert Size: 1368 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_152439.3](#)

RefSeq Size: 2901 bp

RefSeq ORF: 1368 bp

Locus ID: 144453

UniProt ID: [Q8N1M1](#)

Cytogenetics: 12q15

Protein Families: Ion Channels: Other, Transmembrane

MW: 51 kDa

Gene Summary: BEST3 belongs to the bestrophin family of anion channels, which includes BEST1 (MIM 607854), the gene mutant in vitelliform macular dystrophy (VMD; MIM 153700), and 2 other BEST1-like genes, BEST2 (MIM 607335) and BEST4 (MIM 607336). Bestrophins are transmembrane (TM) proteins that share a homology region containing a high content of aromatic residues, including an invariant arg-phe-pro (RFP) motif. The bestrophin genes share a conserved gene structure, with almost identical sizes of the 8 RFP-TM domain-encoding exons and highly conserved exon-intron boundaries. Each of the 4 bestrophin genes has a unique 3-prime end of variable length (Stohr et al., 2002 [PubMed 12032738]; Tsunenari et al., 2003 [PubMed 12907679]).[supplied by OMIM, Mar 2008]

Transcript Variant: This variant (2) differs in the 5' UTR, lacks a portion of the 5' coding region, uses a downstream in-frame start codon, and lacks an in-frame exon in the central coding region, compared to variant 1. The encoded isoform (2) is shorter at the N-terminus, compared to isoform 1.