

## **Product datasheet for SC317843**

## TTC19 (NM 017775) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** TTC19 (NM\_017775) Human Untagged Clone

Tag: Tag Free Symbol: TTC19

**Synonyms:** 2010204O13Rik; MC3DN2

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC317843 representing NM\_017775.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGTTCCGGCTCCTGAGCTGGAGCCTGGGCCGAGGCTTCCTGCGGGCCGCGGGGCGGCGGTGCCGGGGC TGCTCCGCGCGCCTGCTCCCGGGGCTGGCAGGAGGTCCGGGGCCCGAGGTGCAGGTGCCGCCATCCCGA GTCGCGCCGCACGGCCGGGGCCCAGGCCTGCTGCCGCTGCTGGCAGCGCTCGCCTGGTTCTCGAGGCCC GCTGCGGCAGAGGAGGAGCAGCAGGGAGCCGACGGGGCCGCTGCCGAGGACGGGGCGGACGAGGCC GAGGCAGAGATCATCCAGCTGCTGAAGCGAGCCAAGTTGAGCATTATGAAAGATGAGCCAGAAGAGGCT GAGTTAATTTTGCATGACGCTCTTCGTCTCGCCTATCAGACTGATAACAAGAAGGCCATCACTTACACT TATGATTGATGGCCAACTTAGCATTTATACGGGGTCAGCTTGAAAATGCTGAACAACTTTTTAAAGCA ACAATGAGTTACCTCCTTGGAGGGGGCATGAAGCAGGAGGACAATGCAATAATTGAAATTTCCCTAAAG CTGGCCAGTATCTATGCTGCGCAGAACAGACAGGAATTTGCTGTTGCTGGCTATGAATTCTGCATTTCA ACTCTAGAGGAAAAAATTGAAAGAGAAAAGGAATTAGCAGAAGACATTATGTCAGTGGAAGAGAAAGCC AATACCCACCTCCTCTTGGGCATGTGCTTAGACGCCTGTGCTCGCTACCTTCTGTTCTCCAAGCAGCCG TCACAGGCACAAAGGATGTATGAAAAAGCTCTGCAGATTTCTGAAGAAATACAAGGAGAAAGACACCCA CAGACCATTGTGCTGATGAGTGACCTGGCTACTACCCTGGATGCACAGGGCCGCTTTGATGAGGCCTAT ATTTATATGCAAAGGGCATCAGATCTGGCAAGACAGATAAATCATCCTGAGCTACACATGGTACTCAGT AATCTAGCTGCAGTTTTGATGCACAGAGAACGATATACACAAGCAAAAGAGATCTACCAGGAAGCACTG AAGCAAGCAAAGCTGAAAAAAGATGAAATTTCTGTACAACACATCAGGGAAGAGTTGGCTGAGCTGTCA

AAGAAAAGTAGACCTTTGACAAATTCTGTCAAGCTC<mark>TAA</mark>

**ACGCGTACGCGGCCGCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## Plasmid Map:



**ACCN:** NM\_017775

**Insert Size:** 1143 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeg:** NM 017775.3

 RefSeq Size:
 3505 bp

 RefSeq ORF:
 1143 bp

 Locus ID:
 54902

 UniProt ID:
 Q6DKK2



## TTC19 (NM\_017775) Human Untagged Clone - SC317843

Cytogenetics: 17p12

Domains: TPR

MW: 42.5 kDa

**Gene Summary:** 

This gene encodes a protein with a tetratricopeptide repeat (TPR) domain containing several TPRs of about 34 aa each. These repeats are found in a variety of organisms including bacteria, fungi and plants, and are involved in a variety of functions including protein-protein interactions. This protein is embedded in the inner mitochondrial membrane and is involved in the formation of the mitochondrial respiratory chain III. It has also been suggested that this protein plays a role in cytokinesis. Mutations in this gene cause mitochondrial complex III deficiency. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Sep 2012]

Transcript Variant: This variant (1) represents the shorter transcript but encodes the longer isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.