

Product datasheet for **SC317914**

PARP3 (NM_001003931) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PARP3 (NM_001003931) Human Untagged Clone
Tag:	Tag Free
Symbol:	PARP3
Synonyms:	ADPRT3; ADPRTL2; ADPRTL3; ARTD3; IRT1; PADPRT-3
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL4</u>
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001003931, the custom clone sequence may differ by one or more nucleotides

```

ATGTCCCTGCTTTTCTTGCCATGGCTCCAAAGCCGAAGCCCTGGGTACAGACTGAGGGCCCTGAGAAGA
AGAAGGGCCGGCAGGCAGGAAGGGAGGAGGACCCCTCCGCTCCACCGCTGAGGCCCTCAAGGCCATACC
CGCAGAGAAGCGCATAATCCGCGTGGATCCAACATGTCCACTCAGCAGCAACCCCGGACCCAGGTGTAT
GAGGACTACAACCTGCACCCTGAACCAGACCAACATCGAGAACAACAACAAGTTCTACATCATCCAGC
TGCTCCAAGACAGCAACCGCTTCTTACCTGCTGGAACCACTGGGGCCGTGTGGGAGAGGTGCGCCAGTC
AAAGATCAACCACTTCACAAGGCTAGAAGATGCAAAGAAGGACTTTGAGAAGAAATTTGGGAAAAGACC
AAGAACAACCTGGGCAGAGCGGGACCACTTTGTGTCTCACCGGGCAAGTACACACTTATCGAAGTACAGG
CAGAGGATGAGGCCAGGAAGCTGTGGTGAAGGTGGACAGAGGCCAGTGAGGACTGTGACTAAGCGGGT
GCAGCCCTGCTCCCTGGACCCAGCCACGCAGAAGCTCATCTAACATCTTCAGCAAGGAGATGTTCAAG
AACACCATGGCCCTCATGGACCTGGATGTGAAGAAGATGCCCTGGGAAAGCTGAGCAAGCAACAGATTG
CACGGGGTTTCGAGGCCCTGGAGGCGCTGGAGGAGGCCCTGAAAGGCCCCACGGATGGTGGCCAAAGCCT
GGAGGAGCTGTCCCTCACACTTTTACACCGTCATCCCGCACAACCTTCGGCCACAGCCAGCCCCGCCATC
AATTCCTGAGCTTCTGCAGGCCAAGAAGGACATGCTGCTGGTGTGGCGGACATCGAGCTGGCCAGG
CCCTGCAGGCAGTCTCTGAGCAGGAGAAGACGGTGGAGGAGGTGCCACACCCCTGGACCGAGACTACCA
GCTTCTCAAGTGCAGCTGCAGCTGCTAGACTCTGGAGCACCTGAGTACAAGGTGATACAGACCTACTTA
GAACAGACTGGCAGCAACCACAGGTGCCCTACACTTCAACACATCTGGAAAGTAAACCAAGAAGGGGAGG
AAGACAGATTCAGGCCCACTCCAACTGGGTAAATCGGAAGCTGCTGTGGCATGGCACAACATGGCCGT
GGTGGCCGCCATCTCACTAGTGGGCTCCGCATCATGCCACATCTGGTGGCGTGTGGCAAGGGCATC
TACTTTGCCTCAGAGAACAGCAAGTCAGCTGGATATGTTATTGGCATGAAGTGTGGGGCCACCACATGTCG
GCTACATGTTCCCTGGGTGAGGTGGCCCTGGGCAGAGAGCACCATATCAACACGGACAACCCAGCTTGAA
GAGCCACCTCCTGGCTTCGACAGTGTCTTGGCCGAGGCCACACCGAGCCTGATCCGACCCAGGACACT
GAGTTGGAGCTGGATGGCCAGCAAGTGGTGGTGGCCAGGGCCAGCCTGTGCCCTGCCAGAGTTACGCA
GCTCCACATTCTCCAGAGCGAGTACCTCATCTACCAGGAGAGCCAGTGTGCGCTGCGCTACCTGCTGGA
GGTCCACCTCTGA
    
```

- Restriction Sites:** Please inquire
- ACCN:** NM_001003931
- Insert Size:** 2100 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001003931.2 , NP_001003931.2
RefSeq Size:	2355 bp
RefSeq ORF:	1623 bp
Locus ID:	10039
UniProt ID:	Q9Y6F1
Cytogenetics:	3p21.2
Protein Families:	Druggable Genome
Protein Pathways:	Base excision repair
Gene Summary:	<p>The protein encoded by this gene belongs to the PARP family. These enzymes modify nuclear proteins by poly-ADP-ribosylation, which is required for DNA repair, regulation of apoptosis, and maintenance of genomic stability. This gene encodes the poly(ADP-ribosyl)transferase 3, which is preferentially localized to the daughter centriole throughout the cell cycle. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (1) represents the shorter transcript, but encodes the longer isoform (a).</p>