

Product datasheet for **SC317975**

RABEP2 (NM_024816) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RABEP2 (NM_024816) Human Untagged Clone
Tag:	Tag Free
Symbol:	RABEP2
Synonyms:	FRA
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC317975 representing NM_024816.
Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGCGGCAGCTGCGCCGGTGGCCGCGGACGACGATGAGCGCGCGCGGCCGGGGCTGCACTGGAG
GACTCCCGGTCCAGGAAGGGGCAAATGGTGAAGCCGAGTCAGGTGAGCTCAGCCGGCTTCGGGCTGAG
CTGGCAGGCGCCCTGGCAGAAATGGAAACCATGAAGGCTGTGGCAGAGGTGAGCGAGAGCACGAAGGCC
GAGGCTGTGGCTGCGGTGACGCGCAGTGCCAAGAGGAGGTGGCCTCGCTGCAGGCCATCCTGAAAGAC
TCCATCAGCAGCTATGAAGCCAGATCACCGCCCTGAAGCAGGAGCGACAGCAGCAGCAGCAGGACTGT
GAGGAGAAGGAGCGGGAGCTGGGCCGCTGAAGCAGCTGCTGTCCCGGCCCTACCCCTGGACTCCCTG
GAGAAGCAGATGGAAAAGGCCACGAGGACTCGGAGAAGCTGCGGGAGATCGTACTGCCCATGGAAAAG
GAGATCGAGGAGCTGAAGGCGAAGCTGCTGAGGGCCGAGGAGCTGATTCAGGAGATCCAGAGACGTCCC
CGGCATGCCCTTCCCTGCACGGCTCCACGGAGTTGCTGCCCTGTCCCGGGATCCATCGCCCCCGCTG
GAGCCTCTGGAGGAGCTGAGCGGAGATGGGGTCCAGCCGCTGAGGCCTTCGCTACAACATGCGATGAC
AGCGCCTCCATCTCTCTTCTCCCTTGGCGGTGGGGTGGCAGCAGCTCCTCCCTGCCCAAAGCCGC
CAGGGCCTGAGCCCTGAACAGGAAGAGACGGCCTCGTGGTGTCTACGGGACCCCTGGTTCCCGAGGGC
ATCTACCTGCCCCCTCTGGCTACCAGCTCGTCCAGACACTCAGTGGGAGCAGCTGCAGACAGAGGGC
CGACAGCTGCAGAAGGACCTGGAGAGCGTCAGTCGCGAGCGGGACGAGCTCCAAGAGGGCCTGAGACGG
AGCAATGAGGACTGTGCCAAGCAGATGCAGGTGCTCCTGGCCAGGTCCAGAACTCAGAGCAGCTGCTG
CGGACCCTGCAAGGGACCGTGAGCCAGGCCAGGAGCGGGTGCAGCTGCAGATGGCGGAGCTGGTCACC
ACCCACAAGTGCCTGCACCATGAGGTAAAGCGTTGAATGAGGAAAACCAAGGGCTCCGGCCGAGCAG
CTGCCATCCTCAGCCCCCAGGGCTCGCAGCAGGAGCAGGGCGAGGAGGAATCACTGCCAGCTCTGTG
CCAGAGCTGCAGCAGCTGCTGTGCTGCACGCGGCAAGAGGCGAGGGCCCGGCTGCAGGCCAGGAGCAC
GGGCGGAGCGCCTGCGGATCGAGATCGTGACGCTGCGGGAGGCTCTGGAGGAGGAGACAGTGGCCAGG
GCCAGCCTGGAGGGGAGCTGAGGGTGCAGCGGGAGGAGACAGAGGTGCTGGAGGCCTCCCTGTGCAGC
CTGAGGACAGAGATGGAGCGGTGCAGCAGGAACAGAGCAAGGCCAGCTCCAGACCTCCTCTCAGAA
CAGAGGGCCAAGGTGCTGCGGCTGCAGGCAGAGCTGGAGACCAGTGAGCAGGTGCAGAGGGATTCGTG
CGACTGTCCAGGCCCTGCAGGTGCGCCTAGAGCGGATCCGCCAGGCTGAGACCCTGGAGCAAGTGCCG
AGCATCATGGATGAGGCGCCACTCACGGACGTCAGGGACATCAAGGACACCTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul

Plasmid Map:


ACCN: NM_024816

Insert Size: 1710 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_024816.2](#)

RefSeq Size: 2280 bp

RefSeq ORF: 1710 bp

Locus ID: 79874

UniProt ID: [Q9H5N1](#)

Cytogenetics: 16p11.2

Domains:	Rabaptin
MW:	63.5 kDa
Gene Summary:	Plays a role in membrane trafficking and in homotypic early endosome fusion (PubMed:9524116). Participates in arteriogenesis by regulating vascular endothelial growth factor receptor 2/VEGFR2 cell surface expression and endosomal trafficking (PubMed:29425100). By interacting with SDCCAG8, localizes to centrosomes and plays a critical role in ciliogenesis (PubMed:27224062).[UniProtKB/Swiss-Prot Function]