

## Product datasheet for **SC318118**

### **MEX3C (NM\_016626) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	MEX3C (NM_016626) Human Untagged Clone
Tag:	Tag Free
Symbol:	MEX3C
Synonyms:	BM-013; MEX-3C; RKHD2; RNF194
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC318118 representing NM\_016626.  
Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGCCAGCGGCAGCTCCGCGGCCCTGGCCCTGGCGCGGCCCGGCCCCCTGCCGAGCCGCCCCCG
CCGCCCGCCGCCACCGCCCTCTGCCGCCCTCGGGCGGCCCGGAGCTCGAGGGGACGGGCTC
CTGCTGAGGGAGCGCTTGGCCCGCTAGGCCTCGACGACCCAGCCCGGGAGCCCGGCCCGCGC
CTTCGGGCCCCGCGAGCGCGGCCAGGGCCAGGCCCGCGGGCGGGGAGCTGTCTCCAGAGGAGCGG
GCTCCGCCCGGCCCGGCCCGGGCCCGGAGGCGGCCGAGCTGGAGCTGGAAGAGGACGAGGAGGAGGG
GAGGAAGCGGAGCTGGACGGAGACTGTGGAGGAGGAGGAGCTGGAGGAAGCAGAGGAGGAGGCCG
TCGTGCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT
CTGGGGTCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT
GGGGTGTGTACGAGGGGACGATGCCAGGGCATGATGGCGGCATGCTGTCCACGCCACGGCCCC
GGCGTTGTGGGCGGCCGGCGGCCCTGAACGGGGAGCAGGGGCCCTGCTCCGAGAAAGAGCGTC
AACACCACGAGTGCCTCCCGTCCCAGCTCCGAGCAGCTCGCCGAGATCGTCCGCCCCAGGGTTGT
AAAATTAAGCACTGAGAGCCAAGACAAACACGTATATCAAGACTCCTGTTCTGTTGTAAGAGCCATT
TTTGTGTCACTGGAAGGAAAGAAGATGTTGCCATGGCCAAAAGAGAGATCCTCTCAGCTGCAGAGCAC
TTCTCCATGATTCGTGCATCTCGAAACAAAATGGGCCTGCCCTGGGAGGATTATCATGTAGTCCTAAT
CTGCCCGTCAAACCACCGTCCAAGTCAGGGTCCCTTATCGTGTGGTAGGATTAGTGGTTGGACCCAAA
GGAGCAACTATTAAGAAGTTCAGCAGCAGACCCACACCTACATAGTAACCCGAGCAGAGATAAGGAA
CCTGTCTTTGAAGTGACAGGGATGCCTGAAAATGTTGACCGAGCACGGGAAGAAATAGAAATGCATATT
GCCATGCGTACAGGAACTATATAGAGCTCAATGAAGAGAATGATTTCCATTACAATGGTACCGATGTA
AGCTTTGAAGGTGGCACTTTGGCTCTGCGTGGCTCTCCTCCAATCCTGTTCTCTCCTAGCCGCGCAAGA
ATGATATCCAATTATCGAAATGATAGTTCCAGTCTCTAGGAAGTGGCTCTACAGATTCTACTTTGGA
AGCAATAGGCTGGCTGACTTTAGTCCAACAAGCCATTTAGCACAGGAACTTCTGGTTTGGAGATACA
CTACCATCTGTAGGCTCAGAAGACCTAGCAGTTGACTCTCCTGCCTTTGACTCTTTACCAACATCTGCT
CAAATCTGGACTCCATTTGAACCAGTTAACCCACTCTCTGGCTTTGGGAGTGATCCTCTGGTAAC
ATGAAGACTCAGCGCAGAGGAAGTCAGCCATCTACTCCTGTCTGTCTCTACATTTCTGAGAGCATA
GAACATCCACTTGTCCGAGGGTTAGGAGCGACCCACCTAGTACAGGCAACCATGTTGGCCTTCCAATA
TATATCCCTGCTTTTTCTAATGGTACCAATAGTTACTCCTCTTCCAATGGTGGTTCCACCTTAGCTCA
CCTCCAGAATCAAGACGAAAGCAGACTGTGTGATTTGCTTTGAGAATGAGGTTATTGCTGCCCTAGTT
CCATGTGGCCACAACCTCTTCTGCATGGAATGTGCCAACAAGATCTGTGAAAAGAGAACCCATCATGT
CCAGTTTGCCAGACAGCTGTTACTCAGGCAATCCAAATCACTCTTAA
ACCGGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI

**Plasmid Map:**


**ACCN:** NM\_016626

**Insert Size:** 1980 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:	<a href="#">NM_016626.4</a>
RefSeq Size:	4158 bp
RefSeq ORF:	1980 bp
Locus ID:	51320
UniProt ID:	<a href="#">Q5U5Q3</a>
Cytogenetics:	18q21.2
Domains:	RING
Protein Families:	Druggable Genome
MW:	69.4 kDa
Gene Summary:	This gene encodes a member of a family of proteins with two K homology (KH) RNA-binding domains and a C-terminal RING-finger domain. The protein interacts with mRNA via the KH domains, and the protein shuttles between the nucleus and cytoplasm. Polymorphisms in this gene may contribute to hypertension. [provided by RefSeq, Oct 2009]