

Product datasheet for **SC318134**

Bestrophin 3 (BEST3) (NM_032735) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Bestrophin 3 (BEST3) (NM_032735) Human Untagged Clone
Tag:	Tag Free
Symbol:	BEST3
Synonyms:	VMD2L3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC318134 representing NM_032735.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGACTGTCACCTACTCCAGTAAAGTAGCAAATGCAACTTTTTTTGGATTCATAGTTACTCCTCAAG
TGGAGAGGCAGCATCTACAAACTACTGTACAGGGAATTTATTGTTTTTGTGTTCTTTATACAGCAATA
AGTTTGGTATACAGATTGTTACTTACAGGAGTCCAAAAACGTTACTTTGAAAAATTATCAATTTACTGT
GACAGATATGCTGAACAAATCCAGTAACCTTTGTGCTTGGGTTTTATGTTACTCTGGTAGTGAACCGA
TGGTGAACCAAGTTGTGAATTTGCCCTGGCCAGACAGGCTAATGTTCCCTCATCTCTAGCAGTGTTCAC
GGAAGCGACGAGCAGGGCGCCTGCTTAGAAGGACGCTGATGCGCTACGTCAATCTCACCTCCCTGCTC
ATCTTTGCTCGGTGAGCACTGCTGTGTACAAAAGATTTCCACAATGGACCACGTGGTTGAAGCAGGT
TTTATGACAACAGATGAAAGGAAATTATCAACCACCTCAAGTCTCCTCATCTGAAATATTGGGTTCCA
TTCATCTGGTTTGGAAATCTTGCAACTAAAGCCCGGAATGAAGGTAGAATCAGAGACAGTGTGATCTG
CAATCATTGATGACTGAAATGAATCGATACCGCTTTGGTGCAGCCTCTTATTGGTTATGACTGGGTT
GGGATTCGCTGGTTTACACCCAGGTTGCTACTCTTGGTGTCTATACCTTCTTTTGCCTGCTGATT
GGACGCCAGTTTTTGGATCCCAACAAAGGCTACGCAGGGCATGACTTGGATCTTTACATCCCATCTTC
ACCTCTACAATTTCTTCTATGCAGGATGGCTTAAGGTAGCAGAGCAGCTTATCAACCTTTTGGGA
GAAGATGATGATGATTTTGAACCTAAGTGGTGCATTGACAGAAATTTGCAGGTCTCTTTTAGCTGTG
GACGAAATGCACATGAGCTTACCAAGATGAAGAAGGACATTTACTGGGACGATTCTGCTGCTCGCCCA
CCATACACATTGGCAGCTGCTGACTACTGCATACCCTCATTTCTGGGGTCAACAGTCCAGATGGGGCTG
TCTGGGTCGACTTTCTGACGAGGAGTGGCTGTGGGATTATGAGAAGCATGGCCATCGGCATCCATG
ATAAGAAGAGTCAAGCGTTTCTGAGTGCCACGAACACCCCTCCAGCCCCAGAAGAAGAAGCTACAGG
AGGCAGACAAGTGACAGCTCCATGTTCTTACCCCGAGATGACCTCAGCCCAGCCAGGGACCTACTGGAT
GTGCCCTCAAGAAACCCCCCAGGGCTCACCCACCTGGAAGAAATCCTGCTTCCAGAAGGAAGCCCC
ACGCTGCACTTCAGCATGGGAGAGCTGTCCACCATCAGGGAGACCAGCCAGACAAGCACTTTACAGAGC
CTGACCCACAGTCCAGTGTGAGAACTTCCCCATCAAAATGCCACTGGTACCTGAGGTATTGATCACA
GCAGCCGAAGCACCAGTGCCACATCAGGGGGCTACCACCATGATTCCGCTACCTCCATCTTGAGCTCT
GAGTTTACAGGGGTTAGCCAAGCAAGACTGAGCAGCAGCAGGGCCCCATGGGATCCATCCTGTCTCCC
TCAGAGAAGGAGACACCTCCTGGAGGCCAGTCCCAGACAGTTTCAGCCAGCGCTGAGGAAAAATA
TTCAACTGTGAAGAAGACCTGGTGATACCTTTCTAAAAAGTGGAGTCTCCGGGATTCCTGGGGTCC
AGCCACACTTCCCTGGGAAACCTAAGTCCAGACCCATGAGCTCTCAGCCAGCTCTTTAATTGACACA
GAAACATCCTCAGAGATCAGTGGGATCAACATTGTGGCTGGCTCTCGAGTCTTCTGATATGCTGTAT
TTAATGGAAAACCTGGACACCAAGGAAACAGATATCATAGAGCTGAACAAGGAACTGAGGAATCACCC
AAATGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_032735

Insert Size: 2007 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_032735.2
RefSeq Size:	3552 bp
RefSeq ORF:	2007 bp
Locus ID:	144453
UniProt ID:	Q8N1M1
Cytogenetics:	12q15
Protein Families:	Ion Channels: Other, Transmembrane
MW:	76.1 kDa
Gene Summary:	<p>BEST3 belongs to the bestrophin family of anion channels, which includes BEST1 (MIM 607854), the gene mutant in vitelliform macular dystrophy (VMD; MIM 153700), and 2 other BEST1-like genes, BEST2 (MIM 607335) and BEST4 (MIM 607336). Bestrophins are transmembrane (TM) proteins that share a homology region containing a high content of aromatic residues, including an invariant arg-phe-pro (RFP) motif. The bestrophin genes share a conserved gene structure, with almost identical sizes of the 8 RFP-TM domain-encoding exons and highly conserved exon-intron boundaries. Each of the 4 bestrophin genes has a unique 3-prime end of variable length (Stohr et al., 2002 [PubMed 12032738]; Tsunenari et al., 2003 [PubMed 12907679]).[supplied by OMIM, Mar 2008]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1).</p>