

## Product datasheet for **SC318308**

### **PAPP A2 (PAPPA2) (NM\_021936) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	PAPP A2 (PAPPA2) (NM_021936) Human Untagged Clone
Tag:	Tag Free
Symbol:	PAPPA2
Synonyms:	PAPP-A2; PAPP-E; PAPPE; PLAC3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC318308 representing NM\_021936.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCACGATCGCC
ATGATGTGCTTAAAGATCCTAAGAATAAGCCTGGCGATTTTGGCTGGGTGGGCACCTGTCTCTGCCAAC
TCTGAGCTGGGCTGGACACGCAAGAAATCCTTGGTTGAGAGGGAACACCTGAATCAGGTGCTGTTGGAA
GGAGAACGTTGTTGGCTGGGGGCCAAGGTTCAAGACCCAGAGCTTCTCCACAGCATCACCTCTTTGGA
GTCTACCCAGCAGGGCTGGGAACCTAAGGCCCTACCCCGTGGGGGAGCAAGAAATCCATCATAACA
GGACGCAGCAAACCAGACACTGAAGGAAATGCTGTGAGCCTTGTCCCCAGACCTGACTGAAAATCCA
GCAGGACTGAGGGGTGCAGTTGAAGAGCCGGCTGCCCATGGGTAGGGGATAGTCTATTGGGCAATCT
GAGCTGCTGGGAGATGATGACGCTTATCTCGGCAATCAAAGATCCAAGGAGTCTCTAGGTGAGGCCGGG
ATTAGAAAGGCTCAGCCATGGCTGCCACTACTACCACCGCCATTTTACAACCTGAACGAACCCAAA
CCAGAGACCCAAAGGAGGGGCTGGGCCAAGTCCAGGCAGCGTCGCAAGTGTGGAAGAGGGCGGGCGAA
GATGGGCAGGGAGACTCCGGTATCTCTTACATTTCCAACCTTGGCCCAAGCATTCCCTTAAACACAGG
GTCAAAAAGAGTCCACCCGAGGAAAGCAACCAAAATGGTGGAGAGGGCTCCTACCAGAAAGCAGAGACC
TTAACTCCCAAGTAGGACTGCCATCTTATACTTCTCTGGGAGGCGGGAGCGGCTGCTGCTGCGTCCA
GAAGTGTGGCTGAGATTCGCCGGGAGGCGTTCACAGTGAAGCCTGGGTTAAACCGGAGGGAGGACAG
AACAAACCAGCCATCATCGCAGGTGTGTTTGATAACTGCTCCACACTGTGAGTGAACAAAGGCTGGGCC
CTGGGGATCCGCTCAGGGAAGGACAAGGAAAGCGGGATGCTCGCTTCTTCTTCTCCCTGACCCGAC
CGCGTGAAGAAAGCCACCATCTTGATTAGCCACAGTCGCTACCAACCAGGCACATGGACCCATGTGGCA
GCCACTTACGATGGACGGCACATGGCCCTGTATGTGGATGGCACTCAGGTGGCTAGCAGTCTAGACCAG
TCTGGTCCCTGAACAGCCCTTCAATGGCATCTTGCCGCTTTTGCTCCTGGGGGAGACAGCTGAG
GATGGGCACATTTCCGTGGACACTGGGCACACTGGTTTTCTGGTTCGACCGCCCTGCCACAAAGCCAT
TTTCAGCACAGTTCTCAGCATTCAAGTGGGAGGAGGAAGCGACTGACTTGGTCTGACACGGAGCTTT
GAGCCTGTGAACACAGAGTGGGTTCCCTTTAGAGATGAGAAGTACCCACGACTTGAGGTTCTCCAGGGC
TTTGAGCCAGAGCCTGAGATTCTGTGCGCTTTCGACGCCCCACTCTGTGGCAAACAGTCTGTGACAAT
GTGGAATTGATCTCCAGTACAATGGATACTGGCCCTTCGGGGAGAGAAGGTGATACGCTACCAGGTG
GTGAACATCTGTGATGATGAGGGCCTAAACCCATTGTGAGTGAAGGAGCAGATTCGTCTGCAGCAGGAG
GCACTGAATGAGGCCTTACGCCCTACAACATCAGCTGGCAGCTGAGCGTCCACCAGTCCACAATTCC
ACCCTGCGACACCCGGTTGTGCTTGTGAACTGTGAGCCAGCAAGATTGGCAATGACCATTGTGACCCC
GAGTGTGAGCACCCACTACAGGCTATGATGGGGGTGACTGCCGCTGCAGGGCCGCTGCTACTCCTGG
AACCGCAGGGATGGGCTCTGTACGTGGAGTGAACAACATGCTGAACGACTTTGACGACGGAGACTGC
TGCGACCCCCAGGTGGCTGATGTGCGCAAGACCTGCTTTGACCCTGACTCACCAAGAGGGCATAACATG
AGTGTGAAGGAGCTGAAGGAGGCCCTGCAGCTGAACAGTACTCACTTCTCAACATCTACTTTGCCAGC
TCAGTGGCGGAAGACCTTGCAGGTGCTGCCACCTGGCCTTGGGACAAGGACGCTGTCACTCACCTGGGT
GGCATTGCTCAGCCCAGCATATTATGGGATGCCTGGCCACACCGACACCATGATCCATGAAGTGGGA
CATGTTCTGGGACTCTACCATGTCTTTAAAGGAGTCAGTGAAGAGAATCCTGCAATGACCCCTGCAAG
GAGACAGTGCCATCCATGGAAACGGGAGACCTCTGTGCCGACACCGCCCCACTCCCAAGAGTGAAGCTG
TGCCGGGAACAGAGCCCACTAGTGACACCTGTGGCTTCACTCGCTTCCAGGGGCTCCGTTACCAAC
TACATGAGCTACACGGGTATCACCACTGTCTTGTGTTTTGTTTTCTGTTAAGAATACATGGGGCCTTGA

```

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT  
 TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** SgfI-MluI

**Plasmid Map:**


**ACCN:** NM\_021936

**Insert Size:** 2484 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_021936.2](#)

**RefSeq Size:** 4370 bp

**RefSeq ORF:** 2484 bp

**Locus ID:** 60676

**UniProt ID:** [Q9BXP8](#)

**Cytogenetics:** 1q25.2

**Protein Families:** Protease, Secreted Protein

**MW:** 92.1 kDa

**Gene Summary:** This gene encodes a member of the pappalysin family of metzincin metalloproteinases. The encoded protein cleaves insulin-like growth factor-binding protein 5 and is thought to be a local regulator of insulin-like growth factor (IGF) bioavailability. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2010]  
Transcript Variant: # This Variant: This variant (2) differs in the 3' UTR and has multiple coding region differences, compared to variant 1. The resulting protein (isoform 2) has a distinct C-terminus and is shorter than isoform 1.