

CAAACAGAAAAGGAGAAAATTAAGAAAAGTACAAACAGATTGAATAGTAGAATAAATGGT
 ATTAGACTCTCCACTCCTCAGCATGCCCATGGTGGTACTGTGAAAGATGTGAATTTGGAC
 ATGGGCTCTGGACATGACACATGTGGAGAAACATCTTCAGAGAGTTACAGTTCTCCATCT
 AGTCCCCGACATGATGGAAGAGAAAGTTTTGAAAGTGAAGAAGAGAAAGACAGAGACACA
 GACAGCAATTCTGAGGATTCTGGGAATCCATCAACAACAGGTTTACAGGTTACGGTTCT
 GTCAACCAGACTGTCACTGTCAAGCCACCTGTTCAAATTGCTTCACTAGGAAATGAGAAT
 GGAAACCTTTTGAAGATCCCTTAAACTCACCAAGTATCAGCATATTTCTTTTATGCCA
 ACGTTACACTGTGTCATGCACAATGGTGCCAGAGTCTGAAGTTGTCGTTCTGCACCC
 AAACCCGCTGATGGCAAAACCATAGGGATGCTTGTTCCTAGTCTGTTGCTATTTCTGCA
 ATAAGGGAGTCTGCAAATTAACCCCTGTTGGAATACTAGGGCCAACAGCTTGCACTGGA
 GAATCGGAAAAGCACCTTGAGTTACTGGCTTCCCTTTACCTATTCCATCAACCTTCCTT
 CCACACAGTAGTACTCCGCTTTGCATCTTACAGTTTACAGGCTAAAGTTGCCACCACCA
 CAGGGATCTTCTGAGAGCTGCACAGTTAACATCCCAACAACCAACCCGGAAGCCTGAGC
 ATCGCATACCAAAACACTGCCTTTATTCCTATCCATAACCCAGGTAGTTTCCAGGCTCT
 CCTGTTGTACACGGACCCCATCAGAAATCTGCATCCCAAGTGGTAGGACTCAATCAA
 ATGGTGCCTCAAATGAGGGAACACAGGACAGTCCCTCAGCCTACCAATGTGAAGGTA
 GTTCTTCCAGCAGCTGGCCTCTCAGCTGCTCAGCCACCAGCTTCTACCCCTTACCAGGC
 TCTCCCTTGTGCGCGCTGTACCCAGCCAGAACTCCAGTGTGCTCAGCACAGCAGCA
 ACTTCTCCCCAGCCAGCGAGCGCAGGTATCAGCCAGGCCAGGCAACTGTTCTCCTGCA
 GTTCTTACCCACACCCAGGCCCTGCCCCGAGCCCAAGCCTGCCTTGACACACAGTACC
 GCGCAGAGTGACAGCACCTCTTACATCAGTGTGTGGGGAACACGAACGTAATGGGACA
 GTAGTGCCACCCAGCAGATGGGCTCAGGTCTTGTGGTTCTTGTGGGCAAGGTGCAGC
 TGTGGGACCAATGGAAACCTTCAGCTAAATAGTTACTATTATCCTAATCCAATGCCTGGA
 CCAATGTACCGAGTCCCTTCAATCTTTACTCTGCCATCCATTTGCAATGGCAGCTACCTC
 AACCAAGCACATCAGAGCAATGGAAACCACTTCTTTTTTCTGCCTCAGACTCCATAT
 GCAAAATGGACTGGTACATGACCCAGTCACTGGGAGCCAAGCCAATATGGCATGCAGCAG
 ATGGCAGGATTTGGGAGATTCTATCCTGTATATCCAGCACCTAACGTAGTTGCCAACACC
 AGTGGTTCCGGGGCCCAAGAAGAATGGGAATGTCTCATGTTACAATTGTGGTGAAGCGGA
 CACTATGCACAGGACTGTAAGCAGTCGTCCATGGAGGCCAATCAACAAGGCACTTACAGA
 CTGAGATACGCACCTCCCTCCCCCTTCTAATGATACGTTGGATTCTGCAGAC

Restriction Sites:	Please inquire
ACCN:	NM_017742
Insert Size:	5559 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_017742.3](#), [NP_060212.3](#)

RefSeq Size: 5559 bp

RefSeq ORF: 5559 bp

Locus ID: 54877

UniProt ID: [Q9C0B9](#)

Cytogenetics: 18q21.33

Domains: zf-CCHC