

## Product datasheet for **SC318351**

### ARS2 (SRRT) (NM\_015908) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	ARS2 (SRRT) (NM_015908) Human Untagged Clone
Tag:	Tag Free
Symbol:	ARS2
Synonyms:	ARS2; ASR2; serrate
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC318351 representing NM\_015908.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGGTGACAGTGATGACGAGTACGATCGAAGGCGCAGGGACAAGTTCAGAAGAGAGCCGAGCGACTAC
GACCGTTCCCGCGAGAGAGATGAAAGACGTCGAGGGGACGATTGGAATGACAGAGAGTGGGACCGTGCC
CGTGAGCCGCGTAGTCGGGGTGAATATCGGGACTATGACCGGAATCGGCGAGAGCGCTTCTGCCACCT
CGCCACGAACTCAGCCCGCCACAGAAGCGCATGAGGAGAGACTGGGATGAGCACAGCTCTGACCCATAC
CACAGTGGCTATGAGATGCCCTATGCTGGGGGGGGTGGGGGCCAACTTATGGCCCCCTCAGCCCTGG
GGCCACCCTGACGTCCACATCATGCAGCACCATGTCTGCCTATCCAGGCCAGGCTGGGCAGCATTGCA
GAGATTGACCTGGGTGTGCCGCCCGCTGATGAAGACCTTCAAGGAGTTTCTCCTCTCCCTGGATGAC
TCGGTGGATGAGACGGAGGCCGTAAGCGCTATAATGACTACAAGCTGGATTTCCGGAGGCAACAGATG
CAGGATTTCTCCTGGCCACAAAGATGAGGAGTGGTTTCGGTCTAAGTACCACCAGATGAGGTGGGG
AAGCGTCGGCAGGAGGCCCGGGGGCCCTGCAAAACCGACTGAGGGTCTTCTGTCCCTCATGGAGACT
GGCTGGTTTGATAACCTTCTCCTGGACATAGACAAAGCTGATGCCATTGTCAAGATGCTGGATGCAGCC
GTGATTAAGATGGAAGGAGGCACGGAGAATGATCTTCGCATCCTGGAGCAGGAGGAGGAGGAGGAGCAG
GCAGGAAAGCCTGGGAGCCAGCAAGAAAGAAGAAGGACGGGCTGGAGCAGGCCTAGGGGACGGGGAG
CGCAAAACCAACGACAAGGATGAGAAGAAGGAAGACGGCAAGCAGGCTGAGAATGACAGTTCTAATGAT
GACAAAACAAAGAAGTCGGAGGGTATGGGGACAAGGAAGAGAAGAAAGAAGACTCCGAGAAGGAAGCC
AAAAAGAGTAGCAAGAAGCGGAACCGGAAGCACAGTGGTACGACAGCTTTGACGAGGGCAGCGTGTCA
GAGTCTGAGTCGGAGTCAGAGAGCGGCCAGGCTGAGGAGGAGAAGGAGGAGGCGCAAGAAGCGCTCAAG
GAGAAGGAGAAGCCCAAGGAAGAAGAATGGGAGAAGCCCAAGGACGCCCGGGGCTGGAGTGCAGGCCG
CGGCCGCTGCATAAGACCTGCTCCCTTTCATGCGCAACATCGCGCCCAACATCTCCCGGGCCGAGATC
ATCTCCCTTTGTAAAAGGTACCCAGGCTTTATGCGGGTGGCGCTCTCAGAGCCCCAGCCAGAGAGGAGG
TTTTTCCGTCGTGGCTGGGTGACCTTCGACCGCAGTGTTAACATTAAGAGATCTGTTGGAACCTGCAG
AACATCCGTCCTCCGGAGTGTGAGCTGAGCCCTGGTGTGAACAGGGACCTGACCCGGCGCTTTCGAAC
ATCAACGGCATCACCCAGCACAGCAGATTGTGCGCAACGACATCAAGCTGGCGGCAAGCTGATCCAC
ACGCTGGATGACAGGACACAGCTTTGGCCTCAGAACCAGGGACGCTCCCTGCCACGAGCCTGCC
TCGCAAAACCCGATCTTGAAGAATACCCGACTACCTGATCGAGGAAGTAAGCGCCGAGGAGGAGGAG
CTGCTGGGAGCAGCGGGGGCGCTCCTCCTGAGGAGCCTCCTAAGGAAGGAACCCGGCAGAGATCAAC
GTGGAGCGGGATGAGAAGTTGATTAAGGTCTTGGACAAGCTCCTCCTTACCTGCCATCGTGCATTCC
TTGGATTATTACAACACCTGTGAGTACCCCAACGAGGACGAGATGCCAATCGCTGTGGGATCATCCAC
GTTCCGGGGGCCATGCCACCAACCGCATCAGTCACGGGGAAGTCTGGAGTGGCAGAAGACTTTTGAG
GAGAAGCTCACGCCGTTGCTGAGTGTGCGGGAGTCACTCTCAGAGGAAGAGGCCAGAAGATGGGGCGC
AAAGACCCAGAGCAGGAAGTGGAGAAGTTCGTACCTCCAACACGCAGGAACGGGCAAGGATAAGTGG
CTGTGCTCTCAGTGGCAAGAAATCAAGGGTCTGAGTTTGTGCGCAACATATCTTCAACAAGCAT
GCAGAGAAAATTGAGGAAGTAAAAAGGAAGTCGCTTTTTTAACTTCTCACTGATGCTAAGCGC
CCAGCTCTGCCCTGAGATCAAGCCAGCCAGCCACCTGGCCCCGCCAGATACTCCCCCAGGTTTGACC
CCAGGACTCCCCTACCCACACCAGACTCCCAGGGCCTGATGCCCTATGGTCAGCCCCGGCCCCGATC
TTGGGCTATGGAGCTGGTGTGTCGCCCTGCAGTCCCCACAGGAGGCCCTCCATACCCCATGCCCCG
TATGGTGTGGTGCAGGGAATATGATGCCTTCCGAGGCCAGGGAGTTATCCTGGGAAACCTCGCAAC
AGGATGGTTCGTGGAGACCAAGGGCCATTGTGGAATATCGGGACCTGGATGCCCCAGACGATGTTGAT
TTCTTTTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

**Restriction Sites:** Sgfl-Mlul  
**ACCN:** NM\_015908  
**Insert Size:** 2631 bp

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>OTI Annotation:</b>	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">NM_015908.5</a></u>
<b>RefSeq Size:</b>	3032 bp
<b>RefSeq ORF:</b>	2631 bp
<b>Locus ID:</b>	51593
<b>UniProt ID:</b>	<u><a href="#">Q9BXP5</a></u>
<b>Cytogenetics:</b>	7q22.1
<b>MW:</b>	100.7 kDa
<b>Gene Summary:</b>	<p>Acts as a mediator between the cap-binding complex (CBC) and the primary microRNAs (miRNAs) processing machinery during cell proliferation. Contributes to the stability and delivery of capped primary miRNA transcripts to the primary miRNA processing complex containing DGCR8 and DROSHA, thereby playing a role in RNA-mediated gene silencing (RNAi) by miRNAs. Binds capped RNAs (m7GpppG-capped RNA); however interaction is probably mediated via its interaction with NCBP1/CBP80 component of the CBC complex. Involved in cell cycle progression at S phase. Does not directly confer arsenite resistance but rather modulates arsenic sensitivity. Independently of its activity on miRNAs, necessary and sufficient to promote neural stem cell self-renewal. Does so by directly binding SOX2 promoter and positively regulating its transcription (By similarity).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (a).</p>