

## Product datasheet for **SC318436**

### PHC3 (NM\_024947) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	PHC3 (NM_024947) Human Untagged Clone
Tag:	Tag Free
Symbol:	PHC3
Synonyms:	EDR3; HPH3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)


Fully Sequenced ORF:

>SC318436 representing NM\_024947.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGGCGGAAGCGGAATTTAAGGACCATAGTACAGCTATGGATACTGAACCAACCCGGGAACATCTTCT
GTGTCAACAACAACCAGCAGTACCACCACCACCACCATTCTCTCTCGAATGCAGCAGCCA
CAGATCTCTGTCTACAGTGGTTCAGACCGACATGCTGTACAGGTAATTAACAGGCATTGCATCGGCC
CCCAGCTCAGCTGCTCAGTACCTTCAGCAAATGTATGCAGCCAAACAACAGCACTTGATGCTGCATACT
GCAGCTCTTCAGCAGCAGCATTTAAGCAGCTCCCAGCTTCAGAGCCTTGCTGCTTTCAGGCAAGTTTG
TCCAGTGGAAAGACCATCTACATCTCCACAGGAAGTGTACACAGCAGTCAAGTATGTCCAAACGTCT
ATCAACCTCTCCACTTCTCTACACCTGCACAGTTAATAAGCCGTTCCAGGCTTCAGTTCTACCAGC
GGCAGTATTACCAACAGACTATGTTACTAGGGAGTACTCCCTACCCTAACGGCAAGCCAAGCTCAA
ATGTATCTCCGAGCTCAAATGCTGATTTTACACCCGCTACCAGTGTGGTGTGTACAGCTGACATT
CCTGTTGTCTCGTCGTCATCGTATCTTCTGTGAGTCTGCAGTACTCAGGTTCAAGTTAATTAACATTA
CGCAGCCAGAAGTTGGGTGATTAATCTAGCTCACAGAATGGTCCACCAAAAAGCACTAGTCAAACCTCAG
TCATTGACAATTTGTCATAACAAAAACAAGTACCAGTTCTAAAATCAGCCAACAGAGATCCTTCTCCA
GAAAGTAATAAGAAAGGAGAGAGCCAAAGCCTGGAATCACGAAGCACAGCTGTACCCGGACATCAAGT
ATTCACCAGTTAATAGCACCAGCTTCATATTCTCCAATTCAGCCTCATTCTCTAATAAAACATCAGCAG
ATTCCTCTTATTACCACCTTCCAAAGTTTCCCATCATCAGCTGATATTACAACAGCAGCAACAGCAA
ATTCAGCCAATCACACTTCAGAATCAACTCAAGACCCACCCCATCCAGCACTGTATACCAGTCCAG
AACCATGGCCTTCTCCAGCTCCAGTAATGCCAGTACAGCATTGTTACCGATTTCAGAGTATCCC
TCTCCTTTAACAGTGTCTCCTAATCAGTACAGTACAGCAGCAGTCTGTAGTGGTGTCTCCTCCACCA
CCTCATTACCAAGTCACTCTCCTACTATAATTATTCATCCACAAGCACTTATTACAGCCACACCCTT
GTGTCATCAGCTCTCCAGCCAGGCCAAATTTGCAGCAGTCCACTGCTAATCAGGTGCAAGCTACAGCA
CAGTTGAATCTTCCATCCATCTTCCACTTCCAGCTTCCCTGTTGTACACATTGGCCAGTTTCAGCAG
TCTGCCTTGGTATCCCCAGGCCAGCAGATTGTCTCTCCATCACACCAGCAATATTATCCCTGCAGTCC
TCTCCAATCCCAATTGCAAGTCTCCACAGATGTGCACATCTCCTCCAGCTCAGATTCCACCAGTCC
TTGCAGTCTATGCAGTCTTTACAAGTGCAGCCTGAAATTTGTCCAGGCCAGGTTTTGGTGCAGAA
GCTTTGGTGTGAGAAGAGAACTCCAGCTGCAGAAGCTTTGGTCCAGTTGCCATTCAGACTCTTCT
CCTCCACAGACTGTTGGGTAACCTACAAGTGAACCACCAGCAGCTGTTGATCCACCAGTGGTTTAT
CAGGTAGAAGATGTGTGGAAGAAGAAATGCCAGAAGAGTCAAGTGAATGTGTCCGGATGGATAGAACC
CCACCACCACCACTTTGTCTCCAGCAGCTATAACAGTGGGGAGAGGAGAAGATTTGACTTCTGAACAT
CCTTTGTTAGAGCAAGTGGAAATACCTGCTGTGGCATCAGTCAAGTCTCAGTAATTAATCTCCATCA
GATCCCTCACATGTTTCTGTTCCACCACCTCCATTGTTACTTCCAGCTGCCACCACAAGGAGTAACAGT
ACATCTATGCACAGTAGCATTCCAGTATAGAGAAACAACCTCCACAGGCTATTGTTAAACCACAGATC
CTAACCCATGTTATTGAAGGCTTTGTGATTGAGGAGGATTGGAGCCATTTCTGTGAGTGTCTCTCT
TTGCTAATAGAACAGCCTGTGAAAAACGGCCTTTTTGGATAATCAGGTGATAAATTCAGTGTGTGT
CAGCCAGAGCTACAGAATAATACAAAACATGCCGATAATTCATCTGACACAGAGATGGAAGACATGATT
GCTGAAGAGACATTAGAAGAAATGGACAGTGAAGTGTCAAGTGTGAATTTCTGTGGGAAATGGGATAT
GCTAATGAATTTTTGCGGTCAAAACGATTCTGCACATATGTCATGTGCCAAAAGGTACAATGTTAGCTGT
TCTAAAAAATTTGCACCTTAGTCGTTGGAATCGTAAGCCTGATAATCAAAGTCTTGGGCATCGTGGCCGT
CGTCCAAGTGGCCCTGATGGGCGAGCAGAGAACAATATCCTTAGGCAGCTTCCAATTAATCTATCCATCT
GCAGAAGAAGACTTGCTTCTCATGAAGATTCTGTGCCATCTGCTATGACAACCTCGTCTGCCAGGCAG
AGCGAGCGGAAAGAGAAGCAGTGTGAGCTTCGGGATGTGAGAATTCGGAATAATGCCTGAGAACAGTGACTTG
CTACCAGTTGCACAAACAGAGCCATCTATATGGACAGTTGATGATGTCTGGCCCTTCATCCATTCTTTG
CCTGGCTGCCAGGATATCGCAGATGAATTCAGAGCACAGGAGATTGATGGACAGGCCCTTCTCTGTGCTG
AAAGAAGACCATCTCATGAGTGAATGAATATCAAGCTAGGCCACGCCCTGAAGATCTGTGCACGCATC
AACTCTCTGAAGGAATCTTAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM\_024947

Insert Size: 2988 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_024947.3](#)

**RefSeq Size:** 12687 bp

**RefSeq ORF:** 2988 bp

**Locus ID:** 80012

**UniProt ID:** [Q8NDX5](#)

**Cytogenetics:** 3q26.2

**Domains:** SAM

**MW:** 107.5 kDa

**Gene Summary:** Component of a Polycomb group (PcG) multiprotein PRC1-like complex, a complex class required to maintain the transcriptionally repressive state of many genes, including Hox genes, throughout development. PcG PRC1 complex acts via chromatin remodeling and modification of histones; it mediates monoubiquitination of histone H2A 'Lys-119', rendering chromatin heritably changed in its expressibility.[UniProtKB/Swiss-Prot Function]  
Transcript Variant: This variant (1) represents the longer transcript and encodes the longer isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data because no single transcript was available for the full length of the gene. The extent of this transcript is supported by transcript alignments.