

Product datasheet for SC318455

CNKSR2 (NM_014927) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CNKSR2 (NM_014927) Human Untagged Clone
Tag:	Tag Free
Symbol:	CNKSR2
Synonyms:	CNK2; KSR2; MAGUIN; MRXSHG
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC318455 representing NM_014927. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCTCTGATAATGGAACCGGTGAGCAATGGTCTCCGAGTCAAGTAGTGGACTGGATGAAAGGTCTT
GATGACTGTTTGCAGCAGTATATTAAGAACTTTGAGAGGGAGAAGATCAGTGGGGACCAGCTGCTGCCG
ATTACACATCAGGAGCTAGAAGATCTGGGGGTGAGCCGATTGGCCATCAGGAAGTATCTTGAAGCA
GTTGACCTTCTGTGTCATTGAATTATGGCTTGGAAACAGAAAATCTAAAAACCTTTCTCACAAAGTTG
AATGCATCTGCCAAAAATCTGCAGAATTTATAACAGGAAGGAGAAGGAGTGGCCATTATGATGGGAGG
ACCAGCCGAAAAATGCCAACGACTTTCTGACCTCAGTTGTGGATCTGATTGGAGCAGCCAAGAGTCTG
CTTGCCTGGTTGGACAGGTCACCAATTTGCTGCTGTGACAGACTATTCAGTTACAAGAAAATATGTCATA
CAACTCTGCCTGGAGTTAACAACAATTTGTGCAACAGGATTGTAAGTATGAAACAGAGAATAAAATT
CTTCACGTGTGTAAGAACTCTTTCTGGAGTCTGTGACCACATCATATCCCTGTCGTCAGATCCTCTGGTT
TCACAGTCTGCTCACCTGGAAGTGATTCAACTGGCAAACATTAACCAAGCGAAGGGCTGGGTATGTAT
ATTAATCTACATATGATGGCCTCCATGTAATTAAGTCAAGTAAATCATCAGACTGTGGTGGGGTGGCAGTTGAAA
AATTTGGTGAATGCACTACGAGAGGACCCGAGTGGTGTATCTTAACCTTTGAAAAAGCGACCTCAGAGC
ATGCTTACCTCAGCACCAGCTTTACTGAAAAATATGAGATGGAAGCCCTTGGCTCTGCAGCCTTTATA
CCTAGAAGTCCCACAAGCAGCGTTGCCACGCCTTCCAGCACCATCAGTACACCCACAAAAGAGACAGT
TCTGCCCTCCAGGATCTCTACATTCCCCCTCCTCCTGCAGAACCATATATTTCCAGGGATGAAAAAGGA
AACCTTCTTGTGAAGACCTCAGAGGACATATGGTGGGCAAGCCAGTGCATAAGGGATCTGAATACCA
AATTCATTTCTGGATCAGGAATATCGAAAGAGATTTAATATTGTGCAAGAAGATACTGTCTTATATTGC
TATGAATATGAAAAAGGAAGATCAAGTAGTCAAGGAAGACGAGAAAGCACCCCAACTTATGGCAAGCTA
CGACCTATATCTATGCCAGTGAATATAAATGGGTGGGGACTATGAAGATCCAATAAGATGAAGAGA
GATAGTAGAAGAGAAAATCTCTACTTCGGTATATGAGCAATGAAAAGATTGCTCAAGAAGAATACATG
TTTCAGAGAAACAGCAAAAAGGACACAGGGAAGAAGTCAAAAAGAAGGGTGATAAGAGTAAAGCCCA
```



[View online >](#)

```

ACTCACTATTCATTGCTACCTAGTTTACAAATGGATGCACTGAGACAAGACATCATGGGCACTCCTGTG
CCAGAGACCACACTATACCATACATTTTCAGCAGTCCTCACTGCAGCACAATCAAAGAAGAAAAACAAA
GGTCTATAGCAGGCAAGAGCAAAGACGAATTTCTTGC AAAGATCTTGGCCGTGGTGACTGTGAGGGC
TGGCTTTGGAAAAAGAAAGATGCGAAGAGTTACTTTTCACAGAAATGGAAAAATATTGGTTTGCCTA
AAGGATGCATCCCTTTATTGGTATATTAATGAGGAGGTGAAAAAGCAGAAGGATTCATTAGCCTGCCT
GAATTTAAAATTGATAGAGCCAGTGAATGCCGCAAAAAATATGCATTCAAAGCCTGTCATCCTAAAATC
AAAAGCTTTTATTTTGTGCTGAACATCTTGATGATATGAACAGGTGGCTTAACAGAATTAATATGCTG
ACTGCAGGATATGCAGAAAGAGAGAGGATTAAGCAGGAACAAGTTACTGGAGTGAGAGTGACAAGGAA
GAAGCAGATACTCCATCAACACCAAAAAAAGATAGCCCTCCACCCCATATGATACATACCCACGACCT
CCCTCGATGAGTTGCGCCAGTCCTTATGTGGAAGCAAAACATAGCCGACTTTCCTCCACGGAGACTTCT
CAGTCTCAGTCTTCTCATGAGGAGTTTCGCCAGGAAGTAACTGGGAGCAGTGCAGTGTCTCCATTGCG
AAGACAGCCAGTCAGCGCCGCTCCTGGCAGGATTAATTGAGACGCCACTGACAAGTTACGGCTTACAC
TATCTTCAGACTGCCCCTGGAGGATTCTGTCTCTGACTCCGCGCCATCTCCCAGAGCACAGG
CGGCAGTCTACCCTGCCAACTCAGAAATGCCACCTGCAGGATCACTATGGCCATACCCCTTAGCTGAG
AGTGAGAGGATGCAAGTGCTAAATGAAATGGGGCAAGCCTCGAAGTTTACTCTGCCTCGAGATAGC
GGTTCAACCATTGCTGTCTGAATGCTCAGTTAGTGCCTGTGACCCACAGGATGACGTGCAACCCCA
GAGGTGGAGGAAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG
AGTGAAAGCAGAGAAGAAAAGTTAGGAGACTCATTGCAAGATTTATACAGGGCACTGGAGCAGGCCAGT
CTGTCACCACTAGGAGAACATCGTATTTCAACCAAGATGGAATACAAGCTATCATTTATAAAAAGATGT
AATGATCCTGTAATGAATGAAAACTACACCGGCTGAGAATCTCAAAGCACTTTAAAGGCCAGAGAA
GGGAAGTAGCCATTATCGATAAAGTCTAGACAAATCCAGACTTGACATCTAAAGAATCCAACAATGG
AAGCAGATGTACCTCGACCTTTTCTTGGATATCTGTCAAATACCACCTCAAATGACCCACTGAGTATT
TCTTCTGAAGTAGATGTAATCACTTCTCTAGCACACACTCATTATACATTGAAACGCATGCTAA


```

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites:

Sgfl-Mlul

Plasmid Map:



ACCN: NM_014927

Insert Size: 3105 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_014927.3](#)

RefSeq Size: 5769 bp

RefSeq ORF: 3105 bp

Locus ID: 22866

UniProt ID: [Q8WXI2](#)

Cytogenetics: Xp22.12

Domains: PDZ, SAM, PH

MW: 117.5 kDa

Gene Summary:

This gene encodes a multidomain protein that functions as a scaffold protein to mediate the mitogen-activated protein kinase pathways downstream from Ras. This gene product is induced by vitamin D and inhibits apoptosis in certain cancer cells. It may also play a role in ternary complex assembly of synaptic proteins at the postsynaptic membrane and coupling of signal transduction to membrane/cytoskeletal remodeling. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Dec 2009] Transcript Variant: This variant (1, also known as CNK2A and MAGUIN-1) represents the longest transcript and encodes the longest isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.