

Product datasheet for **SC318524**

NCAPG2 (NM_017760) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NCAPG2 (NM_017760) Human Untagged Clone
Tag:	Tag Free
Symbol:	NCAPG2
Synonyms:	3KS; CAP-G2; CAPG2; hCAP-G2; LUZP5; MTB
Vector:	<u>pCMV6 series</u>
Fully Sequenced ORF:	>NCBI ORF sequence for NM_017760, the custom clone sequence may differ by one or more nucleotides

```

ATGGAACCGTGAGACGTTTGTACAAGCCGTGTCTAAGGAGCTGGTGGAGAGTTTTTG
CAATTTGTTCACTTGATAAAGAGGCTCTGATCCTTTGAGCTAAATGAATTACTAGAT
GAATTATCAAGGAAACAGAAAGAAGATTATGGCAAAGGCTGAAGAATTTATTGACAGAT
GTGTTGTTAGAAAGCCAGTGGATGGGTGGCAGGTAGTGAAGCCAGGGTGAAGACAAT
ATGGAACCGAACATGGCTCAAAAATGAGAAAAAGCATAGAAATAATTTATGCAATTACA
TCTGTGATTCTTGCTTCTGTGTCTGTAATAAATGAAAGTGAGAACTACGAAGCCCTACTG
GAATGTGTTATTATATTAATGGTATTTTATATGCATTACCTGAGTCTGAACGAAAACTA
CAGAGTTCTATTAGGATTTGTGTGTTACCTGGTGGGAGAAAGGCTGCCTGCCAAGGAA
GACACAGGAAAGACAGCCTTTGTCATGTTACTAAGGAGGAGTCTGGAGACTAAGACAGGT
GCAGACGTATGTCGGCTTTGGCGTATCCATCAAGCTTTATATTGCTTTGATTATGATTTG
GAGGAAAGTGGAGAAATTAAGATATGTTACTTGAGTGCTTCATAAATATTAATTATATC
AAGAAAGAAGAGGGAAGAAGATTTCTTAGTTGTCTCTTCAACTGGAATATCAACTTCATC
AAAATGATCCACGGGACCATTAACCAAGGTTACAGGGATTACAAAAGTCTTTGATGGTA
TACATTGCAGAAATTTATTTAGAGCTTGAAAAAGGCTTCAGGGAAAACTGGAGGCG
ATTGAAAATGATTGCATCCAGGACTTCATGTTCCACGGGATACACCTTCGAGGAGGTCT
CCAGTGCAATTCAAAAGTGCAGGAGGTTCTGAGTTACTTTACCATCAAAAAGAAAGTTCGG
CAGGGAGTGGAAGAGATGCTTTATAGATTATATAAGCCCATCCTTTGGAGAGGATTAAG
GCCAGAACTCTGAAGTTCGATCAAAATGCTGCATTGTTGTTTGTGAAGCATTTCTATT
AGGGATCCAAACCTTCATGCTATTGAAATGGATAGTGAAATCCAGAAACAGTTTGAAGAG
CTCTATAGCCTTTTGAAGATCCTTACCCGATGGTCCGTTCCACAGGGATCCTTGGTGTT
TGTAATAAATCTAAGTACTGGGAAATGATGCCCCGACCATTCCTATTGACCTCCTG
AAGAAGGTGACTGGGAACTGGCATTGACACGAGCTCAGCTGATGTTGTTGTTCTGTGTC
TTTAAGTGTCTGCAATGATTTTGGACAACAACTGAGCCACCCATTGTTAGAGCAGCTC
CTTCCAGCTCTCAGATACAGTCTCCACGACAATTCGGAGAAAGTGAAGGTAGCTTTTGTG
GACATGCTGTTGAAGATCAAGCTGTGAGGGCTGCTAAGTTTTGAAAAATATGTCCCATG
GAGCACATTCTGGTTCGTCTGGAACTGATTCTCGACCTGTGTCTCGGCGCTGGTGAGC
CTCATCTTTAATCTTTCTGCCTGTGAATCAGCCGAGGAGGTCTGGTGCGAGCGCTGT
GTCACCTGGTGCAGATGAACACGCGCTGCCAGGAGGTTCTATCAGTACGCCACGAA
CACACGCTGCACCAACATAGCAAAGCTGATTCACGTTATTCGTATTGCTTAAATGCC
  
```


[View online »](#)

TGTATCCAGAGGGCAGTGAGAGAGCCTCCAGAGGACGAGGAGGAAGAGGACGGAAGGGAG
AAGGAGAATGTGACTGTTCTGGACAAAACACTGTCAAGTAAACGATGTTGCATGCATGGCA
GGTTTACTAGAAATCATTGTGATTCTCTGGAAAAGTATTGACAGAAGTATGGAATAAT
AAAGAGGCCAACTTTACACGATTAACAAGTTTGCCTCTGTGCTTCCAGAGTATCTGAAA
GTATTTAAGGATGATCGCTGCAAGATCCCTTTATTCATGCTAATGTCCTTATGCCGGCC
TCTGCTGTCCCCCATTACGTGTGGTGTGATTCCACGCTGAGAAGCCGGGAGGAGGGC
GCTGTGGACAAGAGCTACTGCACTTTGTTGGATTGCCTCTGCTCCTGGGGCAGGTGGGG
CACATTCTGGAGCTTGTGACAACCTGGCTGCCACAGAGCATGCCCAGGCCAAGAGCAAC
ACAGCTTCTAAAGGTAGGTGCAGATCCATGACACACGCCAGTCAAACCTGAATTGGCA
TTGGTCTACATTGAGTATCTGCTGACTCATCAAAGAACCAGGAGTGCTTGCTCTGCT
CCTCGAAGAACTTAACCATCTTTGAAAGCCCTTGAAACGTCAAAGGCAGATCTGGAG
TCATTCTGCAGACACCGGTGGGAAGCCTCGTGGCTTCAGTGAAGCAGCTGCCCGCGA
GCCTTTGGTCTCCACTGTGCGCTGAGCATCCATCTTCAGCACAAAGTTCTGCTCAGAAGGA
AAGGTGTATTTGCCATGTTGGAAGACACTGGCTTTTGGTTAGAAAGCAAAATTTATCT
TTTATTCAAGATCAAGAAGAAGACTACCTGAAGCTTCATAGGGTCATTTATCAGCAAATT
ATCCAGACCTACCTGACTGTGTGTAAGATGTTGTTATGGTAGGCCTTGGTGACCATCAG
TTTCAGATGCAACTCTTACAGCGGAGTCTTGAATCATGCAAACAGTGAAGGGATTTTTT
TATGTTTCATTACTTCTTGACATTCTGAAAGAGATAACTGGAAGTTCCTTGATTAGAAA
ACAGATTACAGATGAAGAAGTTGCAATGCTGTTGGACACAGTCCAGAAAGTATTTAGAAA
ATGTTGGAATGTATTGCACGGAGCTTCAGGAAGCAGCCGGAAGAAGGCCTGCGGCTGCTT
TATTCTGTTACAGAGCCTCTTCATGAGTTTACTGCTGTTAGTCTCGGCACACAGAC
ACCCCTGTGCACCGGGGTGACTTTCTACTCTGATCGCTGGGCCTGTGGTTGAGATAAGT
CACCAGTACGGAAGGTTTCTGACGTAGAAGAGCTTACCCCTCCAGAGCATCTTTCTGAT
CTCCACCATTTTCAAGGTGTTTAAATAGGAATAATAAAGTCTTGAATGTGGTCAGG
TCATTTTTGGATGAATTAAGGCATGTGTGGCTTCTAATGATATTGAAGGCATTGTGTGC
CTCACGGCTGCTGTGCATATTATCCTGGTTATTAATGCAGGTAAACATAAAAGCTCAAAA
GTGAGGGAGGTTGCAGCCACTGTTACAGAAAACATAAGACATTATGGAATTACTTTG
GAAGAGGATAGCATTGAAAGATTCTCTATGAATCATCATCAAGAACTCTGGGAGAACTT
TTGAATTCA

Restriction Sites:

Please inquire

ACCN:

NM_017760

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_017760.5, NP_060230.5</u>
RefSeq Size:	3950 bp
RefSeq ORF:	3432 bp
Locus ID:	54892
UniProt ID:	<u>Q86XI2</u>
Cytogenetics:	7q36.3
Gene Summary:	This gene encodes a protein that belongs to the Condensin2nSMC family of proteins. The encoded protein is a regulatory subunit of the condensin II complex which, along with the condensin I complex, plays a role in chromosome assembly and segregation during mitosis. A similar protein in mouse is required for early development of the embryo. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Aug 2013] Transcript Variant: This variant (1) represents the shortest transcript and encodes the shorter isoform (a). Variants 1 and 2 encode the same protein.