

Product datasheet for SC318759

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RGS4 (NM_001113381) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: RGS4 (NM_001113381) Human Untagged Clone

Tag: Tag Free Symbol: RGS4

Synonyms: RGP4; SCZD9

Vector: pCMV6 series

Fully Sequenced ORF: >NCBI ORF sequence for NM_001113381, the custom clone sequence may differ by one or

more nucleotides

ATGTGCAAAGGGCTTGCAGGTCTGCCGGCTTCTTGCTTGAGGAGTGCAAAAGATATGAAA CATCGGCTAGGTTTCCTGCTGCAAAAATCTGATTCCTGTGAACACAATTCTTCCCACAAC AAGAAGGACAAAGTGGTTATTTGCCAGAGAGTGAGCCAAGAGGAAGTCAAGAAATGGGCT GAATCACTGGAAAACCTGATTAGTCATGAATGTGAACCTGGATTCTTGCACCAGGGAAGA

GACAAGCCGGAACATGCTAGAGCCTACAATAACCTGCTT

Restriction Sites: Please inquire ACCN: NM 001113381

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.





RefSeq: <u>NM 001113381.1</u>, <u>NP 001106852.1</u>

 RefSeq Size:
 2924 bp

 RefSeq ORF:
 282 bp

 Locus ID:
 5999

 UniProt ID:
 P49798

 Cytogenetics:
 1q23.3

Protein Families: Druggable Genome

Gene Summary: Regulator of G protein signaling (RGS) family members are regulatory molecules that act as

GTPase activating proteins (GAPs) for G alpha subunits of heterotrimeric G proteins. RGS proteins are able to deactivate G protein subunits of the Gi alpha, Go alpha and Gq alpha subtypes. They drive G proteins into their inactive GDP-bound forms. Regulator of G protein signaling 4 belongs to this family. All RGS proteins share a conserved 120-amino acid

sequence termed the RGS domain. Regulator of G protein signaling 4 protein is 37% identical to RGS1 and 97% identical to rat Rgs4. This protein negatively regulate signaling upstream or at the level of the heterotrimeric G protein and is localized in the cytoplasm. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jul 2008] Transcript Variant: This variant (4) has an alternate 5' sequence, which results in a downstream AUG start codon, and lacks an internal coding exon in the 3' region, as

compared to variant 1. The resulting isoform (4) has a shorter N-terminus, and a shorter and distinct C terminus, as compared to isoform 1.

distinct C-terminus, as compared to isoform 1.