

Product datasheet for **SC319022**

Angiomotin (AMOT) (NM_001113490) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Angiomotin (AMOT) (NM_001113490) Human Untagged Clone
Tag:	Tag Free
Symbol:	AMOT
Vector:	<u>pCMV6 series</u>
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001113490, the custom clone sequence may differ by one or more nucleotides

```
ATGAGAAATTCTGAAGAACAGCCAAGTGGAGGGACCACGGTATTGCAGCGTTTGCTACAA
GAGCAGCTTCGCTATGGCAATCCTAGTGAGAATCGCAGCCTGCTTGCCATACACCAGCAA
GCCACAGGGAATGGCCCTCCTTTCCCAAGTGGCAGTGGGAACCCGGGCCCTCAGAGTGAT
GTGTTGAGTCCCCAAGACCACCACCAACAGCTTGTGGCTCATGCTGCTCGACAAGAACCC
CAGGGGCAGGAAATCCAGTCAGAAAACCTCATCATGGAGAAGCAGCTGTCTCCTCGAATG
CAAAATAATGAAGAACTCCCGACCTATGAAGAAGCCAAGTCCAGTCCCAGTACTTCCG
GGCCAACAGCATGCCAGTGTGGAGCTGCCTTCTATGCTCACTGGAGTCACCAACCAGAAG
ATGAGGACTGAGGGACGCCCATCAGTTCAGCGGCTCAATCCTGGAAAGATGCACCAAGAT
GAGGGACTCAGAGACCTTAAGCAAGGGCATGTCCGTTCCCTTGAGTGAACGACTAATGCAG
ATGCTCACTGGCCACCAGTGGAGTTAAGGCCATCCACCTGTTACCAGTGCTCCCTCTCC
CCACCACAACCAATGACCTCTACAAGAATCCCACAAGTCCAGTGAATTCTACAAGGCC
CAAGGGCCACTTCTAACCAGCATAGCCTGAAGGGCATGGAACACCGAGGCCCCCAACCA
GAATATCCCTTCAAGGGCATGCCACCCCAATCTGTAGTGTGAAGCCCAAGAGCCAGGG
CACTTCTATAGTGAGCATCGCCTGAACCAGCCAGGGAGAACAGAGGGGCAACTGATGAGG
TATCAGCATCCCCTGAGTATGGAGCAGCCAGGCCAGCGCAGGACATCTCATTGCCATTG
TCAGCCAGGAACTCGCAGCCTCACAGCCCTACTTCTTCTGACCTCTGGGGGTCTTG
CCCTTGCTACAATCTCCACCATCCACTAGATTGTCTCCTGCCCGACCCCTTGTCCTCA
AACCAGGGAGACCATTAGCTCACCTGCCTAGGCCGAGCAGCATTTCCTTCTAATCAG
GCTCACCAGGGGGATCATTACCGTCTCTCCCAACTGGCTGAGTCAGCAGCAGCAGCAA
CAGCAGCAGCAGCACCATCATCACCATCACCACCAACAACAGCAGCAGCAGCAGCCACAG
CAGCAGCCAGGAGAAGCCTATTCAGCTATGCCTCGGGCTCAGCCATCCTCTGCTTCTTAT
CAGCCAGTGCCAGCAGACCCTTTTGCCATTGTTTCCAGAGCCCAGCAGATGGTTGAGATC
CTCTCAGACGAGAACCAGCACTTGAGGCAAGAGTTGGAAGGATGCTATGAGAAGGTGGCA
AGACTGCAGAAGGTGGAGACAGAAATCCAGCGCTCTCGAGGCATATGAGAACCCTCGTG
AAGTCATCCTCCAAAAGAGAGGCCCTAGAGAAAGCCATGAGAAACAAGCTAGAGGGCGAG
ATTCGGAGGATGCATGATTTCAACAGGGATCTGAGAGAGCGTCTAGAGACTGCCAACAAG
CAGCTTGAGAGAAGGAATATGAGGGGTGAGAGGACACCAGAAAAACCATCTCGCAGCTC
TTTGCAAAAAATAAAGAAAGCCAGCGTGAGAAGGAGAAGCTGGAAGCGGAGCTGGCCACT
GCCCGTTCTACCAATGAGGACCAAAGACGACACATCGAAATCCGAGATCAGGCCCTGAGT
AATGCCAGGCCAAGGTGGTAAAGCTGGAAGAAGAGCTGAAAAAGAAGCAAGTGTACGTT
GACAAGGTGGAGAAGATGCAGCAGGCCCTTGACAGCTCCAGGCAGCATGTGAAAAACGT
```



[View online >](#)

GAGCAGCTAGAGCACCGTCTCCGGACACGACTGGAGAGGGAAGTGAATCCCTGAGAATC
 CAGCAGCGTCAGGGCAACTGTCAGCCCACCAACGTTTCAGAATACAATGCTGCTGCACTG
 ATGGAGCTCCTTCGGGAGAAAGAGGAGAGGATTCTGGCTCTGGAAGCTGATATGACAAAG
 TGGGAGCAGAAATATTTGGAGGAGAATGTGATGAGACATTTTGTCTGGATGCTGCTGCA
 ACTGTGGCTGCTCAGAGGGACACAACAGTCATCAGTCACTCTCCTAACACCAGCTATGAC
 ACAGCTCTAGAAGCTCGCATCCAGAAAGAGGAGGAAGAAATCTTGATGGCCAATAAGCGT
 TGCCTTGACATGGAGGGCAGGATTAAGACCCCTCCATGCCAGATTATTGAGAAGGATGCC
 ATGATCAAAGTACTCCAGCAGCGTTCCCGGAAGGAGCCGAGCAAGACAGAGCAGCTGTCG
 TGCATGCGGCCAGCGAAGTCTCTGATGTCCATTTCCAATGCTGGATCAGGCTTGCTCTCC
 CACTCATCCACCCTGACTGGCTCCCCATCATGGAAGAAAAGCGAGACGACAAGAGCTGG
 AAGGGGAGCCTAGGCATTCTCCTGGGTGGAGACTACCGTGTGAATATGTCCCTCCACA
 CCCTCGCTGTGCCACCCTCGACTCCCCTGCTCTCGGCTCACTCCAAGACAGGCAGCCGA
 GACTGCAGTACCCAACTGAACGTGGGACGGAATCGAACAAAAGTGCAGCTGTTGCTCCC
 ATCTCTGTTCTGCTCCAGTTGCTGCTGCCGCCACTGCTGCCGCCATCACTGCCACTGCT
 GCCACCATCACCACCACCATGGTAGCTGCTGCTCCAGTTGCTGTTGCTGCTGCTGCTGCT
 CCAGCTGCTGCTGCTGCCCGTCTCCAGCCACTGCCGCTGCTACTGCTGCTGCTGTTTCT
 CCAGCTGCTGCTGGTCAGATTCCAGCTGCTGCCTCTGTTGCCTCAGCTGCTGCCGTTGCT
 CCTTCTGCTGCTGCTGCTGCTGTTCCAGTTGCTCCAGCTGCTCCGGCTCCAGTTCCA
 GCTCCGGCTCTGGTTCCGGTTCCAGCTCCAGCAGCGGCTCAGGCTTCTGCTCCTGCTCAG
 ACTCAGGCACCAACTTCAGCTCCGGCTGTGGCTCCAAGTCCAGCTCCAAGTCCAACTCCA
 GCTGTGGCTCAGGCTGAGGTTCTGCAAGTCCAGCTACCGGTCTGGACCACATCGTTTG
 TCTATACCAAGTTGACCTGCAATCCAGACAAAACAGATGGGCCTGTGTTCCACTCCAAT
 ACTCTGGAAAGAAAACCTCCATTCCAGATCCTGGGACAAGAGCCTGATGCAGAGATGGTG
 GAATATCTCATC

Restriction Sites:

Please inquire

ACCN:

NM_001113490

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001113490.1](#), [NP_001106962.1](#)

RefSeq Size: 6945 bp

RefSeq ORF: 3255 bp

Locus ID: 154796

UniProt ID: [Q4VCS5](#)

Cytogenetics: Xq23

Gene Summary: This gene belongs to the motin family of angiostatin binding proteins characterized by conserved coiled-coil domains and C-terminal PDZ binding motifs. The encoded protein is expressed predominantly in endothelial cells of capillaries as well as larger vessels of the placenta where it may mediate the inhibitory effect of angiostatin on tube formation and the migration of endothelial cells toward growth factors during the formation of new blood vessels. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]
Transcript Variant: This variant (1) represents the longer transcript and encodes the longer isoform (1). The N-terminus of this isoform mediates association with cytoplasmic F-actin.