

## **Product datasheet for SC319183**

## Inhibin beta A (INHBA) (NM\_002192) Human Untagged Clone

## **Product data:**

**Product Type: Expression Plasmids** 

**Product Name:** Inhibin beta A (INHBA) (NM\_002192) Human Untagged Clone

Tag: Tag Free

Symbol: Inhibin beta A

Synonyms: EDF; FRP **Mammalian Cell** 

Selection:

Vector:

pCMV6-AC (PS100020)

Neomycin

E. coli Selection: Ampicillin (100 ug/mL) 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn





**Fully Sequenced ORF:** 

>OriGene sequence for NM\_002192.2 CATGAAGAGGAGCTCAGACAGCTCTTACCACATGATACAAGAGCCGGCTGGTGGAAGAGT TTTTAAAAAGGCAATCACAACAACTTTTGCTGCCAGGATGCCCTTGCTTTGGCTGAGAGG ATTTCTGTTGGCAAGTTGCTGGATTATAGTGAGGAGTTCCCCCACCCCAGGATCCGAGGG GCACAGCGCGCCCCGACTGTCCGTCCTGTGCGCTGGCCGCCCTCCCAAAGGATGTACC CAACTCTCAGCCAGAGATGGTGGAGGCCGTCAAGAAGCACATTTTAAACATGCTGCACTT GAAGAAGAGACCCGATGTCACCCAGCCGGTACCCAAGGCGGCGCTTCTGAACGCGATCAG AAAGCTTCATGTGGGCAAAGTCGGGGAGAACGGGTATGTGGAGATAGAGGATGACATTGG AAGGAGGCAGAAATGAATGAACTTATGGAGCAGACCTCGGAGATCATCACGTTTGCCGA AGTGGTGGAGCGTGCAGAAGTCTGGCTCTTCCTAAAAGTCCCCAAGGCCAACAGGACCAG GACCAAAGTCACCATCCGCCTCTTCCAGCAGCAGAAGCACCCGCAGGGCAGCTTGGACAC AGGGGAAGAGGCCGAGGAAGTGGGCTTAAAGGGGGAGAGGAGTGAACTGTTGCTCTCTGA AAAAGTAGTAGACGCTCGGAAGAGCACCTGGCATGTCTTCCCTGTCTCCAGCAGCATCCA GCGGTTGCTGGACCAGGGCAAGAGCTCCCTGGACGTTCGGATTGCCTGTGAGCAGTGCCA GGAGAGTGGCGCCAGCTTGGTTCTCCTGGGCAAGAAGAAGAAGAAGAAGAAGAAGAGGGGGGA AGGGAAAAAGAAGGCGGAGGTGAAGGTGGGGCAGGAGCAGATGAGGAAAAAGGAGCAGTC GCACAGACCTTTCCTCATGCTGCAGGCCCGGCAGTCTGAAGACCACCCTCATCGCCGGCG TCGGCGGGGCTTGGAGTGTGATGGCAAGGTCAACATCTGCTGTAAGAAACAGTTCTTTGT CAGTTTCAAGGACATCGGCTGGAATGACTGGATCATTGCTCCCTCTGGCTATCATGCCAA CTACTGCGAGGGTGAGTGCCCGAGCCATATAGCAGGCACGTCCGGGTCCTCACTGTCCTT CCACTCAACAGTCATCAACCACTACCGCATGCGGGGCCATAGCCCCTTTGCCAACCTCAA ATCGTGCTGTGCCCACCAAGCTGAGACCCATGTCCATGTTGTACTATGATGATGGTCA AAACATCATCAAAAAGGACATTCAGAACATGATCGTGGAGGAGTGTGGGTGCTCATAGAG TTGCCCAGCCCAGGGGGAAAGGGAGCAAGAGTTGTCCAGAGAAGACAGTGGCAAAATGAA GAAATTTTTAAGGTTTCTGAGTTAACCAGAAAAATAGAAATTAAAAACAAAACAAAAAAA AAAAAAAAAA

**Restriction Sites:** Please inquire **ACCN:** NM\_002192

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replic

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customer.custo

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use.

©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## Inhibin beta A (INHBA) (NM\_002192) Human Untagged Clone - SC319183

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>NM 002192.2</u>, <u>NP 002183.1</u>

 RefSeq Size:
 2175 bp

 RefSeq ORF:
 1281 bp

 Locus ID:
 3624

 UniProt ID:
 P08476

 Cytogenetics:
 7p14.1

**Domains:** TGFb\_propeptide, TGF-beta

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** Cytokine-cytokine receptor interaction, TGF-beta signaling pathway

**Gene Summary:** This gene encodes a member of the TGF-beta (transforming growth factor-beta) superfamily

of proteins. The encoded preproprotein is proteolytically processed to generate a subunit of the dimeric activin and inhibin protein complexes. These complexes activate and inhibit, respectively, follicle stimulating hormone secretion from the pituitary gland. The encoded protein also plays a role in eye, tooth and testis development. Elevated expression of this gene may be associated with cancer cachexia in human patients. [provided by RefSeq, Aug

2016]