

## Product datasheet for **SC319699**

### C4BPB (NM\_001017365) Human Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** C4BPB (NM\_001017365) Human Untagged Clone  
**Tag:** Tag Free  
**Symbol:** C4BPB  
**Synonyms:** C4BP  
**Mammalian Cell Selection:** None  
**Vector:** [pCMV6-XL5](#)  
**E. coli Selection:** Ampicillin (100 ug/mL)

**Fully Sequenced ORF:** >OriGene sequence for NM\_001017365.1  
 ATTCCCAGAAACCAGGAAATTTCTGAAACTGAGTTTTAAACCTGGCAACTCTTTTACCAT  
 CCCTTTGTATTTTTGCAGTTCCCTATACCAGCTTCTTACAGCTGTTCTGATTTCT  
 GTCGTAAGATTTTTCTTTTCATTTTCTCCAGGGAGGGTAAATCAATATAACCTCTTCTC  
 TAGAGAGGAGGTGGTTAGGTTGGTCTTAAGCAGTGTTAGAAGATCTATTTTTTTTCAAAC  
 CAGGTGTCTGAGCTGGGTGAATCCAGCCTGGGGAGAGGACTTTGATCACCAGATGTTTT  
 TTTGGTGTGCGTGCTGTCTTATGGTTGCGTGCGGAGTTTCTGCTCAGATGAGCACTGTC  
 CAGAGCTTCTCCAGTGGACAATAGCATATTTGTCGAAAGGAGGTGGAAGGACAGATTC  
 TGGGGACTTACGTTTGTATCAAGGGCTACCACCTGGTAGGAAAGAAGACCCTTTTTTGA  
 ATGCCTCTAAGGAGTGGGATAACACCCTACTGAGTGCCGCTTGGGCCACTGTCCTGATC  
 CTGTGCTGGTGAATGGAGAGTTCAGTTCTCAGGGCCTGTGAATGTAAGTGACAAAATCA  
 CGTTTATGTGCAATGACCACTACATCCTCAAGGGCAGCAATCGGAGCCAGTGTCTAGAGG  
 ACCACACCTGGGCACCTCCCTTTCCCATCTGCAAAAGTAGGGACTGTGACCCTCCTGGGA  
 ATCCAGTTCATGGCTATTTTGAAGGAAATAACTTCACCTTAGGATCCACCATTAGTTATT  
 ACTGTGAAGACAGGTAATACTTACTAGTGGGCGTGCAGGAGCAGCAATGCGTTGATGGGGAGT  
 GGAGCAGTGCCTTCCAGTCTGCAAGTTGATCCAGGAAGCTCCCAAACCAGAGTGTGAGA  
 AGGCACCTCTTGCCTTTCAGGAGAGTAAGAACCCTGCGAAGCCATGGAGAACTTTATGC  
 AACAAATTAAGGAAAGTGGCATGACAATGGAGGAGCTAAAATATCTCTGGAGCTGAAGA  
 AAGCTGAGTTGAAGGCAAAATTTGTAACTACAGCTGAGCAGATGTAATAGAATAA  
 ACCTATGAATAAATTTTCTTCTTGGTTCTGTAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

**Restriction Sites:** Please inquire  
**ACCN:** NM\_001017365



[View online »](#)

|                               |  |
|-------------------------------|--|
| <b>OTI Disclaimer:</b>        | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).   |
| <b>OTI Annotation:</b>        | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.   |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>  |
| <b>RefSeq:</b>                | <a href="#">NM_001017365.1</a> , <a href="#">NP_001017365.1</a>  |
| <b>RefSeq Size:</b>           | 968 bp   |
| <b>RefSeq ORF:</b>            | 759 bp   |
| <b>Locus ID:</b>              | 725  |
| <b>UniProt ID:</b>            | <a href="#">P20851</a>   |
| <b>Cytogenetics:</b>          | 1q32.1   |
| <b>Protein Pathways:</b>      | Complement and coagulation cascades  |
| <b>Gene Summary:</b>          | <p>This gene encodes a member of a superfamily of proteins composed predominantly of tandemly arrayed short consensus repeats of approximately 60 amino acids. A single, unique beta-chain encoded by this gene assembles with seven identical alpha-chains into the predominant isoform of C4b-binding protein, a multimeric protein that controls activation of the complement cascade through the classical pathway. C4b-binding protein has a regulatory role in the coagulation system also, mediated through the beta-chain binding of protein S, a vitamin K-dependent protein that serves as a cofactor of activated protein C. The genes encoding both alpha and beta chains are located adjacent to each other on human chromosome 1 in the regulator of complement activation gene cluster. Alternative splicing gives rise to multiple transcript variants. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (3), also known as A12, differs in the 5' UTR compared to variant 1. Variants 1, 3 and 5 encode the same isoform (1).</p> |