

# Product datasheet for SC320879

## UCP2 (NM\_003355) Human Untagged Clone

### **Product data:**

Product Type:	Expression Plasmids
Product Name:	UCP2 (NM_003355) Human Untagged Clone
Tag:	Tag Free
Symbol:	UCP2
Synonyms:	BMIQ4; SLC25A8; UCPH
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC (PS100020)
vector.	pcww-Ac (F3100020)
E. coli Selection:	Ampicillin (100 ug/mL)

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### 

Fully	Sequenced ORF:	
FUIIV	Sequenced OKF.	

>OriGene sequence for NM\_003355.2 GCACTGCCGTGTTCTCCCTGCGGCTCGGACACATAGTATGACCATTAGGTGTTTCGTCTC CCACCCATTTTCTATGGAAAACCAAGGGGATCGGGCCATGATAGCCACTGGCAGCTTTGA AGAACGGGACACCTTTAGAGAAGCTTGATCTTGGAGGCCTCACCGTGAGACCTTACAAAG CCGGATTCCGGCAGAGTTCCTCTATCTCGTCTTGTTGCTGATTAAAGGTGCCCCTGTCTC CAGTTTTTCTCCATCTCCTGGGACGTAGCAGGAAATCAGCATCATGGTTGGGTTCAAGGC CGCAGATCTCATCACCTTTCCTCTGGATACTGCTAAAGTCCGGTTACAGATCCAAGGAGA AAGTCAGGGGCCAGTGCGCGCTACAGCCAGCGCCCAGTACCGCGGTGTGATGGGCACCAT TCTGACCATGGTGCGTACTGAGGGCCCCCGAAGCCTCTACAATGGGCTGGTTGCCGGCCT GCAGCGCCAAATGAGCTTTGCCTCTGTCCGCATCGGCCTGTATGATTCTGTCAAACAGTT AGGTGCCCTGGCTGTGGCTGTGGCCCAGCCCACGGATGTGGTAAAGGTCCGATTCCAAGC TCAGGCCCGGGCTGGAGGTGGTCGGAGATACCAAAGCACCGTCAATGCCTACAAGACCAT TGCCCGAGAGGAAGGGTTCCGGGGCCTCTGGAAAGGGACCTCTCCCAATGTTGCTCGTAA TGCCATTGTCAACTGTGCTGAGCTGGTGACCTATGACCTCATCAAGGATGCCCTCCTGAA AGCCAACCTCATGACAGATGACCTCCCTTGCCACTTCACTTCTGCCTTTGGGGCAGGCTT CTGCACCACTGTCATCGCCTCCCCTGTAGACGTGGTCAAGACGAGATACATGAACTCTGC CCTGGGCCAGTACAGTAGCGCTGGCCACTGTGCCCTTACCATGCTCCAGAAGGAGGGGGCC CCGAGCCTTCTACAAAGGGTTCATGCCCTCCTTTCTCCGCTTGGGTTCCTGGAACGTGGT GGCTCCCTTCTGAGCCTCTCCTGCTGCTGACCTGATCACCTCTGGCTTTGTCTCTAGCCG TTCCCCACCTCTTCCGCTCCTTTACCTACCACCTTCCCTCTTTCTACATTCTCATC TACTCATTGTCTCAGTGCTGGTGGAGTTGACATTTGACAGTGTGGGAGGCCTCGTACCAG CCAGGATCCCAAGCGTCCCGTCCCTTGGAAAGTTCAGCCAGAATCTTCGTCCTGCCCCCG 

**Restriction Sites:** 

tes: Please inquire NM\_003355

ACCN:

**OTI Disclaimer:** 

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

# OTI Annotation:This TrueClone is provided through our Custom Cloning Process that includes sub-cloning<br/>into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the<br/>expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

<b>UCP2</b> (NM_003355) Human Untagged Clone – SC320879	
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 003355.2, NP 003346.2</u>
RefSeq Size:	1646 bp
RefSeq ORF:	930 bp
Locus ID:	7351
UniProt ID:	<u>P55851</u>
Cytogenetics:	11q13.4
Domains:	mito_carr
Protein Families:	Druggable Genome
Gene Summary:	Mitochondrial uncoupling proteins (UCP) are members of the larger family of mitochondrial anion carrier proteins (MACP). UCPs separate oxidative phosphorylation from ATP synthesis with energy dissipated as heat, also referred to as the mitochondrial proton leak. UCPs facilitate the transfer of anions from the inner to the outer mitochondrial membrane and the

facilitate the transfer of anions from the inner to the outer mitochondrial proton leak. OCPS facilitate the transfer of anions from the inner to the outer mitochondrial membrane and the return transfer of protons from the outer to the inner mitochondrial membrane. They also reduce the mitochondrial membrane potential in mammalian cells. Tissue specificity occurs for the different UCPs and the exact methods of how UCPs transfer H+/OH- are not known. UCPs contain the three homologous protein domains of MACPs. This gene is expressed in many tissues, with the greatest expression in skeletal muscle. It is thought to play a role in nonshivering thermogenesis, obesity and diabetes. Chromosomal order is 5'-UCP3-UCP2-3'. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US