

Product datasheet for **SC321063**

FABP3 (NM_004102) Human Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: FABP3 (NM_004102) Human Untagged Clone
Tag: Tag Free
Symbol: FABP3
Synonyms: FABP11; H-FABP; M-FABP; MDGI; O-FABP
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC (PS100020)
E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >OriGene sequence for NM_004102.3
 GCCGTCGGAGCCCTTGCACGCCTGCTCTTGTAGCTTCTCTCAGCCTAGCCCAGCATCA
 CTATGGTGGACGCTTTCCTGGGCACCTGGAAGCTAGTGGACAGCAAGAATTCGATGACT
 ACATGAAGTCACTCGGTGTGGGTTTTGCTACCAGGCAGGTGGCCAGCATGACCAAGCCTA
 CCACAATCATCGAAAAGAAATGGGGACATTCTCACCCATAAAACACACAGCACCTTCAAGA
 ACACAGAGATCAGCTTTAAGTTGGGGTGGAGTTCGATGAGACAACAGCAGATGACAGGA
 AGGTCAAGTCCATTGTGACACTGGATGGAGGAACTTGTTCACCTGCAGAAATGGGACG
 GGCAAGAGACCACACTTGTGCGGGAGCTAATTGATGGAAAACCTCATCCTGACACTCACCC
 ACGGCACTGCAGTTTGCCTCGCACTTATGAGAAAAGGCATGACCTGACTGCAGTGTG
 CTGACTACTACTGCAATCGGCTACCCCTCGACTCAGCACCACATTGCCTCATTCTT
 CCTCTGCATTTTGTACAAATCCACGAATCTTCTGGGGTCAGGTGCCACTGACCGGGATC
 CAGTTCAGTTCCCATGGTGTATGTGGTTTTTTTTTTTTTTTTTTAACTGCACTCATAGG
 GTGCTCTGAGGTCAATAAAGCAGAGCCAAGGCCACCCAGTTGCCTTTTTGCCTTTGGTAA
 CATAA
 AAA
 AAA

Restriction Sites: Please inquire
ACCN: NM_004102
Insert Size: 700 bp
OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).



[View online »](#)

OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_004102.3 , NP_004093.1
RefSeq Size:	1097 bp
RefSeq ORF:	402 bp
Locus ID:	2170
UniProt ID:	P05413
Cytogenetics:	1p35.2
Protein Pathways:	PPAR signaling pathway
Gene Summary:	The intracellular fatty acid-binding proteins (FABPs) belongs to a multigene family. FABPs are divided into at least three distinct types, namely the hepatic-, intestinal- and cardiac-type. They form 14-15 kDa proteins and are thought to participate in the uptake, intracellular metabolism and/or transport of long-chain fatty acids. They may also be responsible in the modulation of cell growth and proliferation. Fatty acid-binding protein 3 gene contains four exons and its function is to arrest growth of mammary epithelial cells. This gene is a candidate tumor suppressor gene for human breast cancer. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2016]