

## **Product datasheet for SC321885**

## PILRB (NM\_013440) Human Untagged Clone

## **Product data:**

**Product Type:** Expression Plasmids

Product Name: PILRB (NM\_013440) Human Untagged Clone

Tag: Tag Free
Symbol: PILRB

**Synonyms:** FDFACT1; FDFACT2

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-AC (PS100020)E. coli Selection:Ampicillin (100 ug/mL)

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn





Fully Sequenced ORF: >OriGene sequence for NM\_013440.3

GGAAGTCTCCACCCTGGGAGGCAGAAGCCAGGCATAGCGCGCTGGCTAGGACTCCAGTA CCGTGAAGGGAGCAGTGAGAGCAGACATCTGTGCCTCATTCCTGATCTCAAGGGGAAAG CAAGAACAAGGGAGGCTTCCTCAGGATCTCGAACCTGCGGAAGGAGGACCAGTCTGTGTA CTTCTGCCAAGTCCAGCTGGACATACAGATCAGGGAGGCTGTCGTGGCAGTCCATCAAGG GGACCCACCTCACCATCACCCAGGCCCTCAGGCAGCCCCTCCACAGGGCCCCTCTCCTGC CTGGACAGCTCTGCTGGTCTCCCCGTCCCCTGGAGAAGAACAAGGCCATGGGTCGGCCCC TGCTGCTGCCCCTGCTGCTGCAGCCGCCAGCATTTCTGCAGCCTGGTGGCTCCA CAGGATCTGGTCCAAGCTACCTTTATGGGGTCACTCAACCAAAACACCTCTCAGCCTCCA TGGGTGGCTCTGTGGAAATCCCCTTCTCTTCTATTACCCCTGGGAGTTAGCCATAGTTC CCAACGTGAGAATATCCTGGAGACGGGGCCACTTCCACGGGCAGTCCTTCTACAGCACAA GGCCGCCTTCCATTCACAAGGATTATGTGAACCGGCTCTTTCTGAACTGGACAGAGGGTC AGGAGAGCGGCTTCCTCAGGATCTCAAACCTGCGGAAGGAGGACCAGTCTGTGTATTTCT GCCGAGTCGAGCTGGACACCCGGAGATCAGGGAGGCAGCAGTTGCAGTCCATCAAGGGGA CCAAACTCACCATCACCCAGGCTGTCACAACCACCACCACCTGGAGGCCCAGCAGCACAA CCACCATAGCCGGCCTCAGGGTCACAGAAAGCAAAGGGCACTCAGAATCATGGCACCTAA GTCTGGACACTGCCATCAGGGTTGCATTGGCTGTCGCTGTGCTCAAAACTGTCATTTTGG GACTGCTGTGCCTCCTCCTGTGGTGGAGGAGAAGGAAAGGTAGCAGGGCGCCAAGCA GTGACTTCTGACCAACAGAGTGTGGGGAGAAGGGATGTGTATTAGCCCCGGAGGACGTGA TGTGAGACCCGCTTGTGAGTCCTCCACACTCGTTCCCCATTGGCAAGATACATGGAGAGC ACCCTGAGGACCTTTAAAAGGCAAAGCCGCAAGGCAGAAGGAGGCTGGGTCCCTGAATCA CCGACTGGAGGAGAGTTACCTACAAGAGCCTTCATCCAGGAGCATCCACACTGCAATGAT ATAGGAATGAGGTCTGAACTCCACTGAATTAAACCACTGGCATTTGGGGGGCTGTTTATTA TACCATACACCCCTTTTCTCCTCGTCCACATTTTCCAATCTGTATGGTGGCTGTCTTCTA AAAAAAAAA

**Restriction Sites:** Please inquire **ACCN:** NM\_013440

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).





**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** <u>NM 013440.3</u>, <u>NP 038468.3</u>

RefSeq Size: 3632 bp
RefSeq ORF: 684 bp
Locus ID: 29990
Cytogenetics: 7q22.1
Domains: IG

**Protein Families:** Druggable Genome, Transmembrane

**Gene Summary:** The paired immunoglobin-like type 2 receptors consist of highly related activating and

inhibitory receptors that are involved in the regulation of many aspects of the immune system. The paired immunoglobulin-like receptor genes are located in a tandem head-to-tail orientation on chromosome 7. This gene encodes the activating member of the receptor pair and contains a truncated cytoplasmic tail relative to its inhibitory counterpart (PILRA), that has a long cytoplasmic tail with immunoreceptor tyrosine-based inhibitory (ITIM) motifs. This gene is thought to have arisen from a duplication of the inhibitory PILRA gene and evolved to

acquire its activating function. [provided by RefSeq, Jun 2013]

Transcript Variant: This variant (1) represents the longest transcript and encodes the longer

isoform (a). Variants 1 and 3 encode the same isoform (a).