

Product datasheet for **SC322376**

PEPD (NM_000285) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PEPD (NM_000285) Human Untagged Clone
Tag:	Tag Free
Symbol:	PEPD
Synonyms:	PROLIDASE
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC (PS100020)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >OriGene sequence for SC322376
 GCCGCACTTCACGTGACGCCGGTGCCGGGCGAACATGGCGGCGGCCACCGGACCCTCGTT
 TTGGCTGGGGAATGAAACCCTGAAGGTGCCGCTGGCGCTCTTGCCTTGAACCGGCAGCG
 CCTGTGTGAGCGGCTGCGGAAGAACCCTGCTGTGCAGGCCGGCTCCATCGTGGTCTGCA
 GGGCGGGAGGAGACTCAGCGCTACTGCACCGACACCGGGGTCTCTCCGCCAGGATC
 CTCTTTTCACTGGGCGTTCGGTGTCACTGAGCCAGGCTGCTATGGTGTCAATCGATGTTGA
 CACTGGGAAGTCGACCCCTGTTTTGTGCCAGGCTTCTGCCAGCCATGCCACCTGGATGGG
 AAAGATCCATTCCAAGGAGCAGCTTCAAGGAGAAGTATGCCGTGGACGACGTCCAGTACGT
 AGATGAGATTGCCAGCGTCTGACGTACACAGAAGCCCTCTGTCTCTCACTTTGCGTGG
 CGTCAACACGGACAGCGCAGTGTCTGCAGGGAGGCTCCTTTGACGGCATCAGCAAGTT
 CGAAGTCAACAATACCATTCTTACCCAGAGATCGTTGAGTGCCGAGTGTAAAGACGGA
 TATGGAGCTGGAGTTCTGCGCTATACCAATAAAATCTCCAGCGAGGCCACCGTGAGGT
 AATGAAGGCTGTAAGTGGGAATGAAAGAATATGAGTTGAAAGCCTCTTCGAGCACTA
 CTGCTACTCCCGGGCGGCATGCCACAGCTCCTACACCTGCATCTGCGGCAGTGGTGA
 GAACTCAGCCGTCTACTACGACACGCGGAGCTCCAACGACCGAACGATCCAGAA
 TGGGGATATGTGCTGTTTCGACATGGGCGGTGAGTATTACTGCTTCGCTTCCGACATCAC
 CTGCTCCTTTCCCGCAACGGCAAGTTCAGTGCAGACCAGAAGGCCGTCTATGAGGCAGT
 GCTGCGGAGCTCCCGTGCCGTCATGGGTGCCATGAAGCCAGGTGTCTGGTGGCCTGACAT
 GCACCGCTGGCTGACCGCATCCACCTGGAGGAGCTGGCCACATGGGCATCCTGAGCGG
 CAGCGTGGACGCCATGGTCCAGGCTCACCTGGGGGCCGTGTTATGCCTCACGGGCTTG
 CCACTTCTGGCATTGACGTGCACGACGTGGGAGGCTACCCAGAGGGCGTGGAGCGCAT
 CGACGAGCCCGGCTGCGGAGCCTGCGCACTGCACGGCACCTGCAGCCAGGCATGGTGTCT
 CACCGTGGAGCCGGGCATCTACTTCATCGACCACCTCCTGGATGAGGCCCTGGCGGACCC
 GGCCCGCGCTCCTTCTTAACCGCGAGGTCTGCAGCGCTTTTCGCGTTTTGGCGGGGT
 CCGCATCGAGGAGCAGTCTGTTGACTGACAGCGGCATAGAGCTGCTGACCTGCGTGCC
 CCGCACTGTGGAAGAGATTGAAGCATGCATGGCAGGCTGTGACAAGGCCTTTACCCCTT
 CTCTGGCCCCAAGTAGAGCCAGCCAGAAATCCCAGCGCACCTGGGGGCTGGCCTTGCAA
 CCTTTTTTGTGATGGGCAGCCTGCTGGTCCAGTCCAGTAGCGAGAGACGGCACCCAG
 AATCAGATCCCAGCTTCGGCATTGATCAGACCAACAGTGTCTTTCCCGGGGAGGAAA
 CACTTTTTTAATTACCCTTTTGCAGGCTCCACCTTTAATCTGTTTTATACCTTGCTTAT
 TAAATGAGCGACTTAAAATGATTGAAAAAATGCTGTTCTTTAGTAGCACTAAAATGTG
 TCTTGCTGCATTTATATTCCTTTTCCAGGAAAGAAGCATTTCTGATACTTTCTGTCAA
 AAATCAATATGCAGAATGGCATTGCAATAAAAGGTTTCTAAAAA

Restriction Sites: Please inquire

ACCN: NM_000285

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_000285.1 , NP_000276.1
RefSeq Size:	1888 bp
RefSeq ORF:	1482 bp
Locus ID:	5184
UniProt ID:	P12955
Cytogenetics:	19q13.11
Domains:	Peptidase_M24, AMP_N
Protein Families:	Druggable Genome, Protease
Gene Summary:	<p>This gene encodes a member of the peptidase family. The protein forms a homodimer that hydrolyzes dipeptides or tripeptides with C-terminal proline or hydroxyproline residues. The enzyme serves an important role in the recycling of proline, and may be rate limiting for the production of collagen. Mutations in this gene result in prolidase deficiency, which is characterized by the excretion of large amount of di- and tri-peptides containing proline. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2009]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1).</p>