

Product datasheet for SC322512

INTS7 (NM_015434) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	INTS7 (NM_015434) Human Untagged Clone
Tag:	Tag Free
Symbol:	INTS7
Synonyms:	C1orf73; INT7
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC (PS100020)
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene sequence for SC322512

```

AGAAGGCGGCGGGGAAGATGGCGGTCTGGGGTAGAGTTTGCAAGCTTTCTGACTAGGC
TAGTCGAGTAATTCGGGTCATGGCGTCAAACTCAACTAAGTCTTTCCTGGCAGATGC
CGGCTATGGCGAACAGGAAGTGGATGCCAACTCTGCCCTTATGGAATTGGACAAAGGCCT
AAGATCTGGCAAACTTGGTGAACAGTGTGAAGCAGTTGTTGCTTTCCAGACTTTTCA
GAAGTATCCATTCCTATTCTTATCAATTCTGCATTCTAAAGTTAGCTGATGTTTTCA
AGTTGGAATAATTTCTGAGGCTATGTGTTCTTAAAGTTACCAACAAAGTGAGAAACA
TTTGGAGAAGATTCTAAATGTGGATGAATTTGTGAAGAGAATTTTTCTGTGATTCATAG
TAATGATCCTGTGGCAAGAGCCATCACCTCCGGATGTTGGGAAGCTGGCATCAATAAT
TCCTGAGAGGAAGAATGCTCATCATAGTATTCGTCAGAGTTTAGATTCACATGATAATGT
AGAAGTTGAAGCTGCTGTTTTGCTGCTGCAAACTTCTCTGCACAGTCAAAGGATTTTGC
TGTAGGAATCTGTAACAAATCAGTGAAATGATTCAAGGTTTAGCGACACCAAGTAGACTT
GAAGCTAAAATTGATACCCATTCTACAGCACATGCACCATGATGCAATCTTGGCTCCAG
TGCTCGTCAGCTTTTACAACAGCTGGTCACATCCTATCCGTCCACCAAAATGGTGATTGT
GTCTTTGCACACTTTCACTCTGCTTGCAGCGTCATCTTTGGTTGATACACCTAAGCAGAT
TCAGCTTCTGTTGCAGTATTTGAAGAATGATCCCAGGAAGGCAGTAAAGAGACTTGCTAT
TCAAGATCTGAAATTACTTGCTAATAAAACACCACATACTTGGAGTAGGGAGAATATTCA
GGCACTTTGTGAGTGTGCCCTCCAGACTCCTTATGACAGCTTAAACTAGGGATGTTGTC
TGTCCTTTCCACACTATCAGGGACCATGCCATCAAACATTACTTCAGTATAGTTCCAGG
AAATGTGAGTTCTTCTCCAGATCTTCTGATTTAGTCAAATTAGCCCAAGAGTGCTGTTA
CCATAATAACAGGGGCATTGCAGCTCATGGAGTTAGAGTCCTAACTAATAAAGTGTTC
TTGTCAAGAAAAGGATCTTTTGGCACTGGAACAAGATGCTGTCTTTGGCCTGGAATCCCT
ACTGGTACTTTGTAGTCAAGATGATAGTCCAGGTGCTCAGGCCACTTTAAAGATTGCTCT
AAACTGTATGGTGAAGTTGGCAAGGGCAGGCCCGTCTTAGCCAGTCAGTAGTTGAGAC
CTTGTTGACTCAATTGCACAGTGTCAAGACGCTGCCCGATTTTGATGTGCCATTGCCT
GGCAGCCATTGCCATGCAACTGCCGGTGCTGGGTGATGGGATGCTTGGTGACCTCATGGA
GCTGTACAAGGTGATTGGACGATCAGCCACAGACAAGCAACAAGAACTTCTGGTGAGTT

```



[View online »](#)

```

GGCTACTGTGATTTTGTGCAAGTCAGAAGGCATTGTCTGTGGAAAGTAAGGCAGTAAT
TAAGCAGCAGCTTGAAAGTGTCTCCAATGGATGGACTGTATACCGTATTGCCAGACAGGC
TTCCAGAATGGGTAATCATGACATGGCCAAAGAGCTTTATCAGAGTTTGTGACTCAGGT
TGCCTCAGAACATTTCTACTTCTGGCTAAATAGTTGAAGGAGTTTTCACATGCAGAACA
GTGTCTCACTGGGTTGCAAGAGGAAAATTATAGTTCAGCACTTTCTTGCATTGCTGAATC
TTTAAATTTCTATCACAAGGGATTGCTTCCTTAACAGCAGCTAGTACACCACTGAATCC
TTTAAGCTTTCAGTGTGAATTTGTAAGTCAAGGATTGACCTTTTACAAGCCTTCTCTCA
ACTTATCTGTACTTGTAATAGCCTGAAGACAAGCCACCACCTGCAATTGCCACAACAAT
TGCCATGACCTTAGGAAATGACCTCCAGAGGTGTGGTTCGCATCTCCAATCAGATGAAACA
GTCCATGGAAGAATTTGGAAGCCTTGCTTCTCGATATGGAGATCTTACCAGGCATCTTT
TGATGCTGACTCAGCAACTTTGAGGAATGTTGAACTACAGCAGCAGAGCTGTTTACTGAT
ATCTCATGCAATAGAAGCCCTGATTTTGGATCCAGAATCAGCAAGTTTCCAGGAATATGG
ATCTACTGGAACAGCCCATGCTGATAGTGAATATGAAAGAAGAATGATGTCTGTATATAA
TCATGTCTTGGAGGAGGTAGAATCACTCAATCGGAAATATACCCCTGTTTCTTATATGCA
CACAGCATGCCTCTGCAATGCCATCATTGCTTTGCTGAAAGTTCCCTTTCTTCCAGAG
ATATTTTTTCCAGAACTACAGTCTACCAGCATCAAGCTTGCTCTGTCCACATCGCCCCG
GAATCCTGCAGAGCCCATTGCTGTCCAGAATAACCAGCAGCTGGCGCTAAAGGTAGAGGG
AGTGGTTCAGCACGGATCTAAACCAGGACTCTTCCGAAAATTCAGTCTGTCTGTCTGAA
TGTTTTCTCCACACTGCAGAGTAAATCTGGACAAGACTACAAGATACCCATTGACAACAT
GACCAATGAGATGGAGCAAAGGGTTGAACCTCATAATGATTACTTCAGTACTCAATTTCT
GTTGAACTTTGCTATCCTTGGAAACACACAACATTACAGTGGAACTCTTCTGTGAAAGATGC
CAATGGTATAGTATGGAAGACTGGTCCCAGAACTACCATATTTGTAATAATCCCTGGAAGA
CCCTTATTTCCAGCAAATTCGCTTACAACAGCAGCAAGCCAGCAGCCATTACAGCAGCA
GCAGCAACGCAATGCCTACACACGGTTTTAACCATGGAATGAATGCACTGCAGACTCTCA
AGAGATCAATCAAATTGCCAGAAACAGTTTGGTTTTTCATATGGAATAAGTATTAAGTT
ACAGTGTAGTTTCATTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAACAAAA
AAAAAAAAAA

```

Restriction Sites:

Please inquire

ACCN:

NM_015434

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_015434.1](#), [NP_056249.1](#)

RefSeq Size: 3463 bp

RefSeq ORF: 2889 bp

Locus ID: 25896

UniProt ID: [Q9NVH2](#)

Cytogenetics: 1q32.3

Gene Summary: This gene encodes a subunit of the integrator complex. The integrator complex associates with the C-terminal domain of RNA polymerase II and mediates 3'-end processing of the small nuclear RNAs U1 and U2. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Dec 2010]
 Transcript Variant: This variant (1) encodes the longest isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.