

Product datasheet for SC322804

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Macrophage Inflammatory Protein 3 alpha (CCL20) (NM_001130046) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Macrophage Inflammatory Protein 3 alpha (CCL20) (NM_001130046) Human Untagged Clone

Tag: Tag Free

Symbol: Macrophage Inflammatory Protein 3 alpha

Synonyms: CKb4; Exodus; LARC; MIP-3-alpha; MIP-3a; MIP3A; SCYA20; ST38

Mammalian Cell

Selection:

None

Vector: pCMV6-XL5

E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >OriGene sequence for NM_001130046 edited

AAAAAAAAAAAAAAA

Restriction Sites: Please inquire ACCN: NM_001130046

Insert Size: 1000 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).





Macrophage Inflammatory Protein 3 alpha (CCL20) (NM_001130046) Human Untagged Clone – SC322804

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001130046.1</u>, <u>NP 001123518.1</u>

RefSeq Size: 848 bp
RefSeq ORF: 288 bp
Locus ID: 6364
UniProt ID: P78556
Cytogenetics: 2q36.3

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: Chemokine signaling pathway, Cytokine-cytokine receptor interaction

Gene Summary: This antimicrobial gene belongs to the subfamily of small cytokine CC genes. Cytokines are a

family of secreted proteins involved in immunoregulatory and inflammatory processes. The CC cytokines are proteins characterized by two adjacent cysteines. The protein encoded by this gene displays chemotactic activity for lymphocytes and can repress proliferation of

myeloid progenitors. Two transcript variants encoding different isoforms have been found for

this gene. [provided by RefSeq, Sep 2014]

Transcript Variant: This variant (2) uses an alternate splice site in the coding region, but maintains the reading frame, compared to variant 1. The encoded isoform (2) is shorter than

isoform 1.