

Product datasheet for **SC323136**

PAK1 (NM_001128620) Human Untagged Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | PAK1 (NM_001128620) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | PAK1 |
| Synonyms: | alpha-PAK; IDDMSSD; p65-PAK; PAKalpha |
| Mammalian Cell Selection: | None |
| Vector: | <u>pCMV6-XL5</u> |
| E. coli Selection: | Ampicillin (100 ug/mL) |



[View online »](#)

Fully Sequenced ORF: >OriGene sequence for NM_001128620 edited
 ATGTCAAATAACGGCCTAGACATTCAAGACAAACCCAGCCCTCCGATGAGAAATACC
 AGCACTATGATTGGAGCCGGCAGCAAAGATGCTGGAACCCCTAAACCATGGTTCTAAACCT
 CTGCCTCCAAACCCAGAGGAGAAGAAAAAGAGGACCGATTTTACCGATCCATTTTACCT
 GGAGATAAAACAAATAAAAAGAAAGAGAAAGAGCGGCCAGAGATTTCTCTCCCTCAGAT
 TTTGAACACACAATTCATGTCGGTTTTGATGCTGTCACAGGGGAGTTTACGGGAATGCCA
 GAGCAGTGGGCCCGCTTGCTTCAGACATCAAATATCACTAAGTCGGAGCAGAAGAAAAAC
 CCGCAGGCTGTTCTGGATGTGTTGGAGTTTTACAACCTCGAAGAAGACATCCAACAGCCAG
 AAATACATGAGCTTTACAGATAAGTCAGCTGAGGATTACAATTCTTCTAATGCCTTGAAT
 GTGAAGGCTGTGCTGAGACTCCTGCAGTGCCACCAGTTTCAGAAGATGAGGATGATGAT
 GATGATGATGCTACCCACCACCAGTGATTGCTCCAGCCAGAGCACACAAAATCTGTA
 TACACACGGTCTGTGATTGAACCACTTCTGTCACTCCAACCTCGGACGTGGCTACATCT
 CCCATTTACCTACTGAAAATAACACCACTCCACCAGATGCTTTGACCCGAATACTGAG
 AAGCAGAAGAAGAAGCCTAAAATGTCTGATGAGGAGATCTGGAGAAATTACGAAGCATA
 GTGAGTGTGGCGATCCTAAGAAGAAATATACACGGTTTGAGAAGATTGGACAAGGTGCT
 TCAGGCACCGTGTACACAGCAATGGATGTGCCACAGGACAGGAGGTGGCCATTAAAGCAG
 ATGAATCTTCAGCAGCAGCCCAAGAAAGAGCTGATTATTAATGAGATCCTGGTATGAGG
 GAAAACAAGAACCCAAACATTGTGAATTACTTGGACAGTTACCTCGTGGGAGATGAGCTG
 TGGGTTGTTATGGAATACTTGGCTGGAGGCTCCTTGACAGATGTGGTGACAGAACTTGC
 ATGGATGAAGGCCAAATTGCAGCTGTGTGCCGTGAGTGTCTGCAGGCTCTGGAGTTCTTG
 CATTGCAACCAGGTCATTACAGAGACATCAAGAGTGACAATATTCTGTTGGGAATGGAT
 GGCTCTGTCAAGTAACTGACTTTGGATTCTGTGCACAGATAACCCAGAGCAGAGCAAA
 CGGAGCACCATGGTAGGAACCCATACTGGATGGCACCAGAGGTTGTGACACGAAAGGCC
 TATGGGCCCAAGGTTGACATCTGGTCCCTGGGCATCATGGCCATCGAAATGATTGAAGGG
 GAGCCTCCATACCTCAATGAAAACCTCTGAGAGCCTGTACCTCATTGCCACCAATGGG
 ACCCCAGAACTTCAGAACCCAGAGAAGCTGTCAGCTATCTCCGGGACTTTCTGAACCGC
 TGTCTCGAGATGGATGTGGAGAAGAGAGGTTTCAGCTAAAGAGCTGCTACAGGTGAGAAAA
 CTGAGGTTTCAAGTGTGTTAGTAACCTTTCCATGATAGCTGCATCAATTCCTGAAGATTGC
 CAAGCCCTCTCCAGCCTCACTCCACTGATTGCTGCAGCTAA

Restriction Sites: Please inquire

ACCN: NM_001128620

Insert Size: 1700 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

| | |
|-------------------------------|--|
| OTI Annotation: | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM_001128620.1</u> , <u>NP_001122092.1</u> |
| RefSeq Size: | 3484 bp |
| RefSeq ORF: | 1662 bp |
| Locus ID: | 5058 |
| UniProt ID: | <u>Q13153</u> |
| Cytogenetics: | 11q13.5-q14.1 |
| Protein Families: | Druggable Genome, Protein Kinase, Stem cell - Pluripotency |
| Protein Pathways: | Axon guidance, Chemokine signaling pathway, Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, MAPK signaling pathway, Natural killer cell mediated cytotoxicity, Regulation of actin cytoskeleton, Renal cell carcinoma, T cell receptor signaling pathway |
| Gene Summary: | <p>This gene encodes a family member of serine/threonine p21-activating kinases, known as PAK proteins. These proteins are critical effectors that link RhoGTPases to cytoskeleton reorganization and nuclear signaling, and they serve as targets for the small GTP binding proteins Cdc42 and Rac. This specific family member regulates cell motility and morphology. Mutations in this gene have been associated with macrocephaly, seizures, and speech delay. Overexpression of this gene is also reported in many cancer types, and particularly in breast cancer. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2020]</p> <p>Transcript Variant: This variant (1) encodes the longer isoform (1).</p> |