

Product datasheet for **SC323808**

NDRG2 (NM_201538) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NDRG2 (NM_201538) Human Untagged Clone
Tag:	Tag Free
Symbol:	NDRG2
Synonyms:	SYLD
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC (PS100020)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

Fully Sequenced ORF: >OriGene sequence for NM_201538.1
 CCGGAGCAGCCGGAGAGCAGGCGTCGGGACGCAGCAAAGAGAGGAGGCCACCATGGCG
 GAGCTGCAGGAGGTGCAGATCACAGAGGAGAAGCCACTGTTGCCAGGACAGACGCCTGAG
 GCGGCCAAGACTCACTCTGTGGAGACACCATACGTCTCTGTCACTTTCACTGTCTATGGC
 ACCCCCAAACCCAAACGCCAGCGATCCTTACCTACCACGATGTGGGACTCAACTATAAA
 TCTTGCTCCAGCCACTGTTTCAGTTCGAGGACATGCAGGAAATCATTCAGAAGTTGTG
 CGGGTTTCATGTGGATGCCCTGGAATGGAAGAGGGAGCCCTGTGTTCCCTTTGGGATAT
 CAGTACCCATCTCTGGACCAGCTTGCAGACATGATCCCTTGCGTCTGCAGTACCTAAAT
 TTCTCTACAATAATTGGAGTTGGTGTGGAGCTGGAGCCTACATCCTGGCGAGATATGCT
 CTTAACCACCCGGACTGTTGAAGGTCTTGTCTCATCAACATTGATCCCAATGCCAAG
 GGTGGATGGATTGGGCAGCCACAAGCTAACAGGCCCTCACCTCTCCATTCCGGAGATG
 ATCCTTGGACATCTTTTCAGCCAGGAAGAGCTCTCTGAAATTCTGAGTTGATACAAAAG
 TACAGAAATATCATTACACATGCACCCAACCTGGATAACATTGAATTGACTGGAACAGC
 TACAACAACCCGAGACCTGAACTTTGAGCGTGGAGGTGATATCACCTCAGGTGTCT
 GTGATGCTGGTGGTAGGAGACCAAGCACCTCATGAAGATGCAGTGGTGAATGTAACCA
 AACTGGACCCACCCAGACCTCGTTCCTCAAGATGGCTGACTCCGGAGGTCAGCCCCAG
 CTGACTCAGCCAGCAAGCTGACCGAGGCCCTCAAGTACTTCTGCAAGGCATGGGCTAC
 ATGGCCTCATCTGCATGACTCGCTGTCCCGTCTCGTACAGCCTCTCTGACCAGTGCA
 GCATCCGTTGATGGCAACCGGTCCCGCTCTCGCACCTGTCCCAGAGCAGCGAGTCTGGA
 ACTCTTTCTTCGGGGCCCCGGGGCACACCATGGAGGTCTCTGTTGAATGGCCCTTGT
 GCCCTAGAGTGGGACCCAGCCCTCACCTCCCCAGAGCTAACCTGGGAGGTGCTGAAGGG
 GCATTGGGCCACCGTAAGCAAGGGAAAAAGGGCAGATCATCGGGGAGATGACCTTGATC
 TTTGATTGCTACCCTAACCTTGACCTTTAACCCGTGATTCCCCCAGCTCCTGGAAGAGA
 TGTCTAATATCTCTTAGGGACCCAGACCCTAAATTCTCTCCTCCCCCATTGTTGGTGT
 TAAGGTGGAGAGGGCATATGCATCCTCTGTCTGATCTAGGTGTCTATAGCTGAGGGTA
 AGAGGTTGTTGAGTTGCTGCTCCATCAGACTCTCCCTACTTGTCCCATATTTG
 CAAGGGGAGGGGATTTGGGGCTGGGGCTCCATTACCAAAGCTGAGGTGGCTTCTCATT
 ACCCTTTAGGACTCTGAAGGATGGACCTACGTGAATGTGTGTCAGGGGGAGACTTGCT
 GGTGGGTTAGTGGTCTCAGGATGTGATAGAAACATCCAGTGTAAAAAGGAAGTTGGAAT
 GGGAGTTGGCGGCAGTGAACGAGTGTGGGAAGGATTGGTGTGGGCAACAGGAAGGG
 GCCTGGGGCCGTTTGGCTGCACTAACTTTGGTAGCTCAGTGTGCATCTAGAGTGGGACTG
 GGGAGGGAGCTAAGCTTGGGCTGGGCTGCTTGGGCTTGGCATAGGGTGAAGGGCTAC
 CCTGGGGCTCTGACCACACTGTAGTATGTGTGGAGGGTGCCCTCCCGTCTCCCAACT
 CTGCTATAACAATAAACTGTAGAGGAATCTGAAAAAAAAAAAAAAAAA

Restriction Sites: ECoRI-NOT

ACCN: NM_201538

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_201538.1](#), [NP_963832.1](#)

RefSeq Size: 2010 bp

RefSeq ORF: 1074 bp

Locus ID: 57447

UniProt ID: [Q9UN36](#)

Cytogenetics: 14q11.2

Gene Summary: This gene is a member of the N-myc downregulated gene family which belongs to the alpha/beta hydrolase superfamily. The protein encoded by this gene is a cytoplasmic protein that may play a role in neurite outgrowth. This gene may be involved in glioblastoma carcinogenesis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2017]

Transcript Variant: This variant (5) differs in the 5' UTR and lacks an alternate in-frame exon in the coding region, compared to variant 1, resulting in a shorter protein (isoform b) that has a shorter N-terminus, compared to isoform a. Variants 2, 3, 5, 8, 11, and 12 encode the same isoform (b).