

Product datasheet for **SC323855**

GALE (NM_001008216) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	GALE (NM_001008216) Human Untagged Clone
Tag:	Tag Free
Symbol:	GALE
Synonyms:	SDR1E1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC (PS100020)
E. coli Selection:	Ampicillin (100 ug/mL)

Fully Sequenced ORF: >OriGene sequence for NM_001008216.1
 CGCGGGAACCCGAGCAGGACTCTCCAGTCCCTCAGTCACCTTGGACAAAGAAGTGTGGATC
 CTCAGATTCCATCTTTTCCAACCTCCAAGGTGCCATGGCAGAGAAGGTGCTGGTAACAGGT
 GGGGCTGGCTACATTGGCAGCCACACGGTCTGGAGCTGCTGGAGGCTGGCTACTTGCCT
 GTGGTCATCGATAACTTCCATAATGCCTTCCGTGGAGGGGGCTCCCTGCCTGAGAGCCTG
 CGGCGGGTCCAGGAGCTGACAGGCCGCTCTGTGGAGTTTGGAGAGATGGACATTTTGGAC
 CAGGGAGCCCTACAGCGTCTCTTCAAAAAGTACAGCTTTATGGCGGTCTCCACTTTGCG
 GGGCTCAAGGCCGTGGCGAGTCCGGTGCAGAAGCCTCTGGATTATTACAGAGTTAACCTG
 ACCGGGACCATCCAGCTTCTGGAGATCATGAAGGCCACGGGGTGAAGAACCTGGTGTC
 AGCAGCTCAGCCACTGTGTACGGGAACCCCAAGTACCTGCCCTTGATGAGGCCACCC
 ACGGGTGGTTGTACCAACCTTACGGCAAGTCCAAGTTCTTCATCGAGGAAATGATCCGG
 GACCTGTGCCAGGCAGACAAGACTTGGAAACGAGTGTGCTGCGCTATTTCAACCCACA
 GGTGCCCATGCCTCTGGCTGCATTGGTGAGGATCCCCAGGGCATACCCAACAACCTCATG
 CCTTATGTCTCCAGGTGGCGATCGGGGACGGGAGGCCCTGAATGTCTTTGGCAATGAC
 TATGACACAGAGGATGGCACAGGTGTCCGGGATTACATCCATGTCGTGGATCTGGCCAAG
 GGCCACATTGCAGCCTTAAGGAAGCTGAAAGAACAGTGTGGCTGCCGGATCTACAACCTG
 GGCACGGGCACAGGCTATTCAAGTGTGCAGATGGTCCAGGCTATGGAGAAGGCCTCTGG
 AAGAAGATCCCGTACAAGGTGGTGGCACGGCGGAAGGTGATGTGGCAGCCTGTTACGCC
 AACCCAGCCTGGCCCAAGAGGAGCTGGGGTGGACAGCAGCCTTAGGGCTGGACAGGATG
 TGTGAGGATCTCTGGCGCTGGCAGAAGCAGAATCCTTCAGGCTTTGGCAGCAAGCCTGA
 GGACCCTCCCCTACCAAGGACCAGGAAAAGCAGCAGCTGCCTGCTCTCCAGCCTCTGGCA
 GGAACTCAGGGCCCTGGAGTGTGGGGCCAAGCCAAGGCCTCCCCTACCTCAAACCCCA
 GCTGGGCCGCTTAGCCACCCAGGCATGAGGCCAAGGGCTCCACTGACCAGGAGGCCGAG
 GTCTCTAACTCTTATCTTCCACAGGGTCCAAGAGTTTCATCAGGACCCCAAGAGTGAGTG
 AGGGGGCAAGGCTCTGGCACAAAACCTCCTCCTCCAGGCACTATTTATATTGCTCTGA
 AAGAGCTTTCAAAGTATTTAAAAATAAAAAACAAGTTTTCTTACTGGGAAAAAAAAAAAA
 AAAAAAAAAA



[View online »](#)

Restriction Sites:	ECoRI-NOT
ACCN:	NM_001008216
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001008216.1</u> , <u>NP_001008217.1</u>
RefSeq Size:	1585 bp
RefSeq ORF:	1047 bp
Locus ID:	2582
UniProt ID:	<u>Q14376</u>
Cytogenetics:	1p36.11
Protein Families:	Druggable Genome
Protein Pathways:	Amino sugar and nucleotide sugar metabolism, Galactose metabolism, Metabolic pathways

Gene Summary:

This gene encodes UDP-galactose-4-epimerase which catalyzes two distinct but analogous reactions: the epimerization of UDP-glucose to UDP-galactose, and the epimerization of UDP-N-acetylglucosamine to UDP-N-acetylgalactosamine. The bifunctional nature of the enzyme has the important metabolic consequence that mutant cells (or individuals) are dependent not only on exogenous galactose, but also on exogenous N-acetylgalactosamine as a necessary precursor for the synthesis of glycoproteins and glycolipids. Mutations in this gene result in epimerase-deficiency galactosemia, also referred to as galactosemia type 3, a disease characterized by liver damage, early-onset cataracts, deafness and cognitive disability, with symptoms ranging from mild ('peripheral' form) to severe ('generalized' form). Multiple alternatively spliced transcripts encoding the same protein have been identified. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Variants 1, 2 and 3 encode the same protein.