

CCTTCCATTCCCCTGAAACCTGCATGAGAGCTCCTAACATGTTTCTCCAATGCAATCAAG
 CCCTAGACTCCAAATGTCTCCCAGCTCACCTCCATCTATGCATCTCATCTCTGGATTTG
 GTGATCAGACTCTATATTGACAGTAGGATCTCAAACCCTGCATCCATCCTTCCCTCAGCA
 AGCCCTGCTAGCCACATGAGGAACAAGTTCCGTGTCTTCTGCCTTCTTGGGGAAAG
 GTGCCCTGTTGTGATGAATTAACACTACTGTTAGGGCAGGGTGGAGAATGGTACTCCTTCC
 TTCTCCTGTCCACTGTGGGGGAAGCTTGGCAGGTATATTATATTTTCATCATTTAGGAGGC
 TGGCATGACCAGGACTTATGGGTGGGAGGGAGCATTTTTAGTGAAGCAAGAAAGGAGTT
 TGCCAAGAAGTGATCTGTTTTAAAGTCAATTTGGAGAAAGGGCAAGGAATTGGGTCTG
 CTTTATTTTTGGGGTATTTTTGTTTTTGTCTCACCTGCTGCCCCCCACCCACACC
 CAGGGATAAATTGGATATAAACACTAAATACTAATCAGTTGAACTTAACATTTAATAAAA
 AGAAAGGGTGAAATAAAGTGAAGACATTTTAGAACTAGTCAGTTCTCTGCAGCAAAGGG
 AACAGGAGCCATTTGAACCCTCTGGGACCCCTCACCCACTGCTTCAGGGTGCTAGGCTG
 AGGGATGTTTTCTCCCCTTACCGCCATGCCCTTGAAAGAAAAGTCACTTTTTGTGG
 AGGGCATATTTCCTGATTCAAAACCCAAAAACCTCTGGTGGGAGATAGGAAGAT
 AGGGCGTGGGCCTGGGCCTAACCTCAATCTTGTGTCTGCCTCAGTCTTTTCTGACTGGC
 CCTGAAGTTGTCAGTGGCTCTTTCTGTCTTACGCCCTGGAAGGTGCTCCAGGATAACA
 AAGAAGGGCAGGTTGAAGCCCTCATGGAAGGAGCTGGCTTTGTGGGGCTGCAAAGGACT
 TTTAAGTCTGCCTGACTGAAGTTCACAGCCACCTGACTGAGCAGACTCTTCTGTTC
 CTTTCTTACCACCCTTGCCCTCCAGGACTGCACGGTTTAAACACAGCAGAGTACAGAAG
 GGTGAAGAAGTGAGCAGAGGCTTATGAAGATATTCAGATACTTCTATGCCAGGAAGCA
 CAAAGACTTTGTTGAGATTTGCCTCAGTTCAGTAGATCTTCTTGGCAGCCAGCCATAGG
 TTGTTTTTTGTCTTCCGGTCTTAAAGAGCACAGAGAAAATGGAGTCCCAGTCTAGG
 TAGGAAGCTGATTGGATGAGGACTTCTTTTTTTCCGACAGCAGGATGGGGCTCTTGGGCT
 CCACACACAGATGCTTTGGTTTTCTACAACCTGTTGCTATGTGTAGAGGGTCTCAGAGC
 GTGGCATGAGAGCAAGGAGACCTGGTACTCTTTGAAATGGATGGGGAAAATTAGCTTA
 AAAATTTAATCACGAGATTGCGCCACTGCACTCCAGCCTGGGCGACAGAGCCAGACTCCG
 TCTCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

Restriction Sites:

ECoRI-NOT

ACCN:

NM_133264

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation:

This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_133264.4](#), [NP_573571.1](#)

RefSeq Size: 5525 bp

RefSeq ORF: 1323 bp

Locus ID: 147179

UniProt ID: [Q8TF74](#)

Cytogenetics: 17q21.2

Domains: WH2

Protein Families: Druggable Genome

Gene Summary: This gene encodes a WASP interacting protein (WIP)-related protein. It has been shown that this protein has a role in the WASP-mediated organization of the actin cytoskeleton and that this protein is a potential link between the activated platelet-derived growth factor receptor and the actin polymerization machinery. [provided by RefSeq, Jul 2008]