

TGGACAATATGAGACGGCTGAGGGCGTGAGTCTGCCACGGAGCACCTCTACTGCCACT
 ACTTACTGCACTGCCAGGAGCAGAAGCTGGAGCCCGTCAACGCCCGCTCCTTCGGCAAGC
 TCATCCGCTCCGTCTTATGGGCTGCGAACCCGCCGTCTGGGCACCAGGGGCAACTCCA
 AGTACCACTACTATGGCCTGCGCATCAAGGCCAGCTCACCCCTGCTGCGGCTGATGGAGG
 ACCAGCAGCACATGGCCATGCGGGGCCAGCCCTTCTCGCAGAAGCAGAGGCTCAAGCCCA
 TCCAGAAGATGGAAGGCATGACCAACGGCGTGGCGGTGGGGCAGCAGCCGAGCACGGGGC
 TGTCCGACATCAGCGCCAGGTGCAGCAGTACCAGCAATTTTTGGATGCCTCTCGGAGCC
 TCCTGACTTACAGAGCTCGACCTCCAGGGCAAGGTGCTGCCTGAGGGGTCCGGCCCG
 GGGACATCAAAGCCTTCCAGTCTGTACCGGGAACACTGTGAGGCCATTGTCGACGTCA
 TGGTGAACCTGCAGTTCACCCTGGTGGAGACGCTGTGGAAGACCTTCTGGAGGTACAACC
 TCAGCCAGCCAGTGGAGCGCCACCGCTGGCTGTACATGACGAGGCCGAGAAGCGACTGC
 CCAAAGCCATCCTGGTCTCTCTCCAAGTTCGAGCCCGTGTCCAATGGACCAAGCACT
 GTGACAACGTGCTGTACCAGGGCTGGTGGAAATCCTCATTCCCGACGTGCTGCGGCCA
 TCCCCAGTGCCTTGACCAAGCGATCCGGAACCTTCCAAAGAGCCTGGAGAGCTGGCTCA
 CCCACGCCATGGTCAACATCCCCGAGGAGATGCTGCGGGTGAAGGTGGCCGCGGTGGCG
 CCTTCGCGCAGACACTGCGGGCTACACGTGCTCAACCACCTGGCGCAGCGCGCGCGCG
 CTGTGCTGCAGAACCCGCACAGATCAACCAGATGCTGAGCGACCTCAACCCTGGACT
 TCGCCAACGTGCAGGAGCAGGCCTCGTGGGTGTGCCGCTGCGAGGACCGCGTGGTGCAGC
 GGCTGGAGCAGGACTTCAAGGTGACGCTGCAGCAGCAGAACTCGTGGAGCAGTGGGCGG
 CCTGGCTGGACGGCGTGGTGGCCAGGTGCTCAAGCCCTACCAGGGCAGCGCCGGCTTCC
 CCAAGGCCGCAAGCTCTTCTCTCAAGTGGTCTTCTACAGCTCCATGGTGTACCGGG
 ACCTGACCCTGCGCAGCGCCAGCTTCGGTTCCTTCCACCTCATCCGGCTGCTCTACG
 ACGAGTACATGTACTACCTGATCGAGCACCGGTAGCCAGGCCAAGGGCGAGACCCCA
 TCGCCGTGATGGCGGAGTTCGCCAATCTGGCCACCTCCCTGAACCCCTGGACCCCGACA
 AAGACGAGGAGGAAGAAGAGGAGGAGGAGCGAGGACGAGCTGCCGAGGACATCTCAC
 TGGCGGTGGCGGCGAGTACCCGCGCTGGGCCCGGAGACCTGGAGCCGCCGGCCAAAGC
 TGGCGCGGACTGACGCGCGCGGCTTCTCGTGCAGGCGCTGCCCTCCAGCTAAGCCCTTG
 GCCTCCCCGCCCCACCCGCCCCGCCACCCTCCACGCCAGGGTCCCTCAAAGCTTCTGT
 GGCTTCGTGGTCACTGCTCCAGCCTCAGCCAGGGCAGGGAGGGGACTCCGAGACAGGGA
 AGACCGGGGCCCTCCTCCCTTATGGGGCCGGCACAATCAGTGGGTGGGGGAGCCGAG
 CTGCAAATCTGACACAAAAGACGTGCCTTAAGGAACCCGCCGCTGCCAGGTGCCCG
 CGGGGATCCAGCTCGGCCCTTGGCCGCCCTCCAGGCCAGCGTCTTCTCCCA
 GCCCCGTCTCCACCACCCAGGGGGCAGGCAGGCAGGCCCTCCCGTGCAGAACTGT
 TAATTATTAGCTCGCTGGCTTTGCACAGCCTGTCTGGGCCAGCCCTGAGCCCCGGG
 CCGGCGCAGGTGGGCGTCACTGGGGACTCCCCACTGTACGACGAGCCCCGGGACACC
 TACCCCGAGCAACCCACTGCTTCCCCTTCTGGTATTAAGTGAATTAAGCCGTGGGT
 GTCGCATCTTCTCAGCGCTGGGCCCTCCCTTCCCCCAAGCTCAAGAAGGGGCACTGC
 CCGGCCCGGCTGTGAGGAGGGCGGCAGGGGGCACGGCTCCAGCTTCAAAGAGCAGCGA
 GCCGCGGAGCCGGGGAGTGCCACAGACCCAGCCCGCGCCCGCCCTCCGCGCTG
 GTTTGTAATGGAACCTTTCTGTGCCCTATCTTCCCGGAGACCAGCTTCTCCTCCGTG
 CCGTGCAGCCCCACCCATGACTATTGTGCGATTCTGTGAGCGCCCGGAGCGGAGTTG
 GTAACCTGTTGGGTTTTTTTCCAACCATCATGGCCTTATCTGTTCCAGTTTTCTCAGTGT
 TTTACGCTGTGAGATAGATGTTTATGGCAAGAAAAAGAAAAAAATGGAAATCTGA
 CCTATTGTATAAAAACTACTATTTTGTGTGCTCCGCGTGTATAGCTTTTGGGGCGGCC
 TGCCAGTCCCCGTGCCACGGGCTCCCTCTCCCGTGGTGAAGTGTCCACACGTGTG
 GTAGTCTAGTGTCCGAGCTGTTTTCTACCTTTTTGTAGTCTTTCTAAAACAATAAATT
 CCGCTGTGAAAAAAAAAAAAAAAAAAAA

Restriction Sites: ECoRI-NOT
ACCN: NM_002918

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_002918.3 , NP_002909.3
RefSeq Size:	4347 bp
RefSeq ORF:	2940 bp
Locus ID:	5989
UniProt ID:	P22670
Cytogenetics:	19p13.12
Protein Families:	Druggable Genome
Gene Summary:	This gene encodes a member of the regulatory factor X (RFX) family of transcription factors, which are characterized by a winged-helix DNA-binding domain. The encoded transcription factor contains an N-terminal activation domain and a C-terminal repression domain, and may activate or repress target gene expression depending on cellular context. This transcription factor has been shown to regulate a wide variety of genes involved in immunity and cancer, including the MHC class II genes and genes that may be involved in cancer progression. This gene exhibits altered expression in glioblastoma and the autoimmune disease systemic lupus erythematosus (SLE). [provided by RefSeq, Jul 2016]