

Product datasheet for **SC324088**

ZC3HAV1 (NM_024625) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ZC3HAV1 (NM_024625) Human Untagged Clone
Tag:	Tag Free
Symbol:	ZC3HAV1
Synonyms:	ARTD13; FLB6421; PARP13; ZAP; ZC3H2; ZC3HDC2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC (PS100020)
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene sequence for NM_024625.3

```

CTTTTAGTTTCTTCTTTCTAAAGAAGGCTCGCGGAGCCCGGCTGGAGAACCTCACCT
CGCCGAGCCTAGAACCGAGAGGGGGCCACCCAGGCGGTACACAGCAGATTGCCCCGCG
GTTCTCTTTCTTTCCACCCAGTTGCCCTTGCGGCCGGCTGTAAACCTGCCACTAGGACCC
GGTCGGTGAGATCTAGCCTCTTGACCTGAGAGCCGAGAGTGATCGCTGGGCTGGGCTAA
CGGCGACGGAGAGCGCGCCCTCGCTGACTCCGGGCGCGCCAGCAGTAGCACCGCCCGCG
CCCCCCCTGGACACTTGTAAAGTTTCGATTTCCGATTTCCGCGGAACCGAGTCCCGCGCC
GCGGCAGAGCCAGCACAGCCAGCGGCCATGGCGGACCCGGAGGTGTGCTGCTTCATCAC
CAAAATCTGTGCGCCACGGGGGCCGATGGCCCTGGACGCGCTGCTCCAGGAGATCGC
GCTGTCTGAGCCGAGCTCTGTGAGGTGCTGCAGGTGGCCGGGCCGACCGCTTTGTGGT
GTTGGAGACCGGGCGGAGGCCGGGATCACCCGATCGGTGGTGGCCACCACTCGAGCCCG
GGTCTGCCGTCGCAAGTACTGCCAGAGACCCTGCGATAACCTGCATCTCTGCAAACCTCAA
CTTGCTGGGCCGGTGCAACTATTCGCACTCCGAGCGGAATTTATGCAAATATTCTCATGA
GGTTCTCTCAGAAGAGAACTTCAAAGTCCTGAAAAATCACGAACTCTCTGGACTGAACAA
AGAGGAATTAGCAGTGCTCCTCTCCAAAGTGATCCTTTTTTTATGCCCGAGATATGCAA
AAGTTATAAGGGAGAGGGTCGGCAGCAGATTTGTAACCAGCAGCCACCGTGTTCAAGACT
CCACATCTGTGACCACTTACCCGAGGGAAGTGTGTTTTCCAACTGCCTCCGGTCCCA
TAACCTGATGGACAGAAAGGTGCTGGCCATCATGAGGGAGCACGGGCTGAACCCCGACGT
GGTCCAGAACATCCAGGACATCTGCAACAGCAAGCACATGCAGAAGAATCCCCAGGGCC
CAGAGCTCCTTCTTACATCGTAGAAACATGGCATATAGGGCTAGAAGCAAGAGTAGAGA
TCGGTTCTTTAGGGCAGCCAAGAATTTCTTGCCTGCTTACGCGTCTGCTGAGAGGTC
CTGCACACCTAGTCCAGATCAGATCAGCCACAGGGCTTCCTGGAGGACGCGCTGTGGA
CGATCTCACCCGCAAGTTCACGTATCTGGGGAGTCAGGATCGCGCTCGGCCTCCCTCAGG
CTCGTCCAAGGCTACTGATCTTGGAGGAACAAGTCAGGCCGGGACAAGCCAGAGTTTTT
AGAGAACGGCAGTCAAGAGGACCTTTGCATGGAAATCCAGGCAGCACTTACCTTGCTTC
CAATTCAACATCAGCCCCCACTGGAAGAGCCTCACATCTGGACGAATGACCAAGGCGC
CAGGAGAAAGACTGTGTTTTCTCCACGCTACCTGCCGCCGCTCTTCTCTTGGCTCTCT
  
```


[View online »](#)

```
GCAAACACCTGAAGCTGTGACCACCAGAAAGGGCACAGGCTTGCTTTCCTCAGACTACAG
GATCATCAATGGCAAAAGTGAACTCAGGACATCCAGCCTGGCCCTCTTTTAAATAATAA
TGCTGATGGAGTGGCCACAGATATAACTTCTACCAGATCCTTAAATTACAAAAGCACTAG
CAGCGGTACAGAGAAATATCATCACCTAGGATTCAGGATGCTGGACCTGCTTCCCGAGA
TGTCAGGCCACTGGCAGAATCGCAGATGATGCTGACCAAGAGTAGCACTTGTTAACGA
TTCTTTATCTGATGTACAAGTACCACATCTTCTAGGGTGGATGATCATGACTCAGAGGA
AATTTGCTTGACCATCTGTGTAAGGGTTGTCCGCTTAATGGTAGCTGCAGCAAAGTCCA
CTCCATCTGCCTTACCGGTGGCAGATGCTTATTGGTAAACCTGGACGACTTTGAGCA
CATGGAGACGATCGAGAAAGGCTACTGTAACCCCGGAATCCACCTCTGTTCTGTAGGAAG
TTATACAATCAATTTTCGGGTAATGAGTTGTGATTCTTTCCCATCCGACGCCTCTCCAC
TCCTTCTCTGTGACCAAGCCAGCCAATTCTGTCTTACCACCAAATGGATTTGGTATTG
GAAGAATGAATCTGGCAGATGGATTGAGTATGGAGAAGAGAAAGACAAACGAAAAATTC
AAACGTCGACTCTTCATACCTGGAGTCTCTCTATCAATCCTGTCCGAGGGGAGTTGTGCC
ATTTGAGGCGGGCTCACGGAATATGAGCTGAGTTTCAAGGGATGATTCAGACAAACAT
AGCTTCCAAAACCAAAAGGATGTCATCAGAAGACCAACATTTGTGCCTCAGTGGTATGT
GCAGCAGATGAAGAGAGGGCCAGAGTAAGTGTCTGAAGCAGCTGTTTGTGACAGATGC
TTGAGATGTTTATGCCCTGGGCTCATCAAGTCACTCGTGAATCTGGAGCCTGTTTTCCTG
AAAAGTTCTGTTTGCATTACTCTGCAGTTTCCATTTGCATTATCGATGAGTAAGATGCT
TGTTAAGCAGCATGGTGTGACTGAAAGGATACTAGATCGGAAATGAATTTTCTTCTGA
AAGGGAAGTCTGAGCGAGTCTCCTAAATACTCTGGGCTTTAGCTTCTCCAGCTGTGAAGA
GCTGGATTGATGCAGTACACCTAAGGAATAATCATATATACTGGGTTTTTGTGTTGCTGT
GGATTCTTTTTTTTTTTTTTTTTTAGAGGGGGTCTCACTTTGTTGCCAGGCTGGTCTTGA
ACTCCTGAGCTCAAGTGATCCTCCTACCTCAGTCTCCCAAAGTGTGGGATTACAGGCAT
GAGCCACCGTGCCTGGCTTTGCTGTGGATTCTTTGGGTGTCTTTGTTTTCTACACGA
TTTATAGAGGATGAGGGCGGAGAAAGAGATAGAAAAAGGGATGAGCTAGCTGTTAGAG
CAAGGGTTTTGTTGAGAGATAATATTGATTGAAGGGATTTTAAAGGAAATGTTGCTGTGG
GGGATTCAATTGAACTCTCCTTGTGAAGTGTGCTAGTAACTCTACATTGTTTCATGAACAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
```

Restriction Sites:

ECoRI-NOT

ACCN:

NM_024625

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_024625.3, NP_078901.3</u>
RefSeq Size:	3218 bp
RefSeq ORF:	2100 bp
Locus ID:	56829
UniProt ID:	<u>Q7Z2W4</u>
Cytogenetics:	7q34
Domains:	zf-CCCH
Gene Summary:	This gene encodes a CCCH-type zinc finger protein that is thought to prevent infection by retroviruses. Studies of the rat homolog indicate that the protein may primarily function to inhibit viral gene expression and induce an innate immunity to viral infection. Alternative splicing occurs at this locus and two variants, each encoding distinct isoforms, are described. [provided by RefSeq, Jul 2008] Transcript Variant: This variant (2) uses an alternate splice site in the 3' coding region and lacks several downstream exons, compared to variant 1. It encodes isoform 2, which has a shorter and distinct C-terminus compared to isoform 1.