


```

GGATTGGAGGGTCCCCCAGCTGACCAGACCCTGGTCATCAAGACATTCGCTTCCTGT
CACAGAACTCTTTATCTCCGTCTCAGTTCTCTCCAGCCTGGGCATTGTCTAGCTGTTG
TCTGTCTGTCTTTAACATCTACAACTCACATGTCCGTTATATCCAGAACTCACAGCCCA
ACCTGAACAACCTGACTGCTGTGGGCTGCTCACTGGCTTTAGTGTCTGTCTTCCCCTGG
GGCTCGATGGTTACCACATTGGGAGGAACCAAGTCCCTTTTCGTCTGCCAGGCCCGCTCT
GGCTCCTGGGCCCTGGGCTTTAGTCTGGGCTACGGTTCCATGTTACCAAGATTTGGTGGG
TCCACACGGTCTTCACAAAGAAGGAAGAAAAGAAGGAGTGAGGAAGACTCTGGAACCTT
GGAAGCTGTATGCCACAGTGGGCCTGCTGGTGGGCATGGATGTCCTCACTCTCGCCATCT
GGCAGATCGTGGACCCTCTGCACCGGACCATTGAGACATTTGCCAAGGAGGAACCTAAGG
AAGATATTGACGTCTCTATTCTGCCCCAGCTGGAGCATTGCAGCTCCAGGAAGATGAATA
CATGGCTTGGCATTCTTCTATGGTTACAAGGGGCTGCTGCTGCTGCTGGGAATCTTCTTG
CTTATGAGACCAAGAGTGTGTCCACTGAGAAGATCAATGATCACCGGGCTGTGGGCATGG
CTATCTACAATGTGGCAGTCTGTGCCTCATCACTGCTCCTGTCAACCATGATTCTGTCCA
GCCAGCAGGATGCAGCCTTTGCCTTTGCCTCTCTTGCCATAGTTTTCTCCTCTATATCA
CTCTTGTGTGCTCTTTGTGCCAAGATGCGCAGGCTGATCACCCGAGGGGAATGGCAGT
CGGAGGGCAGGACACCATGAAGACAGGGTCATCGACCAACAACACGAGGAGGAGAAGT
CCCGGCTGTTGGAGAAGGAGAACCCTGAACTGGAAGAGATCATTGCTGAGAAAGAGGAGC
GTGTCTCTGAACTGCGCCATCACTCCAGTCTCGGCAGCAGCTCCGCTCCCGGCCACC
CACCGACACCCCAAGAACCTCTGGGGGCTGCCAGGGGACCCCTGAGCCCCCGACC
GGCTTAGCTGTGATGGGAGTGCAGTGCATTTGCTTTATAAGTGAGGGTAGGGTGAGGGAG
GACAGGCCAGTAGGGGGAGGAAAGGGAGAGGGGAAGGGCAGGGGACTCAGGAAGCAGGG
GGTCCCCATCCCAGCTGGGAAGAACATGCTATCCAATCTCATCTCTTGTAAATACATGT
CCCCCTGTGAGTTCTGGGCTGATTTGGGCTCTCATACCTCTGGGAAACAGACCTTTTTC
TCTCTTACTGCTTCAATGTAATTTTGTATCACCTTTCACAATTTAGTTGCTACCTGGCTT
GAAGCTGCTCACTGCTCATATGCTGCCTCCTCAGCAGCCTCACTGCATCTTTCTTCTCC
ATGCAACACCCTCTTCTAGTTACCACGGCAACCCTGCAGCTCCTCTGCCTTTGTGCTCT
GTTCTGTCCAGCAGGGGCTCCCAACAAGTGCTCTTTCCACCCCAAGGGGCTCTCCT
TTTCTCCACTGTCATAATCTCTTTCCATCTTACTTGCCCTTCCATACTTTCTCACATGTG
GCTCCCCCTGAATTTGCTTCTTTGGGAGCTATTCTTTGCCAAGGCTCACATGCTC
CTTGCTCTGTTCTGTGCACTCACGCTCAGCACACATGCATCCTCCCTCTCCTGCGTGT
GCCCACTGAACATGCTCATGTGTACACAGCTTTTCCCGTATGCTTTCTCATGTTCACT
CACATGTGCTCTCGGGTGCCTGCATTCACAGCTACGTGTGCCCTCTCATGGTCATGGG
TCTGCCCTTGAGCGTGTTTGGGTAGGCATGTGCAATTTGTCTAGCATGCTGAGTCATGTC
TTTCTATTTGCACACGTCCATGTTTATCCATGTAATTTCCCTGTGTACCCTCCATGTAC
CTTGTGTAATTTCTTCCCTTAAATCATGGTATTCTTCTGACAGAGCCATATGTACCCTAC
CCTGCACATTGTTATGCACTTTTCCCAATTCTATGTTTGGTGGGGCCATCCACACCCTCT
CCTTGTACAGAACTCTCCATTTCTGCTCAGATTCCCCCATCTCCATTGCATTCTATGAC
TACCCTCAGTCTACACTACAATCATCTTCTCCAAGACTGCTCCTTTTGTGTTTGTGTT
TTTTTGAGGGGAATTAAGGAAAAATAAGTGGGGCAGGTTTGGAGAGCTGCTTCCAGTGG
ATAGTTGATGAGAATCCTGACCAAGGAAGGCACCCTTGACTGTTGGGATAGACAGATGG
ACCTATGGGGTGGGAGGTGGTGTCCCTTTCACACTGTGGTGTCTTGGGGAAGGATCTC
CCCGAATCTCAATAAACCAAGTGAACAGTGTGAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

```

Restriction Sites:

Please inquire

ACCN:

NM_021903

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_021903.1, NP_068703.1</u>
RefSeq Size:	4039 bp
RefSeq ORF:	2535 bp
Locus ID:	2550
UniProt ID:	<u>Q9UBS5</u>
Cytogenetics:	6p22.1
Domains:	7tm_3, ANF_receptor
Protein Families:	Druggable Genome, GPCR, Secreted Protein, Transmembrane
Protein Pathways:	Neuroactive ligand-receptor interaction
Gene Summary:	This gene encodes a receptor for gamma-aminobutyric acid (GABA), which is the main inhibitory neurotransmitter in the mammalian central nervous system. This receptor functions as a heterodimer with GABA(B) receptor 2. Defects in this gene may underlie brain disorders such as schizophrenia and epilepsy. Alternative splicing generates multiple transcript variants, but the full-length nature of some of these variants has not been determined. [provided by RefSeq, Jan 2016] Transcript Variant: This variant (2) differs in the 5' UTR, lacks several exons in the 5' coding region, and initiates translation at an alternate start codon compared to variant 1. It encodes isoform b which has a distinct N-terminus and is shorter than isoform a.