

## **Product datasheet for SC325470**

## FXYD3 (NM 001136012) Human Untagged Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** FXYD3 (NM\_001136012) Human Untagged Clone

Tag: Tag Free Symbol: FXYD3

Synonyms: MAT8; PLML

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC325470 representing NM\_001136012.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul


**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## Plasmid Map:



**ACCN:** NM\_001136012

**Insert Size:** 342 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 001136012.1</u>

 RefSeq Size:
 1460 bp

 RefSeq ORF:
 342 bp

 Locus ID:
 5349

 UniProt ID:
 Q14802

 Cytogenetics:
 19q13.12

**Protein Families:** Ion Channels: Other, Transmembrane

**MW:** 12 kDa

**Gene Summary:** This gene belongs to a small family of FXYD-domain containing regulators of Na+/K+ ATPases

which share a 35-amino acid signature sequence domain, beginning with the sequence PFXYD, and containing 7 invariant and 6 highly conserved amino acids. This gene encodes a cell membrane protein that may regulate the function of ion-pumps and ion-channels. This gene may also play a role in tumor progression. Alternative splicing results in multiple transcript

variants encoding distinct isoforms.[provided by RefSeq, Oct 2008]

Transcript Variant: This variant (8) has multiple differences in the coding region, compared to variant 3. These differences result in translation initiation from a downstream in-frame ATG and an isoform (2) with a shorter N-terminus and longer C-terminus when compared to

isoform 3. Variants 2 and 8 encode the same isoform (2).