

## Product datasheet for SC325504

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

## SAP30L (NM 001131063) Human Untagged Clone

**Product data:** 

**Product Type: Expression Plasmids** 

**Product Name:** SAP30L (NM\_001131063) Human Untagged Clone

Tag: Tag Free Symbol: SAP30L NS4ATP2 Synonyms: **Mammalian Cell** 

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001) E. coli Selection: Kanamycin (25 ug/mL)

**Fully Sequenced ORF:** >SC325504 representing NM\_001131063.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

GGCTACGGCCAGAGCTGCTCATCGAGGACGCGAGCGCTGCGTCCGGCCCGCGGGCAACGCCTCC TTCAGCAAGAGGGTCCAGAAGAGCATCTCGCAGAAGAAACTCAAGCTGGACATCGACAAGAGCCTGCAG GTGAACACCCTACGACGTTATAAACGACACTACAAGTTGCAGACCAGGCCAGGCTTCAATAAGGCCCAG ATCTACATGGTGAAGAGTAACAAGAGTAGACTGGACCAGAAATCGGAGGGTGGCAAGCAGCTTGAG<mark>TGA</mark>

**ACGCGTACGCGCCCCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul

ACCN: NM 001131063

Insert Size: 414 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

> point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



## SAP30L (NM\_001131063) Human Untagged Clone - SC325504

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

> into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

NM 001131063.1 RefSeq:

RefSeq Size: 6105 bp RefSeq ORF: 414 bp Locus ID: 79685 **UniProt ID:** Q9HAJ7 Cytogenetics: 5q33.2 MW:

**Gene Summary:** Isoform 1: Functions as transcription repressor, probably via its interaction with histone

deacetylase complexes (PubMed:16820529, PubMed:18070604). Involved in the functional

recruitment of the class 1 Sin3-histone deacetylase complex (HDAC) to the nucleolus

(PubMed:16820529). Binds DNA, apparently without sequence-specificity, and bends bound double-stranded DNA (PubMed:19015240). Binds phosphoinositol phosphates

(phosphoinositol 3-phosphate, phosphoinositol 4-phosphate and phosphoinositol 5-

phosphate) via the same basic sequence motif that mediates DNA binding and nuclear import

(PubMed:19015240, PubMed:26609676).[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (3) lacks an alternate in-frame exon and uses an alternate inframe splice site, compared to variant 1. The resulting protein (isoform 3) is shorter than

isoform 1.

15.4 kDa