

Product datasheet for **SC325513**

SAP30L (NM_001131062) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SAP30L (NM_001131062) Human Untagged Clone
Tag:	Tag Free
Symbol:	SAP30L
Synonyms:	NS4ATP2
Vector:	<u>pCMV6 series</u>
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001131062, the custom clone sequence may differ by one or more nucleotides ATGAACGGCTTCAGCACGGAGGAGGACAGCCGCGAAGGGCCCCCGCCGCCAGCTGCC GCCGCCCCGGGCTACGGCCAGAGCTGCTGCCTCATCGAGGACGGCGAGCGCTGCGTCCGG CCCGCGGGCAACGCCTCCTTCAGCAAGAGGGTCCAGAAGAGCATCTCGCAGAAGAAACTC AAGCTGGACATCGACAAGAGCGTTGATCTGTTCCAGCTGCAGGTGAACACCCTACGACGT TATAAACGACACTACAAGTTGCAGACCAGACCAGGCTTCAATAAGGCCAGTTAGCAGAA ACTGTGAGTCGACACTTCAGGAACATACCTGTGAATGAAAAAGAGACCCTTGCTACTTC ATCTACATGGTGAAGAGTAACAAGAGTAGACTGGACCAGAAATCGGAGGGTGGCAAGCAG CTTGAG
Restriction Sites:	Please inquire
ACCN:	NM_001131062
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



[View online »](#)

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001131062.1](#), [NP_001124534.1](#)

RefSeq Size: 6120 bp

RefSeq ORF: 429 bp

Locus ID: 79685

UniProt ID: [Q9HAJ7](#)

Cytogenetics: 5q33.2

Gene Summary: Isoform 1: Functions as transcription repressor, probably via its interaction with histone deacetylase complexes (PubMed:16820529, PubMed:18070604). Involved in the functional recruitment of the class 1 Sin3-histone deacetylase complex (HDAC) to the nucleolus (PubMed:16820529). Binds DNA, apparently without sequence-specificity, and bends bound double-stranded DNA (PubMed:19015240). Binds phosphoinositol phosphates (phosphoinositol 3-phosphate, phosphoinositol 4-phosphate and phosphoinositol 5-phosphate) via the same basic sequence motif that mediates DNA binding and nuclear import (PubMed:19015240, PubMed:26609676).[UniProtKB/Swiss-Prot Function]
Transcript Variant: This variant (2) lacks an alternate in-frame exon, compared to variant 1. The resulting protein (isoform 2) is shorter than isoform 1.