

Product datasheet for **SC325675**

FGF13 (NM_001139500) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FGF13 (NM_001139500) Human Untagged Clone
Tag:	Tag Free
Symbol:	FGF13
Synonyms:	DEE90; FGF-13; FGF2; FHF-2; FHF2; LINC00889
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001139500, the custom clone sequence may differ by one or more nucleotides ATGAGTGGAAAGGTGACCAAGCCAAAGAGGAGAAAGATGCTTCTAAGGTTCTGGATGAC GCCCCCCTGGCACACAGGAATACATTATGTTACGACAAGATTCCATCCAATCTGCGGAA TTAAAGAAAAAGAGTCCCCCTTTCGTGCTAAGTGTACGAAATCTTCTGCTGCCCGCTG AAGCAAGTACACCACAAAGAGAACAGAGCCGGAAGAGCCTCAGCTTAAGGGTATAGTT ACCAAGCTATACAGCCGACAAGGCTACCACTTGCAGCTGCAGGCGGATGGAACCATGAT GGCACAAAGATGAGGACAGCACTTACACTCTGTTTAACTCATCCCTGTGGGTCTGCGA GTGGTGGCTATCCAAGGAGTTCAAACCAAGCTGTACTTGGCAATGAACAGTGAGGGATAC TTGTACACCTCGAACTTTTACACCTGAGTGCAAATTCAAAGAATCAGTGTGTTGAAAAT TATTATGTGACATATTCATCAATGATATACCGTCAGCAGCAGTCAGGCCGAGGGTGGTAT CTGGGTCTGAACAAAGAAGGAGAGATCATGAAAGGCAACCATGTGAAGAAGAACAAGCCT GCAGCTCATTTTCTGCCTAAACCACTGAAAGTGGCCATGTACAAGGAGCCATCACTGCAC GATCTCACGGAGTTCTCCGATCTGGAAGCGGGACCCCAACCAAGAGCAGAAGTGTCTCT GGCGTGTGAACGGAGGCAAATCCATGAGCCACAATGAATCAACG
Restriction Sites:	Please inquire
ACCN:	NM_001139500



[View online »](#)

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001139500.1</u> , <u>NP_001132972.1</u>
RefSeq Size:	2340 bp
RefSeq ORF:	768 bp
Locus ID:	2258
UniProt ID:	<u>Q92913</u>
Cytogenetics:	Xq26.3-q27.1
Protein Families:	Secreted Protein
Protein Pathways:	MAPK signaling pathway, Melanoma, Pathways in cancer, Regulation of actin cytoskeleton

Gene Summary:

The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth, and invasion. This gene is located in a region on chromosome X, which is associated with Borjeson-Forssman-Lehmann syndrome (BFLS), making it a possible candidate gene for familial cases of the BFLS, and for other syndromal and nonspecific forms of X-linked cognitive disability mapping to this region. Alternative splicing of this gene at the 5' end results in several transcript variants encoding different isoforms with different N-termini. [provided by RefSeq, Nov 2008]

Transcript Variant: This variant (2) contains three additional exons at the 5' end compared to transcript variant 1. This results in a slightly longer isoform (2) with a different N-terminus compared to isoform 1.