

Product datasheet for SC325706

NR2F2 (NM_001145155) Human Untagged Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type: | Expression Plasmids |
|------------------------------|---|
| Product Name: | NR2F2 (NM_001145155) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | NR2F2 |
| Synonyms: | ARP-1; ARP1; CHTD4; COUPTF2; COUPTFB; COUPTFII; NF-E3; SRXX5; SVP40; TFCOUP2 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Fully Sequenced ORF: | >SC325706 representing NM_001145155. Blue=Insert sequence <mark>Red=</mark> Cloning site Green=Tag(s) |
| | GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGGATCGCCATGCAAGCGGTTTGGGACCTTGAACAAGGCAAATATGGTTTTGCGGTGCAGAGGGGCAGGATGCCGCCGACCCAGCCGACCCACGGGCAGTTCGCGCTGACCAACGGGGATCCCCTCAACTGCCACTCGTACCTGTCCGGATATATTTCCCTGCTGTTGCGCGCGGAGCCCTATCCCACGTCGCGCGTCGGCAGCCAATGCATGC |
| Restriction Sites: | Sgfl-Mlul |
| ACCN: | NM_001145155 |
| Insert Size: | 846 bp |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| OTI Disclaimer: | Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery. |
|-----------------------|---|
| | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> |
| OTI Annotation: | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method | Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM 001145155.1</u> |
| RefSeq Size: | 3869 bp |
| RefSeq ORF: | 846 bp |
| Locus ID: | 7026 |
| UniProt ID: | <u>P24468</u> |
| Cytogenetics: | 15q26.2 |
| Protein Families: | Druggable Genome, Nuclear Hormone Receptor, Transcription Factors |
| MW: | 31.5 kDa |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENE NR2F2 (NM_001145155) Human Untagged Clone – SC325706

Gene Summary:This gene encodes a member of the steroid thyroid hormone superfamily of nuclear
receptors. The encoded protein is a ligand inducible transcription factor that is involved in the
regulation of many different genes. Alternate splicing results in multiple transcript variants.
[provided by RefSeq, Mar 2010]
Transcript Variant: This variant (2) differs in the 5' UTR and coding sequence compared to
variant 1. The resulting isoform (b) has a shorter and distinct N-terminus compared to
isoform a. Sequence Note: This RefSeq record was created from transcript and genomic
sequence data to make the sequence consistent with the reference genome assembly. The
genomic coordinates used for the transcript record were based on transcript alignments.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US