

Product datasheet for **SC325830**

GUCY1A3 (NM_001130686) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	GUCY1A3 (NM_001130686) Human Untagged Clone
Tag:	Tag Free
Symbol:	GUCY1A3
Synonyms:	GC-SA3; GUC1A3; GUCA3; GUCSA3; GUCY1A1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC325830 representing NM_001130686. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTT TAGTGAACCGTCAGAATTTTGT AATACGACTCACTATAGGGCGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCC GCGATCGCC
ATGTTCTGCACGAAGCTCAAGGATCTCAAGATCACAGGAGAGTGTCTTTCTCCTTACTGGCACCAGGT
CAAGTTCTAACGAGTCTTCAGAGGAGGCAGCAGGAAGCTCAGAGAGCTGCAAAGCAACCGTGCCCATC
TGTCAAGACATTCCTGAGAAGAACATACAAGAAAGTCTTCTCAAAGAAAAACAGTCGGAGCCGAGTC
TATCTTACACTTTGGCAGAGAGTATTTGCAAAGTATTTCCAGAGTTTGAACGGCTGAATGTTGCA
CTTCAGAGAACATTGGCAAAGCACAAAAATAAAGAAAGCAGGAAATCTTTGAAAGAGAAGACTTTGAA
AAAACAATTGCAGAGCAAGCAGTTGCAGCAGGAGTTCCAGTGGAGTTATCAAAGATCTCTGGTGAA
GAGTTTTTAAAAATATGTTACGAGGAAGATGAAAACATCCTTGGGGTGGTTGGAGGCACCCTTAAAGAT
TTTTTAAACAGCTTCAGTACCCTTCTGAAACAGAGCAGCCATTGCCAAGAAGCAGGAAAAAGGGCAGG
CTTGAGGACGCCTCCATTCTATGCCTGGATAAGGAGGATGATTTTCTACATGTTTACTACTTCTTCCT
AAGAGAACCACCTCCCTGATTCTTCCCGGCATCATAAAGGCAGCTGCTCACGTTATATGAAACGGAA
GTGGAAGTGTCTTAATGCCTCCCTGCTTCCATAATGATTGCAGCGAGTTTGTGAATCAGCCCTACTTG
TTGTACTCCGTTACATGAAAAGCACCAAGCCATCCCTGTCCCCCAGCAAACCCAGTCCCTCGCTGGTG
ATCCCACATCGCTATTCTGCAAGACATTTCCATTCCATTTTATGTTTGACAAAGATATGACAATTCTG
CAATTTGGCAATGGCATCAGAAGGCTGATGAACAGGAGAGACTTTCAAGGAAAGCCTAATTTTGAAGAA
TACTTTGAAATCTGACTCCAAAAATCAACCAGACGTTTAGCGGGATCATGACTATGTTGAATATGCAG
TTTGTGTACGAGTGAGGAGATGGGACAACTCTGTGAAAAAATCTTCAAGGGTAAGGAAAAACA TAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI



[View online »](#)

Plasmid Map:



ACCN: NM_001130686

Insert Size: 1101 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001130686.1](#)

RefSeq Size: 1658 bp

RefSeq ORF: 1101 bp

Locus ID: 2982

Cytogenetics:	4q32.1
Protein Families:	Druggable Genome
Protein Pathways:	Gap junction, Long-term depression, Purine metabolism, Vascular smooth muscle contraction
MW:	41.7 kDa
Gene Summary:	<p>Soluble guanylate cyclases are heterodimeric proteins that catalyze the conversion of GTP to 3',5'-cyclic GMP and pyrophosphate. The protein encoded by this gene is an alpha subunit of this complex and it interacts with a beta subunit to form the guanylate cyclase enzyme, which is activated by nitric oxide. Several transcript variants encoding a few different isoforms have been found for this gene. [provided by RefSeq, Jan 2012]</p> <p>Transcript Variant: This variant (6) differs in the 5' UTR and uses an alternate splice site in the 3' coding region that results in a premature translation termination site, compared to variant 1. The encoded protein (isoform C) has a shorter and distinct C-terminus, compared to isoform A.</p>