

Product datasheet for SC325911

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

MNK1 (MKNK1) (NM_001135553) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: MNK1 (MKNK1) (NM_001135553) Human Untagged Clone

Tag: Tag Free
Symbol: MKNK1
Synonyms: MNK1

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC325911 representing NM_001135553.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGGTATCTTCTCAAAAGTTGGAAAAACCTATAGAGATGGGCAGTAGCGAACCCCTTCCCATCGCAGAT GGTGACAGGAGGAGGAAGAAGAAGCGGAGGGCCCGGGCCACTGACTCCTTGCCAGGAAAGTTTGAAGAT ATGTACAAGCTGACCTCTGAATTGCTTGGAGAGGGAGCCTATGCCAAAGTTCAAGGTGCCGTGAGCCTA CAGAATGGCAAAGAGTATGCCGTCAAAATCATCGAGAAACAAGCAGGGCACAGTCGGAGTAGGGTGTTT CGAGAGGTGGAGACGCTGTATCAGTGTCAGGGAAACAAGAACATTTTGGAGCTGATTGAGTTCTTTGAA GATGACACAAGGTTTTACTTGGTCTTTGAGAAATTGCAAGGAGGTTCCATCTTAGCCCACATCCAGAAG CAAAAGCACTTCAATGAGCGAGAAGCCAGCCGAGTGGTGCGGGACGTTGCTGCCCCTTGACTTCCTG CATACCAAAGGCATTGCTCATCGTGATCTGAAACCAGAAAATATATTGTGTGAATCTCCAGAAAAGGTG TCTCCAGTGAAAATCTGTGACTTTGACTTGGGCAGTGGGATGAAACTGAACAACTCCTGTACCCCCATA ACCACCAGAGCTGACCACCCCATGTGGCTCTGCAGAATACATGGCCCCTGAGGTAGTGGAGGTCTTC ACGGACCAGGCCACATTCTACGACAAGCGCTGTGACCTGTGGAGCCTGGGCGTGGTCCTCTACATCATG CTGAGTGGCTACCCACCCTTCGTGGGTCACTGCGGGGCCGACTGTGGCTGGGACCGGGGCGAGGTCTGC AGGGTGTGCCAGAACAAGCTGTTTGAAAGCATCCAGGAAGGCAAGTATGAGTTTCCTGACAAGGACTGG GCACACATCTCCAGTGAAGCCAAAGACCTCATCTCCAAGCTCCTGGTGCGAGATGCAAAGCAGAGACTT AGCGCCGCCCAAGTTCTGCAGCACCCATGGGTGCAGGGGCAAGCTCCAGAAAAAGGGACTCCCACGCCG CAAGTCCTCCAGAGGAACAGCACAATGGACCTGACGCTCTTCGCAGCTGAGGCCATCGCCCTTAAC CGCCAGCTATCTCAGCACGAAGAGAACGAACTAGCAGAGGAGCCAGAGGCACTAGCTGATGGCCTCTGC GGTGAAGACAGGAGCCCGCCCACAGCACTCTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT


TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC





Restriction Sites: Sgfl-Mlul

Plasmid Map:



ACCN: NM_001135553

Insert Size: 1275 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001135553.2</u>

RefSeq Size: 2704 bp
RefSeq ORF: 1275 bp
Locus ID: 8569



MNK1 (MKNK1) (NM_001135553) Human Untagged Clone - SC325911

UniProt ID: Q9BUB5
Cytogenetics: 1p33

Protein Families: Druggable Genome, Protein Kinase

Protein Pathways: Insulin signaling pathway, MAPK signaling pathway

MW: 47.4 kDa

Gene Summary: This gene encodes a Ser/Thr protein kinase that interacts with, and is activated by ERK1 and

p38 mitogen-activated protein kinases, and thus may play a role in the response to environmental stress and cytokines. This kinase may also regulate transcription by

phosphorylating eIF4E via interaction with the C-terminal region of eIF4G. Alternatively spliced

transcript variants have been noted for this gene. [provided by RefSeq, Jan 2012]

Transcript Variant: This variant (3) lacks an in-frame coding exon compared to variant 1. This results in a shorter isoform (3) missing an internal protein segment compared to isoform 1. CCDS Note: The coding region has been updated to scale back the N-terminus to one that is more supported by the available transcript data and by conservation across mammals.