

# **Product datasheet for SC325918**

## PPHLN1 (NM 001143787) Human Untagged Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** PPHLN1 (NM\_001143787) Human Untagged Clone

Tag: Tag Free
Symbol: PPHLN1

**Synonyms:** CR; HSPC206; HSPC232

Mammalian Cell

Selection:

Neomycin

**Vector:** pCMV6-Entry (PS100001) **E. coli Selection:** Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC325918 representing NM\_001143787.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGTGGTCTGAGGGACGATATGAATATGAAAGAATTCCGAGAGAACGAGCACCTCCTCGAAGTCATCCC AGTGATGAATCTGGTTATAGATGGACAAGAGACGATCATTCTGCAAGCAGGCAACCTGAATACAGGGAC ATGAGAGATGGCTTTAGAAGAAAAAGTTTCTACTCTTCCCATTATGCGAGAGAGCGGTCTCCTTATAAA AGGGACAATACTTTTTCAGAGAATCACCTGTTGGCCGAAAGGATTCTCCACACAGCAGATCTGGTTCC AGTGTCAGTAGCAGAAGCTACTCTCCAGAAAGGAGCAAATCATACTCTTTCCATCAGTCTCAACATAGA AAGTCCGTGCGTCCTGGTGCCTCCTACAAACGGCAGAATGAAGGAAATCCTGAAAGAGATAAAGAGAGA CCTGTCCAGTCTTTGAAAACATCAAGAGATACTTCACCCTCAAGTGGTTCAGCAGTTTCTTCATCAAAG AAGCTAGAGAAATCAGATGAAAGTAACTTGCCTGAAATTTCTGAGTATGAGGCGGGATCCACAGCACCA CAGCTAACCACTCGCTCTAAAGCAATAGCATCAAAAAACCAAAGAGATTGAACAGGTTTACCGACAAGAC TGTGAAACTTTCGGGATGGTGAAAATGCTGATTGAAAAAGATCCTTCATTAGAAAAGTCTATACAG TTTGCATTGAGGCAGAATTTACATGAAATAGAGTCTGCAGGACAGACTTGGCAGCAGGTACCCCCTGTG AGGAACACTGAAATGGATCACGACGGAACCCCCGAAAACGAAGGCGAAGAGACTGCGCAGTCAGCCCTC AAGGAAACGACCCTGCAGGCCCCGCAGCCCCCGCAGCCCCTGCAGCCCCGGAAGAAACGG GTTCGTCGGACGACACAGCTTCGTCGGACGACAGGAGCCCCAGACATTACCTGGGGGATGCTGAAGAAG ACAACTCAGGAGGCTGAGAGGATCCTGCTCCGAACACAGACACCATTCACTCCAGAAAATTTGTTCCTT GCTATGCTCTCTGTTGTACATTGCAACTCACGCAAGGATGTAAAGCCAGAAAACAAGCAG<mark>TAA</mark>

**ACGCGTACGCGGCCGCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Restriction Sites:** Sgfl-Mlul

#### Plasmid Map:



**ACCN:** NM\_001143787

**Insert Size:** 1305 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001143787.1</u>

RefSeq Size:3412 bpRefSeq ORF:1305 bpLocus ID:51535



### PPHLN1 (NM\_001143787) Human Untagged Clone - SC325918

 UniProt ID:
 Q8NEY8

 Cytogenetics:
 12q12

 MW:
 49.7 kDa

**Gene Summary:** The protein encoded by this gene is one of the several proteins that become sequentially

incorporated into the cornified cell envelope during the terminal differentiation of

keratinocyte at the outer layers of epidermis. This protein interacts with periplakin, which is known as a precursor of the cornified cell envelope. The cellular localization pattern and insolubility of this protein suggest that it may play a role in epithelial differentiation and contribute to epidermal integrity and barrier formation. Multiple alternatively spliced transcript variants encoding distinct isoforms have been observed. [provided by RefSeq, Jul

2008]

Transcript Variant: This variant (6) lacks an alternate in-frame exon and uses an alternate in-frame splice junction compared to variant 1. The resulting isoform (6) has the same N- and C-termini but is shorter compared to isoform 1.z. Sequence Note: This RefSeq record was created from transcript and genomic sequence data because no single transcript was available for the full length of the gene. The extent of this transcript is supported by transcript

alignments.