

Product datasheet for **SC325963**

FMO5 (NM_001144829) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FMO5 (NM_001144829) Human Untagged Clone
Tag:	Tag Free
Symbol:	FMO5
Synonyms:	hBVMO1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC325963 representing NM_001144829.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGACTAAGAAAAGAATTGCTGTGATTGGGGGAGGAGTGAGCGGGCTCTCTTCCATCAAGTGCTGCGTA
GAAGAAGGCTTGGAACTGTCTGCTTTGAAAGGACTGATGACATCGGAGGGCTCTGGAGGTTCCAGGAA
AATCCTGAAGAAGGAAGGGCCAGTATTTACAAATCAGTGATCATCAATACTTCTAAAGAGATGATGTGC
TTCAGTGACTATCCAATCCCAGATCATTATCCCACTTCATGCATAATGCCCAGGTCCTGGAGTATTTT
AGGATGTATGCCAAAGAATTTGACCTTCTAAAGTATATTCGATTTAAGACCACTGTGTGCAGTGTGAAG
AAGCAGCCTGATTTTGCCACTTCAGGCCAATGGGAAGTGGTCACTGAATCTGAAGGGAAAAAGGAGATG
AATGTCTTTGATGGAGTCATGGTTTGCCTGACCATCACACCAATGCTCATCTACCTCTGGAAAGCTTC
CCTGGAATTGAGAAGTTCAAAGGGCAGTACTTCCACAGTCGAGACTATAAGAACCAGAGGGATTCACT
GGAAAGAGAGTCATTATAATTGGCATTGGGAATTTCTGGAGGGATCTGGCTGTAGAGATTAGCCAAACA
GCCAAGCAGGTTTCTCAGCACCAGGAGAGGGGCTTGGATCCTGAATCGTGTAGGGGACTACGGATAT
CCTGCTGATGTGTTGTTCTTCTCGACTTACACATTTTATATGGAAGATCTGTGGCCAATCATTAGCA
AACAAATATTTGGAAAAAAGATAAACCAAGGTTTGACCATGAAATGTTTGGCCTGAAGCCTAAACAC
AGAGCTCTGAGTCAGCATCCAACCTTAAATGATGACCTGCCAAATCGTATCATTCTGGCTTGGTGAAG
GTGAAAGGAAATGTGAAGGAATTCACGGAGACAGCTGCCATATTTGAGGATGGCTCCAGGGAGGATGAC
ATTGATGCTGTTATCTTTGCCACAGGCTATAGCTTTGACTTTCCATTTCTGGAAGATTCGGTCAAAGTG
GTCAAAAACAAGATATCCCTGTATAAAAAGTCTTCCCTCCTAACCTGGAAGGCCAACTCTTGCAATC
ATAGGCTTGATTCAGCCCTTAGGAGCCATTATGCCCATTTCCAGAGCTCCAAGACGCTGGGCCACTCAG
GTATTTAAAGTCTAAAGACATTCGCCCTCACAGAGTGAAATGATGCGAGAATATCTAAAGCTCAAGAG
GAAATTGACAAAAGTCTAACCATGAGAAAAACATCAGACAAACCAAGTTGAAGAATATTCTACAATA
CCTGACTACCTCAAACGTCAAGATCATCAACAAAGAAAGTCTGAGAAATTGTCCCGGAATAAAGGGG
CCTAAGGAGACATAA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites:

Sgfl-MluI

Plasmid Map:



ACCN: NM_001144829

Insert Size: 1395 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001144829.2</u>
RefSeq Size:	2014 bp
RefSeq ORF:	1395 bp
Locus ID:	2330
UniProt ID:	<u>P49326</u>
Cytogenetics:	1q21.1
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Drug metabolism - cytochrome P450
MW:	52.5 kDa
Gene Summary:	<p>Metabolic N-oxidation of the diet-derived amino-trimethylamine (TMA) is mediated by flavin-containing monooxygenase and is subject to an inherited FMO3 polymorphism in man resulting in a small subpopulation with reduced TMA N-oxidation capacity resulting in fish odor syndrome Trimethylaminuria. Three forms of the enzyme, FMO1 found in fetal liver, FMO2 found in adult liver, and FMO3 are encoded by genes clustered in the 1q23-q25 region. Flavin-containing monooxygenases are NADPH-dependent flavoenzymes that catalyzes the oxidation of soft nucleophilic heteroatom centers in drugs, pesticides, and xenobiotics. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2009]</p> <p>Transcript Variant: This variant (2) uses an alternate splice site in the 5' UTR and contains an alternate 3' terminal exon including coding region, compared to variant 1. The resulting isoform (2) is shorter and has a distinct C-terminus, compared to isoform 1.</p>