

## Product datasheet for **SC326028**

### **SGK1 (NM\_001143676) Human Untagged Clone**

#### **Product data:**

|                           |  |
|---------------------------|--|
| Product Type:             | Expression Plasmids                      |
| Product Name:             | SGK1 (NM_001143676) Human Untagged Clone |
| Tag:                      | Tag Free                                 |
| Symbol:                   | SGK1                                     |
| Synonyms:                 | SGK                                      |
| Mammalian Cell Selection: | Neomycin                                 |
| Vector:                   | pCMV6-Entry (PS100001)                   |
| E. coli Selection:        | Kanamycin (25 ug/mL)                     |



[View online »](#)

**Fully Sequenced ORF:** >SC326028 representing NM\_001143676.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGGTAAACAAAGACATGAATGGATTCCAGTCAAGAAATGCTCAGCCTTCCAATTTTTTAAAGAAGCGG
GTACGAAGGTGGATCAAGAGCCCAATGGTCAAGTGTGACAAGCATCAGAGTCCCAGCCTGAAGTACACC
GGCTCCTCCATGGTGCACATCCCTCCAGGGGAGCCAGACTTCGAGTCTTCTTGTGTCAAACATGCCTG
GGTGAACATGCTTTCCAAGAGGGGTTCTCCCTCAGGAGAACGAGTCATGTTTCATGGGAAACTCAATCT
GGGTGTGAAGTGAGAGAGCCATGTAATCATGCCAACATCCTGACCAAGCCCGATCCAAGAACCTTCTGG
ACTAATGATGATCCAGCTTTCATGAAGCAGAGGAGGATGGGTCTGAACGACTTTATTGAGAAGATTGCC
AATAACTCCTATGCATGCAAACACCCTGAAGTTCAGTCCATCTTGAAGATCTCCCAACCTCAGGAGCCT
GAGCTTATGAATGCCAACCTTCTCTCCACCAAGTCTTCTCAGCAAATCAACCTGGCCCGTCGTCC
AATCCTCATGCTAAACCATCTGACTTTCACTTCTTGAAGTGATCGGAAAGGGCAGTTTTGGAAAGTT
CTTCTAGCAAGACACAAGGCAGAAGAAGTGTCTATGCAGTCAAAGTTTTACAGAAGAAAGCAATCCTG
AAAAAGAAAGAGGAGAAGCATATTATGTCGGAGCGGAATGTTCTGTTGAAGAATGTGAAGCACCTTTC
CTGGTGGGCCTTCACTTCTTTCCAGACTGCTGACAAATTGTACTTTGTCTTAGACTACATTAATGGT
GGAGAGTTGTTCTACCATCTCCAGAGGGAACGCTGCTTCTGGAACCACGGGCTCGTTTCTATGCTGCT
GAAATAGCCAGTGCCTTGGGCTACCTGCATTCACTGAACATCGTTTATAGAGACTTAAAACCAGAGAAT
ATTTTGTAGATTACAGGGACACATTGCCTTACTGACTTCGGACTCTGCAAGGAGAACATTGAACAC
AACAGCACAAATCCACCTTCTGTGGCACGCCGGAGTATCTCGCACCTGAGGTGCTTCATAAGCAGCCT
TATGACAGGACTGTGGACTGGTGGTGCCTGGGAGCTGTCTGTATGAGATGCTGTATGGCCTGCCGCT
TTTTATAGCCGAAACACAGCTGAAATGTACGACAACATTCTGAACAAGCCTCTCCAGCTGAAACCAAT
ATTACAAATCCGCAAGACACCTCCTGGAGGGCCTCCTGCAGAAGGACAGGACAAAAGCGGCTCGGGGCC
AAGGATGACTTTCATGGAGATTAAGAGTCATGTCTTCTTCTCCTTAATTAAGTGGGATGATCTCATTAA
AAGAAGATTACTCCCTTTTAAACCAAAATGTGAGTGGGCCAACGACCTACGGCACTTTGACCCCGAG
TTTACCGAAGAGCCTGTCCCAACTCCATTGGCAAGTCCCTGACAGCGTCTCGTCACAGCCAGCGTC
AAGGAAGTGCCGAGGCTTCTAGGCTTTTCTATGCGCTCCACGGACTCTTTCCTCTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

**Restriction Sites:**

Sgfl-Mlul

**Plasmid Map:**



**ACCN:**

NM\_001143676

|                               |  |
|-------------------------------|--|
| <b>Insert Size:</b>           | 1581 bp  |
| <b>OTI Disclaimer:</b>        | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).   |
| <b>OTI Annotation:</b>        | This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.   |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>  |
| <b>RefSeq:</b>                | <a href="#">NM_001143676.1</a>   |
| <b>RefSeq Size:</b>           | 3208 bp  |
| <b>RefSeq ORF:</b>            | 1581 bp  |
| <b>Locus ID:</b>              | 6446   |
| <b>UniProt ID:</b>            | <a href="#">O00141</a>   |
| <b>Cytogenetics:</b>          | 6q23.2   |
| <b>Protein Families:</b>      | Druggable Genome, Protein Kinase   |
| <b>MW:</b>                    | 59.9 kDa   |
| <b>Gene Summary:</b>          | <p>This gene encodes a serine/threonine protein kinase that plays an important role in cellular stress response. This kinase activates certain potassium, sodium, and chloride channels, suggesting an involvement in the regulation of processes such as cell survival, neuronal excitability, and renal sodium excretion. High levels of expression of this gene may contribute to conditions such as hypertension and diabetic nephropathy. Several alternatively spliced transcript variants encoding different isoforms have been noted for this gene. [provided by RefSeq, Jan 2009]</p> <p>Transcript Variant: This variant (2) contains additional in-frame exons at the 5' end compared to transcript variant 1, resulting in an isoform (2) with a longer and an unique N-terminus compared to isoform 1. Isoform 2 is reported to have an increased protein half-life, and is preferentially targeted to the plasma membrane.</p> |