

Product datasheet for **SC326044**

Apc7 (ANAPC7) (NM_001137664) Human Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Apc7 (ANAPC7) (NM_001137664) Human Untagged Clone
Tag: Tag Free
Symbol: ANAPC7
Synonyms: APC7
Vector: pCMV6 series

Fully Sequenced ORF: >NCBI ORF sequence for NM_001137664, the custom clone sequence may differ by one or more nucleotides

```
ATGGACCCCGGCGACGCCGCCATTTGGAGTCTTCCCTAAGGATCCTCTACCGGCTTTTC
GAGTCAGTGCTGCCGCCGCTGCCCGCGGCTTTCAGAGCAGGATGAATGTGATAGACCAC
GTGCGGGACATGGCGGCCGCGGGCTGCACTCCAACGTGCGGCTCCTCAGCAGCTTGTTA
CTTACAATGAGTAATAACAACCCTGAGTTATTCTCCACCTCAGAAGTACCAGCTTTTG
GTGTATCATGCAGATTCTCTTTTCATGATAAGGAATATCGGAATGCTGTGAGTAAGTAT
ACCATGGCTTTACAGCAGAAGAAAGCGCTAAGTAAAACCTCAAAAGTGAGACCTTCAACT
GGAAATTCGCATCTACTCCACAAGTCAGTGTCTTCCATCTGAAATTGAAGTGAATAC
AAAATGGCTGAATGTTATACAATGCTAAAACAAGATAAAGATGCCATTGCTATACTTGAT
GGGATCCCTTCAAGACAAAGAACTCCCAAATAAACATGATGCTGGCAAACCTGTACAAG
AAGGCTGGTCAGGAGCGCCCTTCAGTCACCAGCTATAAGGAGGTGCTGAGGCAGTGCCCA
TTAGCCCTTGATGCCATTCTAGGCTTGTGTCCCTTTCTGTAAGGGGCGAGAGGTGGCA
TCCATGACAAATGAATGTGATCCAACCGTGCCTAACTGGACTGGCTCTCTGTGTGGATC
AAAGCGTATGCTTTTGTGCACACTGGTGACAACCAAGAGCAATCAGTACCATCTGTTCA
CTAGAGAAAAATCCTTATTGCGAGATAACGTGGACCTATTGGGAAGCTTGGCAGATCTG
TACTTCAGAGCTGGAGACAATAAAACTCTGTCCTCAAGTTTGAACAGGCACAGATGTTG
GATCCTTATCTGATAAAAAGGAATGGATGTATATGGCTACCTACTGGCACGAGAAGGGCGG
CTAGAGGATGTTGAGAACCTTGGATGCCGCTTTTCAATATCTCTGATCAGCATGCAGAA
CCGTGGGTGGTTTCTGGCTGTCACAGCTTCTATAGCAAACGCTACTCCCGGGCCCTCTAT
TTAGGAGCCAAGGCCATTAGCTGAACAGTAATAGTGTCAAGCTCTGCTACTTAAGGGA
GCAGCACTTAGGAACATGGGCAGAGTCCAAGAAGCAATAATCCACTTTCGGGAGGCCATA
CGGCTCGCACCTTGTGCTTAGATTGTTATGAAGGTCTTATCGAATGTTACTTAGCCTCC
AACAGTATTCGAGAAGCAATGGTAATGGCTAACAAACGTTTACAAAACCTCTGGGAGCAAT
GCACAGACCTTACCCTTTTAGCCACCGTTTGTCTTGAAGACCCAGTGACACAGGAGAAA
GCCAAAACATTATTAGATAAAGCCCTGACCCAAAGGCCAGATTACATTAAGGCTGTGGTG
AAAAAAGCAGAACTACTTAGCAGAGAACAGAAATATGAAGATGGAATTGCTTTGCTGAGG
AACGCACTGGCTAATCAGAGTGAAGTGTCTGCTGCATCGGATCCTAGGAGATTTCTTGTA
GCTGTCAATGAGTATCAGGAGGCAATGGACCAGTATAGTATAGCACTAAGG
```

Restriction Sites: Please inquire



[View online »](#)

ACCN:	NM_001137664
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001137664.1</u> , <u>NP_001131136.1</u>
RefSeq Size:	2224 bp
RefSeq ORF:	1614 bp
Locus ID:	51434
UniProt ID:	<u>Q9UJX3</u>
Cytogenetics:	12q24.11
Protein Families:	Druggable Genome
Protein Pathways:	Cell cycle, Oocyte meiosis, Progesterone-mediated oocyte maturation, Ubiquitin mediated proteolysis
Gene Summary:	<p>This gene encodes a tetratricopeptide repeat containing component of the anaphase promoting complex/cyclosome (APC/C), a large E3 ubiquitin ligase that controls cell cycle progression by targeting a number of cell cycle regulators such as B-type cyclins for 26S proteasome-mediated degradation through ubiquitination. The encoded protein is required for proper protein ubiquitination function of APC/C and for the interaction of APC/C with certain transcription coactivators. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2008]</p> <p>Transcript Variant: This variant (2) differs in the 3' UTR and 3' coding region (compared to variant 1), which results in a frameshift. It encodes isoform b which has a shorter and distinct C-terminus compared to isoform a.</p>