

## Product datasheet for **SC326258**

### **NEDD4 2 (NEDD4L) (NM\_001144964) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	NEDD4 2 (NEDD4L) (NM_001144964) Human Untagged Clone
Tag:	Tag Free
Symbol:	NEDD4L
Synonyms:	hNEDD4-2; NEDD4-2; NEDD4.2; PVNH7; RSP5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

**Fully Sequenced ORF:** >SC326258 representing NM\_001144964.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGGAGCGACCCATACATTTAAGGACTTCTCCTCAGACCAAGAAGTCATAAGTCTCGAGTTAAGGGA
TTTTTGGATTGAAAATGGCCTATATGCCAAAAAATGGAGGTCAAGATGAAGAAAACAGTGACCAGAGG
GATGACATGGAGCATGGATGGGAAGTTGTTGACTCAAATGACTCGGCTTCTCAGCACCAAGAGAACTT
CCTCCTCCTCCTCTGCTCCCGGTGGGAAGAAAAAGTGACAATTTAGGCCGAACTTACTATGTCAAC
CACAACAACCGGACCACTCAGTGGCACAGACCAAGCCTGATGGACGTGTCTCGGAGTCGGACAATAAC
ATCAGACAGATCAACCAGGAGGCAGCACACCGCGCTTCCGCTCCCGCAGGCACATCAGCGAAGACTTG
GAGCCCGAGCCCTCGGAGGGCGGGGATGTCCCGAGCCTTGGGAGACATTTAGAGGAAGTGAATATC
GCTGGAGACTCTCTGGTCTGGCTGTCCCCACCACCGGCTCCCGAGGATCTCGGACCAGCCCTCAG
GAGCTGTCAGAGAACTAAGCAGAAGGCTTCAGATCACTCCAGACTCCAATGGGGAACAGTTCAGCTCT
TTGATTCAAAGAGAACCCTCCTCAAGTTGAGGTGATGCAGTGTACCGACGCAGTTGCAGAACAGGGC
CATCTACCACCGCCAGTGCCCAAGCTGGGAGAGCGGTTTCATCAACTGTACGGGTGGTGAAGAACCA
ACGCCATCAGTGGCCTATGTACATACCACGCGGGTCTGCCTTCAGGCTGGGAAGAAAGAAAAGATGCT
AAGGGGCGCACATACTATGTCAATCATAACAATCGAACCAACTTGGACTCGACCTATCATGCAGCTT
GCAGAAGATGGTGGTCCGGATCAGCCACAAACAGTAACAACCATCTAATCGAGCCTCAGATCCGCCGG
CCTCGTAGCCTCAGCTCGCCAACAGTAACCTTATCTGCCCCGCTGGAGGGTGCCAAGGACTACCCGTA
CGTCGGGCTGTGAAAGACACCCTTTCCAACCCACAGTCCCACAGCCATCACCTTACAACCCCCAAA
CCACAACACAAAGTCACACAGAGCTTCTTGCCACCCGGCTGGGAAATGAGGATAGCGCCAAACCGCCG
CCCTTCTCATTGATCATAACACAAAGACTACAACCTGGGAAGATCCACGTTTGAATTTCCAGTACAT
ATGCGGTCAAAGACATCTTTAAACCCCAATGACCTTGGCCCCCTCCTCCTGGCTGGGAAGAAAGAATT
CACTTGGATGGCCGAACGTTTTATATTGATCATAATAGCAAAATTAAGTGGGAAGACCAAGACTG
CAGAACCAGCTATTACTGGTCCGGTGTCCCTTACTCCAGAGAAATTAAGCAGAAATATGACTACTTC
AGGAAGAAATTAAGAAACCTGTGATATCCCAATAGGTTTGAATGAAACTTCACAGAAATAACATA
TTTGAAGAGTCTATCGGAGAATTATGTCGTGAAAAGACCAGATGTCTAAAAGCTAGACTGTGGATT
GAGTTTGAATCAGAGAAAGTCTTGACTATGGGGTGTGGCCAGAGAATGGTTCTTCTTACTGTCCAAA
GAGATGTTCAACCCTACTACGGCCTCTTTGAGTACTCTGCCACGGACAACACACCCTCAGATCAAC
CCTAATTCAGGCCTCTGTAATGAGGATCATTTGTCTACTTCACTTTTATTGGAAGAGTTGCTGGTCTG
GCCGATTTTCATGGGAAGCTCTTAGATGGTTTCTCATTAGACCATTTTACAAGATGATGTTGGGAAG
CAGATAACCCTGAATGACATGGAATCTGTGGATAGTGAATATTACAACCTTTGAAATGGATCCTGGAG
AATGACCTACTGAGCTGGACCTCATGTTCTGCATAGACGAAGAAAACCTTTGGACAGACATATCAAGTG
GATTTGAAGCCCAATGGGTGAGAAATAATGGTCACAAAAGAAAACAAAAGGGAATATATCGACTTAGTC
ATCCAGTGGAGATTTGTGAACAGGGTCCAGAAGCAGATGAACGCCTTCTTGGAGGGATTACAGAACTA
CTTCTATTGATTTGATTAATAATTTTGGATGAAAATGAGCTGGAGTTGCTCATGTGCGGCCTCGGTGAT
GTGGATGTGAATGACTGGAGACAGCATTCTATTTACAAGAACGGCTACTGCCAAACACCCCGTCATT
CAGTGGTTCTGGAAGGCTGTGCTACTCATGGACGCCGAAAAGCGTATCCGGTTACTGCAGTTTGTCA
GGGACATCGCGAGTACCTATGAATGGATTTGCCGAACCTTATGGTTCCAATGGTCCCTCAGCTGTTACA
ATAGAGCAATGGGCGAGTCTGAGAAAAGTCCAGAGCTCACACATGCTTTAATCGCCTTGACTTACCT
CCATATGAAACCTTTGAAGATTTACGAGAGAACTTCTCATGGCCGTGGAAAATGCTCAAGGATTTGAA
GGGGTGGATTAA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
  
```

**Restriction Sites:** SgfI-MluI

**Plasmid Map:**


**ACCN:** NM\_001144964

**Insert Size:** 2565 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001144964.1](#)

**RefSeq Size:** 8436 bp

**RefSeq ORF:** 2565 bp

**Locus ID:** 23327

**UniProt ID:** [Q96PU5](#)

**Cytogenetics:** 18q21.31

<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Endocytosis, Ubiquitin mediated proteolysis
<b>MW:</b>	98.2 kDa
<b>Gene Summary:</b>	<p>This gene encodes a member of the Nedd4 family of HECT domain E3 ubiquitin ligases. HECT domain E3 ubiquitin ligases transfer ubiquitin from E2 ubiquitin-conjugating enzymes to protein substrates, thus targeting specific proteins for lysosomal degradation. The encoded protein mediates the ubiquitination of multiple target substrates and plays a critical role in epithelial sodium transport by regulating the cell surface expression of the epithelial sodium channel, ENaC. Single nucleotide polymorphisms in this gene may be associated with essential hypertension. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Mar 2012]</p> <p>Transcript Variant: This variant (b) uses an alternate first exon, compared to variant j, which results in the use of a downstream in-frame start codon. The encoded protein (isoform 2) has a shorter N-terminus that lacks a C2 domain, compared to isoform 1. Variant b is also known as NEDD4-2C7. Variants a, b, and f encode the same isoform (2).</p>