

Product datasheet for **SC326318**

Myosin Phosphatase (PPP1R12A) (NM_001143885) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Myosin Phosphatase (PPP1R12A) (NM_001143885) Human Untagged Clone
Tag:	Tag Free
Symbol:	PPP1R12A
Synonyms:	GUBS; M130; MBS; MYPT1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC326318 representing NM_001143885. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGAAGATGGCGGACGCGAAGCAGAAGCGGAACGAGCAGCTGAAACGCTGGATCGGCTCCGAGACGGAC
CTCGAGCCTCCGGTGGTGAAGCGCCAGAAGACCAAGGTGAAGTTCGACGATGGCGCGCTCTTCTGGCT
GCTTGCTCCAGCGGGACACGGACGAGGTCTCAAGCTGCTGCACCGCGCGCCGACATCAATTACGCC
AATGTGGACGGACTCACTGCCCTGCACCAGGCTTGCAATTGATGACAATGTTGATATGGTGAAGTTTCTG
GTAGAAAATGGAGCAAATATTAATCAACCTGATAATGAAGGCTGGATACCACTACATGCAGCAGCTTCC
TGTGGATATCTTGATATTGCAGATTTTTGATTGGTCAAGGAGCACATGTAGGGGCTGTCAACAGTGAA
GGAGATACACCTTAGATATTGCCGAGGAGGAGGCAATGGAAGAGCTACTTCAAAATGAAGTTAATCGG
CAAGGGGTTGATATAGAAGCAGCTCGAAAAGGAAGAAGAACGGATCATGCTTAGAGATGCCAGGCAGTGG
CTAAATAGTGGTCATATAAATGATGTCCGGCATGCAAAATCTGGAGGTACAGCACTTACGTTGCAGCT
GCTAAAGGCTATACGGAAGTTTTAAACTTTTAAACAGGCAGGCTATGATGTTAATATTAAGACTAT
GATGGCTGGACACCTCTTCATGCTGCAGCTCATTGGGGTAAAGAAGAAGCATGTGCAATTTTAGTGGAC
AATCTGTGTGATATGGAGATGGTCAACAAAGTGGGCCAACAGCCTTTGATGTAGCAGATGAAGACATT
TTAGGATATTTAGAAGAGTTGCAAAAGAAAACAAAATCTGCTCCATAGTAAAAACGGGACAAGAAATCT
CCACTAATTGAATCAACAGCAAATATGGACAATAATCAGTCACAGAAGACCTTTAAAAACAAAGAGACG
TTGATTATTGAACAGAGAAAAATGCATCCCGTATTGAATCTCTGGAACAAGAAAAGGTTGATGAAGAA
GAAGAAGGAAAAGAGGATGAGTCTAGCTGCTCTAGTGAAGAAGATGAGGAAGATGACTCGGAATCAGAA
GCTGAAACAGATAAGACAAAACCCTGGCTTCTGTAACATAATGCCAACACTTCTAGTACACAAGCAGCT
CCTGTAGCTGTTACAACACCTACTGTGTCATCAGGTCAAGCAACACCTACATCACCTATTAAGAAAGTTT
CCAACCACAGCTACAAAATTTCTCCAAAGAAGAAGAGAGAAAAGATGAGTCTCCTGCAACTTGGAGG
TTAGGACTTAGAAAGACGGGCAGCTATGGTGCACCTTGTGAAATCACAGCATCTAAGAGGGTCAGAAA
GAAAAAGATACTGCAGGTGTTACAGTTCAGCTTCAAGTCCCAGACTTCTCCTCTTTGGATAATAAA
GAAAAGGAGAAAGATAGTAAAGGAAGTACTAGGCTTGCATATGTTGCACCTACAATACCAAGCAGACTAGCC
```



[View online »](#)


```

AGTACATCTGACATTGAAGAGAAAGAAAACAGAGATTCTCAAGTTTGGCAACAAGTAGTTCATATACA
AGGAGAAAATGGGAAGATGATCTTAAAAAATAGCTCAGTTAATGAAGGATCAACGTATCATAAAAGT
TGCTCCTTTGGTAGAAGACAAGATGATTTGATTAGTTCTAGTGTTCACAGCACCACATCAACACCAACA
GTTACCTCTGCAGCTGGGCTTCAGAAAAGCCTGCTTCCAGCACAAAGCACTACTACAAAGATTACAACG
GGTTCTTCTCAGCAGGCACACAAGCAGTACCTCAAATCGTTTGTGGGCTGAGGATAGTACTGAGAAA
GAAAAGGACAGTGTTCTACGGCAGTGACCATTCTGTGTGCTCCAAGTGTGTAATGCTGCAGCTTCT
ACCACAACCTGACTACAACACTGCTGGCACTGTCTCCTCCACAACAGAGGTCAGGGAGAGACGCAGA
TCATACCTCACTCTGTTAGGGATGAAGAGTCTGAATCCCAAAGAAAAGCAAGATCTAGACAAGCAAGA
CAATCTAGAAGATCAACACAGGGAGTGACATTAAGTATCTTCAAGAAGCTGAGAAAAACAATAGGAAGA
AGTCGTTCTACCCGAACCAAGAGAACAAGAAAATGAAGAAAAAGAAAAGAGGAAAAAGAGAAAACAAGAT
AAAGAGAAAACAAGAAGAAAAGAGGAGTCAGAAACATCTAGAGAAGATGAATATAAACAAAAAGTACTCC
AGAACGTATGATGAGACTTACCAGCGTTATAGGCCAGTATCAACTTCAAGTTCAACCACTCCATCTCT
TCACTTTCTACTATGAGCAGTTCAGTGTATGCTTCAAGTCAACTAACAGGCCAAATAGTCTTGTAGGC
ATAACTTCTGCTTACTCCAGAGGAATAACAAAAGAAAATGAAAGAGAGGGAGAAAAAGAGAAGAGGAG
AAAGAAGGAGAAGATAAATCACAACTAAATCAATCAGAGAACGACGACGACCAAGAGAGAAAAGAAGA
TCTACAGGAGTTTCATTTGGACACAAGATAGTGATGAAAATGAACAAGAACAACATCAGACACAGAA
GAGGGATCCAATAAGAAAAGAACTCAGACGGATTCCATTTCTAGATATGAAACCAGTTTCTACATCAGCT
GGTGATCGATATGATTCCTTGTGGGTCGCTCTGGATCATACAGTTACTTAGAAGAAAAGAAAACCTTAC
AGCAGCAGGCTAGAAAAGGATGACTCAACTGACTTTAAAAGCTTTATGAACAAATTCTAGCTGAAAAT
GAAAAGCTGAAGGCACAGCTACATGATACAAATATGGAACAAACAGATCTTAAATTACAGTTGAAAAG
GCCACCCAGAGACAAGAAAAGATTTGCTGATAGATCACTGTTGAAATGAAAAAAGGGAACGAAGAGCT
CTAGAAAAGAAGATATCTGAAATGGAAGAAGAGCTCAAATGTTACCAGACCTAAAAGCAGACAACCAG
AGGCTAAAGGATGAAAATGGGGCTTGATCAGAGTTATAAGCAAACCTTTCCAAATAA
ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
    
```

Restriction Sites:

Sgfl-Mlul

Plasmid Map:



ACCN:

NM_001143885

Insert Size:

3093 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
OTI Annotation:	This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001143885.1</u>
RefSeq Size:	5582 bp
RefSeq ORF:	3093 bp
Locus ID:	4659
UniProt ID:	<u>O14974</u>
Cytogenetics:	12q21.2-q21.31
Protein Families:	Druggable Genome
Protein Pathways:	Focal adhesion, Long-term potentiation, Regulation of actin cytoskeleton, Vascular smooth muscle contraction
MW:	115.3 kDa

Gene Summary:

Myosin phosphatase target subunit 1, which is also called the myosin-binding subunit of myosin phosphatase, is one of the subunits of myosin phosphatase. Myosin phosphatase regulates the interaction of actin and myosin downstream of the guanosine triphosphatase Rho. The small guanosine triphosphatase Rho is implicated in myosin light chain (MLC) phosphorylation, which results in contraction of smooth muscle and interaction of actin and myosin in nonmuscle cells. The guanosine triphosphate (GTP)-bound, active form of RhoA (GTP.RhoA) specifically interacted with the myosin-binding subunit (MBS) of myosin phosphatase, which regulates the extent of phosphorylation of MLC. Rho-associated kinase (Rho-kinase), which is activated by GTP. RhoA, phosphorylated MBS and consequently inactivated myosin phosphatase. Overexpression of RhoA or activated RhoA in NIH 3T3 cells increased phosphorylation of MBS and MLC. Thus, Rho appears to inhibit myosin phosphatase through the action of Rho-kinase. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2009]

Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Variants 1 and 2 both encode isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data because no single transcript was available for the full length of the gene. The extent of this transcript is supported by transcript alignments.