

Product datasheet for **SC326515**

ROBO1 (NM_001145844) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ROBO1 (NM_001145844) Human Untagged Clone
Tag:	Tag Free
Symbol:	ROBO1
Synonyms:	axon guidance receptor; DUTT1; FLJ21882; MGC131599; MGC133277; roundabout, axon guidance receptor, homolog 1 (Drosophila); roundabout 1; SAX3
Mammalian Cell Selection:	None
Vector:	<u>pCMV6-XL5</u>
E. coli Selection:	Ampicillin (100 ug/mL)
Fully Sequenced ORF:	>OriGene sequence for NM_001145844 edited

```
TCTGCCTCGGCTCTTTGTTGTTGCTTTGGATGGTTCTTGAAAGTGTCTGAGCCTCCTCG
GAAATCCTGGGGCCGGAGAAGACAAACCTTGAATTCTTCTCTGCAAAAAGTCTCTGAGA
TACTGACAAGCGTCCGGAAAGGTCGACGAGTAATTGCCCTGAAAACCTTGGCTAATTGA
CCCACGTTGCTTATATTAAGCCTTTGTGTGGTGTGGCTTCATACATTTGGGGACCC
TATTTCCACTCCCTCCTTTGGCATGAGACTGTATACAGGATCCACCCGAGGACAATGAT
TGCGGAGCCCGCTCACTTTACCTGTTTGGATTAATATGTCTCTGTTTCAGGCTCCCGTCT
TCGTGAGGAAGATTTTCCACCTCGCATTGTTGAACACCCTTCAGACCTGATTGTCTCAA
AGGAGAACCTGCAACTTTGAACTGCAAAGCTGAAGGCCGCCCCACCCCACTATTGAATG
GTACAAAGGGGGAGAGAGAGTGGAGACAGACAAAGATGACCCCTCGCTCACACCGAATGTT
GCTGCCGAGTGGATCTTTATTTTCTTACGTATAGTACATGGACGAAAAGTAGACCTGA
TGAAGGAGTCTATGTCTGTGTAGCAAGGAATTACCTTGGAGAGGCTGTGAGCCACAATGC
ATCGCTGGAAGTAGCCATACTTCGGGATGACTTCAGACAAAACCTTCGGATGTCATGGT
TGCAGTAGGAGAGCCTGCAGTAATGGAATGCCAACCTCCACGAGGCCATCCTGAGCCAC
CATTTTCATGGAAGAAAGATGGCTCTCCACTGGATGATAAAGATGAAAGAATAACTATACG
AGGAGGAAAGCTCATGATCACTTACACCCGTAAGTGAACGCTGGCAAATATGTTTGTGT
TGGTACCAATATGGTTGGGGAACGTGAGAGTGAAGTAGCCGAGCTGACTGTCTTAGAGAG
ACCATCATTTGTGAAGAGACCCAGTAACCTTGGCAGTAACGTGGATGACAGTGCAGAATT
TAAATGTGAGGCCCGAGGTGACCCTGTACCTACAGTACGATGGAGGAAAGATGATGGAGA
GCTGCCAAATCCAGATATGAAATCCGAGATGATCATACTTTGAAAATTAGGAAGGTGAC
AGCTGGTGACATGGTTTCATACACTTGTGTTGCAGAAAATATGGTGGGCAAAGCTGAAGC
ATCTGCTACTCTGACTGTTCAAGTTGGGTCTGAACCTCCACATTTTGTGTGAAACCCCG
TGACCAGTTGTTGCTTTGGGACGGACTGTAACCTTTTTCAGTGTGAAGCAACCGGAAATCC
TCAACCAGCTATTTTCTGGAGGAGAGAAGGGAGTCAGAATCTACTTTTCTCATATCAACC
ACCACAGTCATCCAGCCGATTTTTCAGTCTCCAGACTGGCGACCTCACAATTAATAATGT
CCAGCGATCTGATGTTGGTTATTACATCTGCCAGACTTTAAATGTTGCTGGAAGCATCAT
```



[View online »](#)

CACAAAGGCATATTTGGAAGTTACAGATGTGATTGCAGATCGGCCTCCCCAGTTATTCG
 ACAAGGTCCTGTGAATCAGACTGTAGCCGTGGATGGCACTTTCGTCTCAGCTGTGTGGC
 CACAGGCAGTCCAGTGCCACCATTCTGTGGAGAAAGGATGGAGTCTCGTTTCAACCCA
 AGACTCTCGAATCAAACAGTTGGAGAATGGAGTACTGCAGATCCGATATGCTAAGCTGGG
 TGATACTGGTCGGTACACCTGCATTGCATCAACCCCCAGTGGTGAAGCAACATGGAGTGC
 TTACATTGAAGTCAAGAATTTGGAGTTCAGTTCAGCCTCCAAGACCTACTGACCCAAA
 TTTAATCCCTAGTGCCCATCAAAACCTGAAGTGACAGATGTCAGCAGAAAATACAGTCC
 ATTATCATGGCAACCAAATTTGAATTCAGGAGCAACTCCAACATCTTATATTATAGAAGC
 CTTTCAGCCATGCATCTGGTAGCAGCTGGCAGACCGTAGCAGAGAATGTGAAAACAGAAA
 ATCTGCCATTAAGGACTCAAACCTAATGCAATTTACCTTTTCTTGTGAGGGCAGCTAA
 TGCATATGGAATTAGTGATCCAAGCCAAATATCAGATCCAGTGAAAACACAAGATGTCCT
 ACCAACAGTCAAGGGGTGGACCACAAGCAGGTCCAGAGAGAGCTGGGAAATGCTGTTCT
 GCACCTCCACAACCCACCGTCTTTCTCCTCTCCATCGAAGTGCAGTGGACAGTAGA
 TCAACAGTCTCAGTATATAACAAGGATATAAAATCTCTATCGGCCATCTGGAGCCAACA
 CGGAGAATCAGACTGGTTAGTTTTGAAGTGAGGACGCCAGCCAAAACAGTGTGGTAAT
 CCCTGATCTCAGAAAGGAGTCAACTATGAAATTAAGGCTCGCCCTTTTTTAATGAATT
 TCAAGGAGCAGATAGTGAATCAAGTTTGCCAAAACCTGGAAGAAGCACCCAGTGCCCC
 ACCCAAGGTGTAAGTGTATCCAAGATGATGGAACGGAAGTCAATTTAGTTAGTTG
 GCAGCCACCTCCAGAAGACACTCAAAATGGAAATGGTCCAAGAGTATAAGGTTTGGTGTCT
 GGGCAATGAAACTCGATACCACATCAACAAAACAGTGGATGGTTCACCTTTTCCGTGGT
 CATTCCCTTTCTGTTCTGGAATCCGATACAGTGTGGAAGTGGCAGCCAGCACTGGGGC
 TGGCTGAGGACCAAGTCAAGTCAAGTTCAGTTCAGATGTGGTGAAGCAGCCGGC
 CTTTCATAGCAGGTATTGGAGCAGCCTGTTGGATCATCCTCATGGTCTTCAGCATCTGGCT
 TTATCGACACCGCAAGAAGAGAAAACGGACTTACTAGTACATACGCGGGTATCAGAAAAGT
 AACTTACCAGAGAGGAGGCAAGCTGTCAGCAGTGGAGGGAGGCCTGGACTTCTCAACAT
 CAGTGAACCTGCCGCGCAGCCATGGCTGGCAGACAGTGGCCTAATACTGGCAACAACCA
 CAATGACTGCTCCATCAGCTGCTGCACGGCAGGCAATGGAACAGCGACAGCAACCTCAC
 TACCTACAGTCCAGCTGATTGTATAGCAAATATAACAACCAACTGGATAACAAAACA
 AACAAATCTGATGCTCCCTGAGTCAACTGTTTATGGTGTGTGGACCTTAGTAACAAAAT
 CAATGAGATGAAAACCTCAATAGCCCAAATCTGAAGGATGGGCGTTTTGTCAATCCATC
 AGGGCAGCTACTCCTTACGCCACCACTCAGCTCATCCAGTCAAACCTCAGCAACAACAT
 GAACAATGGCAGCGGGGACTCTGGCGAGAAGCACTGGAACCACTGGGACAGCAGAAAACA
 AGAAGTGGCACCAGTTCAGTACAACATCGTGGAGCAAAAACAAGCTGAACAAAAGATTATCG
 AGCAAAATGACACAGTTCCTCCAATATCCCATACAACCAATCATACGACCAGAACACAGG
 AGGATCCTACAACAGCTCAGACCGGGGAGTAGTACATCTGGGAGTCAAGGGGACAAAGAA
 AGGGGCAAGAACACCAAGGTACCAAAACAGGGTGGCATGAACTGGGACAGCCTGCTTCC
 TCCTCCCCAGCATCCTCCTCCACACAGCAATAGCGAAGAGTACAACATTTCTGTAGA
 TGAAGCTATGACCAAGAAATGCCATGTCCCGTGCCACCAGCAAGGATGATTTGCAACA
 AGATGAATTAGAAGAGGAGGAAGATGAACGAGGCCCACTCCCCCTGTTGCGGGAGCAGC
 TTCTTCTCCAGCTGCCGTGCTCCTATAGCCATCAGTCCACTGCCACTCTGACTCCCTCCCC
 ACAGGAAGAACTCCAGCCATGTTACAGGATTGTCCAGAGGAGACTGGCCACATGCAGCA
 CCAGCCCCGACAGGAGACGGCAGCCTGTGAGTCTCCTCCACCACCACGGCCGATCTCCCC
 TCCACATACCTATGGCTACATTTCAAGACCCCTGGTCTCAGATATGGATACGGATGCGCC
 AGAAGAGGAAGAAGACGAAGCCGACATGGAGGTAGCCAAGATGCAAAACAGAAGGCTTTT
 GTTACGTGGGCTTGAGCAGACACCTGCCTCCAGTGTGGGGACCTGGAGAGCTCTGTAC
 GGGGTCCATGATCAACGGCTGGGGCTCAGCCTCAGAGGAGGACAACATTTCCAGCGGACG
 CTCAGTGTAGTCTTTCGGACGGCTCCTTTTTACTGATGCTGACTTTGCCAGGCAGT
 CGCAGCAGCGGCAGAGTATGCTGGTCTGAAAGTAGCACGACGGCAATGCAGGATGCTGC
 TGGCCGTGCAGATTTTTCATGCGTCTCAGTGCCCTAGGCCACAAGTCCCCTGTCTACAGA
 CAGCAACATGAGTGCCGCGTAATGCAGAAAACAGACCAGCCAAGAACTGAAACACCA
 GCCAGGACATCTGCGCAGAGAAACCTACACAGATGATCTTCCACCACCTCCTGTGCCGCC

```

ACCTGCTATAAAGTCACCTACTGCCAATCCAAGACACAGCTGGAAGTACGACCTGTAGT
GGTGCCAAAACCTCCCTTCTATGGATGCAAGAACAGACAGATCATCAGACAGAAAAGGAAG
CAGTTACAAGGGGAGAGAAGTGTGGATGGAAGACAGGTTGTTGACATGCGAACAAATCC
AGGTGATCCCAGAGAAGCACAGGAACAGCAAAATGACGGGAAAGGACGTGGAACAAGGC
AGCAAAACGAGACCTTCCACCAGCAAAGACTCATCTCATCCAAGAGGATATTCTACCTTA
TTGTAGACCTACTTTTCCAACATCAAATAATCCCAGAGATCCCAGTTCCCTCAAGCTCAAT
GTCATCAAGAGGATCAGGAAGCAGACAAAGAGAACAAGCAAATGTAGGTCGAAGAATAT
TGCAGAAATGCAGTACTTGGAGGATATGAAAGAGGAGAAGATAATAATGAAGAATTAGA
GGAAACTGAAAGCTGAAGACAACCAAGAGGCTTATGAGATCTAATGTGAAATCATCACT
CAAGATGCCTCCTGTCAGATGACACATGACGCCAGATAAAATGTTGAGTCAATCAGAGT
GTACAAATGTGCGTTTTTATTCTCTTATTGGGATATCATTTTAAAAACTTTATTGGGTT
TTTATTGTTGTTGTTGATCCCTAACCTACAAAGAGCCTTCTATTCCCTCGCTGTTG
G
    
```

Restriction Sites: Please inquire

ACCN: NM_001145844

Insert Size: 5300 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: The ORF of this clone has been fully sequenced and found to be a perfect match to NM_001145844.1.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001145844.1](#), [NP_001139316.1](#)

RefSeq Size: 7550 bp

RefSeq ORF: 4821 bp

Locus ID:	6091
Cytogenetics:	3p12.3
Protein Families:	Druggable Genome
Protein Pathways:	Axon guidance
Gene Summary:	<p>Bilateral symmetric nervous systems have special midline structures that establish a partition between the two mirror image halves. Some axons project toward and across the midline in response to long-range chemoattractants emanating from the midline. The product of this gene is a member of the immunoglobulin gene superfamily and encodes an integral membrane protein that functions in axon guidance and neuronal precursor cell migration. This receptor is activated by SLIT-family proteins, resulting in a repulsive effect on glioma cell guidance in the developing brain. A related gene is located at an adjacent region on chromosome 3. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2009]</p> <p>Transcript Variant: This variant (3) represents use of an alternate promoter and 5' UTR, uses a distinct translation start site, includes an alternate in-frame exon in the 5' coding region, and lacks an alternate in-frame exon in the central coding region, compared to variant 1. The resulting isoform (c) has a shorter and distinct N-terminus and differs at two internal regions, compared to isoform a. The 5' UTR of this variant contains a 55 aa uORF with a strong Kozak signal that may inhibit translation of this protein.</p>