

Product datasheet for SC326563

HOMER3 (NM 001145721) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: HOMER3 (NM_001145721) Human Untagged Clone

Tag: Tag Free Symbol: HOMER3

Synonyms: HOMER-3; VESL3

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC326563 representing NM_001145721.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGTCCACAGCCAGGGAGCAGCCAATCTTCAGCACACGGGCGCACGTGTTCCAAATTGACCCAGCCACC AAGCGAAACTGGATCCCAGCGGGCAAGCACGCACTCACTGTCTCCTATTTCTACGATGCCACCCGCAAT GTGTACCGCATCATCAGCATCGGAGGCGCCAAGGCCATCATCAACAGCACTGTCACTCCCAACATGACC TTCACCAAAACTTCCCAGAAGTTCGGGCAGTGGGCCGACAGTCGCCCAACACAGTCTACGGCCTGGGC GCCAGGGAGAAATCTCAGGATGGCGGGGAGCTCACCAGTCCAGCCCTGGGGCTCGCCTCCCACCAGGTG CCCCGAGCCCTCTCGTCAGTGCCAACGGCCCCGGCGAGGAAAAACTGTTCCGCAGCCAGAGCGCTGAT GCCCCGGCCCACAGAGCGCGAGCGGCTAAAGAAGATGTTGTCTGAGGGCTCCGTGGGCGAGGTACAG TGGGAGGCCGAGTTTTTCGCACTGCAGGACAGCAACAACAAGCTGGCAGGCGCCCTGCGAGAGGCCAAC GCCGCCGCAGCCCAGTGGAGGCAGCAGCTGGAGGCTCAGCGTGCAGAGGCCGAGCGGCTGCGGCAGCGG GTGGCTGAGCTGGAGGCTCAGGCAGCTTCAGAGGTGACCCCCACCGGTGAGAAGGAGGGGCTGGGCCAG GGCCAGTCGCTGGAACAGCTGGAAGCTCTGGTGCAAACCAAGGACCAGGAGATTCAGACCCTGAAGAGT CAGACTGGGGGGCCCCGCGAGGCCCTGGAGGCTGCCGAGCGTGAGGAGACTCAGCAGAAGGTGCAGACC CGCAATGCGGAGTTGGAGCACCAGCTGCGGGCGATGGAGCGCAGCCTGGAGGAGGCACGGGCAGAGCGG CTGCGTGAGGCCTGGCCCGCCTGAGGCTGCGCCCTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM_001145721

Insert Size: 1077 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001145721.1

RefSeq Size: 1428 bp RefSeq ORF: 1077 bp Locus ID: 9454



HOMER3 (NM_001145721) Human Untagged Clone - SC326563

UniProt ID: Q9NSC5
Cytogenetics: 19p13.11

Protein Families: Druggable Genome

MW: 39.5 kDa

Gene Summary: This gene encodes a member of the HOMER family of postsynaptic density scaffolding

proteins that share a similar domain structure consisting of an N-terminal

Enabled/vasodilator-stimulated phosphoprotein homology 1 domain which mediates protein-protein interactions, and a carboxy-terminal coiled-coil domain and two leucine zipper motifs that are involved in self-oligomerization. The encoded protein binds numerous other proteins including group I metabotropic glutamate receptors, inositol 1,4,5-trisphosphate receptors and amyloid precursor proteins and has been implicated in diverse biological functions such as neuronal signaling, T-cell activation and trafficking of amyloid beta peptides. Alternative

splicing results in multiple transcript variants.[provided by RefSeq, Mar 2009]

Transcript Variant: This variant (3), termed Homer-3A00, differs in the 5' UTR and uses an alternate in-frame splice site in the 3' coding region compared to variant 1. The encoded

isoform (2) is shorter than isoform 1.