

## **Product datasheet for SC326680**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Ataxin 3 (ATXN3) (NM\_001164776) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Ataxin 3 (ATXN3) (NM\_001164776) Human Untagged Clone

Tag: Tag Free Symbol: ATXN3

Synonyms: AT3; ATX3; JOS; MJD; MJD1; SCA3

Mammalian Cell None

Selection:

Vector: pCMV6-XL5

E. coli Selection: Ampicillin (100 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM\_001164776, the custom clone sequence may differ by one or

more nucleotides

**ACATCCATG** 

**Restriction Sites:** Please inquire ACCN: NM 001164776

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**OTI Annotation:** This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).





**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeg:** NM 001164776.1, NP 001158248.1

RefSeq Size:6285 bpRefSeq ORF:312 bpLocus ID:4287

Cytogenetics: 14q32.12

**Protein Families:** Druggable Genome, Transcription Factors

Machado-Joseph disease, also known as spinocerebellar ataxia-3, is an autosomal dominant neurologic disorder. The protein encoded by this gene contains (CAG)n repeats in the coding region, and the expansion of these repeats from the normal 12-44 to 52-86 is one cause of Machado-Joseph disease. There is a negative correlation between the age of onset and CAG repeat numbers. Alternatively spliced transcript variants encoding different isoforms have

been described for this gene. [provided by RefSeq, Jul 2016]

Transcript Variant: This variant (g) is one of several transcript variants described in figure 2 of Bettencourt et al. (PMID: 19714377). This variant encodes isoform g. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the

transcript record were based on alignments.