

Product datasheet for SC326939

DISC1 (NM 001164554) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: DISC1 (NM_001164554) Human Untagged Clone

Tag: Tag Free Symbol: DISC1

Synonyms: C1orf136; SCZD9

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC326939 representing NM_001164554.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGCCAGGCGGGGGTCCTCAGGGCGCCCCAGCCGCCGCCGGCGGCGCGCGTGAGCCACCGCGCAGGC AGCCGGGATTGCTTACCACCTGCAGCGTGCTTTCGGAGGCGGCGGCTGGCACGGAGGCCGGGCTACATG AGAAGCTCGACAGGGCCTGGGATCGGGTTCCTTTCCCCAGCAGTGGGCACACTGTTCCGGTTCCCAGGA GGGGTGTCTGGCGAGGAGTCCCACCACTCGGAGTCCAGGGCCAGACAGTGTGGCCTTGACTCGAGAGGC CTCTTGGTCCGGAGCCCTGTTTCCAAGAGTGCAGCAGCCCCTACTGTGACCTCTGTGAGAGGAACCTCG GCGCACTTTGGGATTCAGCTCAGAGGTGGCACCAGATTGCCTGACAGGCTTAGCTGGCCGTGTGGCCCT GGGAGTGCTGGCTGCCAGCAAGAGTTTGCAGCCATGGATAGTTCTGAGACCCTGGACGCCAGCTGGGAG GCAGCCTGCAGCGATGGAGCAAGGCGTGTCCGGGCAGCAGGCTCTCTGCCATCAGCAGAGTTGAGTAGC AACAGCTGCAGCCCTGGCTGTGGCCCTGAGGTCCCCCCAACCCCTCCTGGCTCTCACAGTGCCTTTACC TCAAGCTTTAGCTTTATTCGGCTCTCGCTTGGCTCTGCCGGGGAACGTGGAGAAGCAGAAGGCTGCCCA CCATCCAGAGAGGCTGAGTCCCATTGCCAGAGCCCCCAGGAGATGGGAGCCAAAGCTGCCAGCTTGGAC GGGCCTCACGAGGACCCGCGATGTCTCTCTCGGCCCTTCAGTCTCTTGGCTACACGGGTCTCTGCAGAC TTGGCCCAGGCCGCAAGGAACAGCTCCAGGCCAGAGCGTGACATGCATTCTTTACCAGACATGGACCCT GGCTCCTCCAGTTCTCTGGATCCCTCACTGGCTGGCTGGTGGTGGTGATGGGAGCAGCGGCTCAGGGGAT AGGCAGATGGAGGTAATATCCTTAAGATTAAAACTTCAGAAACTTCAGGAAGATGCAGTTGAGAATGAT

GATTATGATAAAGGTGAGTTT<mark>TAA</mark>

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM 001164554

Insert Size: 1128 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning

into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001164554.1</u>

RefSeq Size: 1707 bp
RefSeq ORF: 1128 bp
Locus ID: 27185
Cytogenetics: 1q42.2



MW:

39.3 kDa

Gene Summary:

This gene encodes a protein with multiple coiled coil motifs which is located in the nucleus, cytoplasm and mitochondria. The protein is involved in neurite outgrowth and cortical development through its interaction with other proteins. This gene is disrupted in a t(1;11) (q42.1;q14.3) translocation which segregates with schizophrenia and related psychiatric disorders in a large Scottish family. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. [provided by RefSeq, Jul 2008] Transcript Variant: This variant (q) lacks multiple 3' exons but has an alternate 3' segment, as compared to variant L. The resulting isoform (q, also known as isoform 46) is much shorter and has a distinct C-terminus, as compared to isoform L.