

Product datasheet for SC326942

Sex Hormone Binding Globulin (SHBG) (NM_001146279) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	Sex Hormone Binding Globulin (SHBG) (NM_001146279) Human Untagged Clone
Tag:	Tag Free
Symbol:	SHBG
Synonyms:	ABP; SBP; TEBG
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC326942 representing NM_001146279. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTT TAGTGAACCGTCAGAATTTTGT AATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCC GCGATCGCC
ATGGAGAGCAGAGGCCACTGGCTACCTCGCGCTGCTGCTGTTGCTGCTGTTGCTACTACTGCGTCAC
ACCCGCCAGGGATGGGCCCTGAGACCTGTTCTCCCCACCCAGAGTGCCACGACCCTCCGGCTGTCCAC
CTCAGCAATGGCCAGGACAAGAGCCTATCGCTGTCATGACCTTTGACCTACCAAGATCACAAAAACC
TCCTCCTCCTTTGAGGTTCGAACCTGGGACCCAGAGGGAGTGATTTTTATGGGGATACCAACCCTAAG
GATGACTGGTTTATGCTGGGACTTCGAGACGGCAGGCCTGAGATCCAACGCACAATCACTGGGCCAG
CTTACGGTGGGTGCTGGACCACGGCTGGATGATGGGAGATGGCACCAGGTGGAAGTCAAGATGGAGGGG
GACTCTGTGCTGCTGGAGGTGGATGGGGAGGAGGTGCTGCGCCTGAGACAGGTCTCTGGGCCCTGACC
AGCAAACGCCATCCCATCATGAGGATTGCGCTTGGGGGGCTGCTTCCCCGCTTCCAACCTTCGGTTG
CCGGCCGAGATCTCAGCATCTGCCCCACTAGCCTCAGAAGCTGTGATGTAGAATCAAAATCCCGGGATA
TTTCTCCTCCAGGGACTCAGGCAGAAATCAATCTCCGAGACATCCCCAGCCTCATGCAGAGCCCTGG
GCCTTCTCTTTGGACCTGGGACTCAAGCAGGCAGCAGGCTCAGGCCACCTCCTTGCTCTTTGGACACCA
GAGAACCATCTTGGCTCAGTCTCCACCTCCAAGATCAAAGGTGGTGTGTCTTCTGGGTCGGGGCCA
GGGCTGGATCTGCCCCTGGTCTTGGGACTCCCTCTTACGCTGAAGCTGAGTATGTCCAGGGTGGTCTTG
AGCCAAGGTCGAAGATGAAGGCCCTTGCCTCCCTTAGGCCTGGCTCCCCTAACCTCTTG
GCCAAGCCTCAAGGGCGTCTTCTCTGGGGCTTTACCAGGAGAAGACTTCCACCTCTTTTGCCTG
AATGGCCTTTGGGCACAAGGTGAGAGGCTGGATGTGGACCAGGCCTGAACAGAAGCCATGAGATCTGG
ACTCACAGCTGCCCCAGAGCCAGGCAATGGCACTGACGCTTCCATTAA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI



[View online »](#)

Plasmid Map:


ACCN: NM_001146279

Insert Size: 1155 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

OTI Annotation: This TrueClone is provided through our Custom Cloning Process that includes sub-cloning into OriGene's pCMV6 vector and full sequencing to provide a non-variant match to the expected reference without frameshifts, and is delivered as lyophilized plasmid DNA.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001146279.2](#)

RefSeq Size: 1279 bp

RefSeq ORF: 1155 bp

Locus ID: 6462

UniProt ID: [P04278](#)

Cytogenetics: 17p13.1
Protein Families: Druggable Genome, Secreted Protein
MW: 41.7 kDa

Gene Summary: This gene encodes a steroid binding protein that was first described as a plasma protein secreted by the liver but is now thought to participate in the regulation of steroid responses. The encoded protein transports androgens and estrogens in the blood, binding each steroid molecule as a dimer formed from identical or nearly identical monomers. Polymorphisms in this gene have been associated with polycystic ovary syndrome and type 2 diabetes mellitus. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2014]
Transcript Variant: This variant (2) uses an alternate in-frame splice site in the 3' coding region compared to variant 1. The encoded isoform (2) is shorter compared to isoform 1.